

**OFOX 34695****Gage Table Information**Reporting Marks: **OFOX 34695**

Trinity File Number: 9654

Capacity: 33,641 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 2

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,366	20.25	3,730	30.25	6,659
0.50	15	10.50	1,416	20.50	3,797	30.50	6,737
0.75	28	10.75	1,467	20.75	3,865	30.75	6,816
1.00	42	11.00	1,518	21.00	3,933	31.00	6,895
1.25	59	11.25	1,569	21.25	4,001	31.25	6,974
1.50	77	11.50	1,621	21.50	4,070	31.50	7,054
1.75	97	11.75	1,674	21.75	4,139	31.75	7,134
2.00	119	12.00	1,727	22.00	4,208	32.00	7,213
2.25	142	12.25	1,780	22.25	4,278	32.25	7,294
2.50	166	12.50	1,834	22.50	4,348	32.50	7,374
2.75	191	12.75	1,889	22.75	4,418	32.75	7,454
3.00	218	13.00	1,944	23.00	4,489	33.00	7,535
3.25	246	13.25	1,999	23.25	4,560	33.25	7,616
3.50	275	13.50	2,055	23.50	4,631	33.50	7,697
3.75	304	13.75	2,112	23.75	4,702	33.75	7,778
4.00	335	14.00	2,169	24.00	4,774	34.00	7,860
4.25	367	14.25	2,226	24.25	4,846	34.25	7,942
4.50	400	14.50	2,284	24.50	4,919	34.50	8,024
4.75	434	14.75	2,342	24.75	4,992	34.75	8,106
5.00	468	15.00	2,401	25.00	5,065	35.00	8,188
5.25	504	15.25	2,460	25.25	5,138	35.25	8,270
5.50	540	15.50	2,520	25.50	5,211	35.50	8,353
5.75	577	15.75	2,580	25.75	5,285	35.75	8,436
6.00	615	16.00	2,641	26.00	5,359	36.00	8,519
6.25	654	16.25	2,702	26.25	5,434	36.25	8,602
6.50	693	16.50	2,763	26.50	5,508	36.50	8,685
6.75	733	16.75	2,825	26.75	5,583	36.75	8,769
7.00	774	17.00	2,887	27.00	5,659	37.00	8,852
7.25	816	17.25	2,949	27.25	5,734	37.25	8,936
7.50	858	17.50	3,012	27.50	5,810	37.50	9,020
7.75	901	17.75	3,076	27.75	5,886	37.75	9,104
8.00	945	18.00	3,139	28.00	5,962	38.00	9,188
8.25	989	18.25	3,203	28.25	6,038	38.25	9,273
8.50	1,034	18.50	3,268	28.50	6,115	38.50	9,358
8.75	1,080	18.75	3,333	28.75	6,192	38.75	9,442
9.00	1,126	19.00	3,398	29.00	6,269	39.00	9,527
9.25	1,173	19.25	3,464	29.25	6,347	39.25	9,612
9.50	1,221	19.50	3,530	29.50	6,424	39.50	9,697
9.75	1,269	19.75	3,596	29.75	6,502	39.75	9,783

**OFOX 34695****Gage Table Information**Reporting Marks: **OFOX 34695**

Trinity File Number: 9654

Capacity: 33,641 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 2

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,954	50.25	13,472	60.25	17,093	70.25	20,706
40.50	10,040	50.50	13,562	60.50	17,184	70.50	20,796
40.75	10,126	50.75	13,652	60.75	17,275	70.75	20,885
41.00	10,212	51.00	13,742	61.00	17,366	71.00	20,974
41.25	10,298	51.25	13,831	61.25	17,457	71.25	21,063
41.50	10,384	51.50	13,921	61.50	17,548	71.50	21,152
41.75	10,471	51.75	14,012	61.75	17,639	71.75	21,241
42.00	10,557	52.00	14,102	62.00	17,729	72.00	21,330
42.25	10,644	52.25	14,192	62.25	17,820	72.25	21,418
42.50	10,731	52.50	14,282	62.50	17,911	72.50	21,507
42.75	10,817	52.75	14,372	62.75	18,002	72.75	21,595
43.00	10,905	53.00	14,462	63.00	18,092	73.00	21,684
43.25	10,992	53.25	14,553	63.25	18,183	73.25	21,772
43.50	11,079	53.50	14,643	63.50	18,274	73.50	21,860
43.75	11,166	53.75	14,734	63.75	18,365	73.75	21,948
44.00	11,254	54.00	14,824	64.00	18,455	74.00	22,036
44.25	11,341	54.25	14,915	64.25	18,546	74.25	22,124
44.50	11,429	54.50	15,005	64.50	18,636	74.50	22,212
44.75	11,517	54.75	15,096	64.75	18,727	74.75	22,300
45.00	11,605	55.00	15,186	65.00	18,817	75.00	22,388
45.25	11,693	55.25	15,277	65.25	18,908	75.25	22,475
45.50	11,781	55.50	15,368	65.50	18,998	75.50	22,562
45.75	11,869	55.75	15,458	65.75	19,089	75.75	22,650
46.00	11,958	56.00	15,549	66.00	19,179	76.00	22,737
46.25	12,046	56.25	15,640	66.25	19,269	76.25	22,824
46.50	12,135	56.50	15,730	66.50	19,359	76.50	22,911
46.75	12,223	56.75	15,821	66.75	19,450	76.75	22,998
47.00	12,312	57.00	15,912	67.00	19,540	77.00	23,084
47.25	12,401	57.25	16,003	67.25	19,630	77.25	23,171
47.50	12,489	57.50	16,094	67.50	19,720	77.50	23,257
47.75	12,578	57.75	16,185	67.75	19,810	77.75	23,344
48.00	12,667	58.00	16,275	68.00	19,900	78.00	23,430
48.25	12,757	58.25	16,366	68.25	19,990	78.25	23,516
48.50	12,846	58.50	16,457	68.50	20,080	78.50	23,602
48.75	12,935	58.75	16,548	68.75	20,169	78.75	23,688
49.00	13,024	59.00	16,639	69.00	20,259	79.00	23,773
49.25	13,114	59.25	16,730	69.25	20,349	79.25	23,859
49.50	13,203	59.50	16,821	69.50	20,438	79.50	23,944
49.75	13,293	59.75	16,912	69.75	20,528	79.75	24,029
50.00	13,382	60.00	17,002	70.00	20,617	80.00	24,114

**OFOX 34695****Gage Table Information**Reporting Marks: **OFOX 34695**

Trinity File Number: 9654

Capacity: 33,641 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 2

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,199	90.25	27,449	100.25	30,309	110.25	32,562
80.50	24,284	90.50	27,526	100.50	30,374	110.50	32,607
80.75	24,369	90.75	27,603	100.75	30,438	110.75	32,652
81.00	24,453	91.00	27,680	101.00	30,502	111.00	32,696
81.25	24,537	91.25	27,756	101.25	30,566	111.25	32,740
81.50	24,621	91.50	27,832	101.50	30,629	111.50	32,783
81.75	24,705	91.75	27,907	101.75	30,692	111.75	32,826
82.00	24,789	92.00	27,983	102.00	30,755	112.00	32,867
82.25	24,873	92.25	28,058	102.25	30,817	112.25	32,908
82.50	24,956	92.50	28,133	102.50	30,879	112.50	32,948
82.75	25,040	92.75	28,208	102.75	30,940	112.75	32,988
83.00	25,123	93.00	28,282	103.00	31,001	113.00	33,026
83.25	25,206	93.25	28,356	103.25	31,061	113.25	33,064
83.50	25,289	93.50	28,430	103.50	31,121	113.50	33,101
83.75	25,371	93.75	28,504	103.75	31,181	113.75	33,138
84.00	25,454	94.00	28,577	104.00	31,240	114.00	33,173
84.25	25,536	94.25	28,650	104.25	31,299	114.25	33,208
84.50	25,618	94.50	28,723	104.50	31,357	114.50	33,241
84.75	25,700	94.75	28,795	104.75	31,415	114.75	33,274
85.00	25,781	95.00	28,867	105.00	31,473	115.00	33,306
85.25	25,863	95.25	28,939	105.25	31,530	115.25	33,337
85.50	25,944	95.50	29,010	105.50	31,586	115.50	33,367
85.75	26,025	95.75	29,082	105.75	31,642	115.75	33,396
86.00	26,106	96.00	29,153	106.00	31,698	116.00	33,423
86.25	26,187	96.25	29,223	106.25	31,753	116.25	33,450
86.50	26,268	96.50	29,294	106.50	31,807	116.50	33,476
86.75	26,348	96.75	29,364	106.75	31,861	116.75	33,500
87.00	26,428	97.00	29,433	107.00	31,915	117.00	33,523
87.25	26,508	97.25	29,503	107.25	31,968	117.25	33,544
87.50	26,588	97.50	29,572	107.50	32,020	117.50	33,564
87.75	26,667	97.75	29,640	107.75	32,072	117.75	33,583
88.00	26,746	98.00	29,709	108.00	32,124	118.00	33,599
88.25	26,825	98.25	29,777	108.25	32,175	118.25	33,614
88.50	26,904	98.50	29,845	108.50	32,225	118.50	33,626
88.75	26,983	98.75	29,912	108.75	32,275	118.75	33,636
89.00	27,061	99.00	29,979	109.00	32,324	119.00	33,641
89.25	27,139	99.25	30,046	109.25	32,373		
89.50	27,217	99.50	30,112	109.50	32,421		
89.75	27,295	99.75	30,178	109.75	32,468		
90.00	27,372	100.00	30,243	110.00	32,515		

