

**OFOX 34696****Gage Table Information**Reporting Marks: **OFOX 34696**

Trinity File Number: 9654

Capacity: 33,679 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 3

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,733	30.25	6,666
0.50	15	10.50	1,418	20.50	3,801	30.50	6,745
0.75	27	10.75	1,468	20.75	3,869	30.75	6,824
1.00	42	11.00	1,519	21.00	3,937	31.00	6,903
1.25	58	11.25	1,570	21.25	4,005	31.25	6,982
1.50	77	11.50	1,622	21.50	4,074	31.50	7,062
1.75	97	11.75	1,675	21.75	4,143	31.75	7,141
2.00	118	12.00	1,728	22.00	4,213	32.00	7,221
2.25	141	12.25	1,782	22.25	4,282	32.25	7,302
2.50	166	12.50	1,836	22.50	4,352	32.50	7,382
2.75	191	12.75	1,891	22.75	4,423	32.75	7,463
3.00	218	13.00	1,946	23.00	4,494	33.00	7,543
3.25	246	13.25	2,001	23.25	4,565	33.25	7,624
3.50	274	13.50	2,057	23.50	4,636	33.50	7,706
3.75	304	13.75	2,114	23.75	4,707	33.75	7,787
4.00	335	14.00	2,171	24.00	4,779	34.00	7,869
4.25	367	14.25	2,228	24.25	4,852	34.25	7,950
4.50	400	14.50	2,286	24.50	4,924	34.50	8,032
4.75	434	14.75	2,345	24.75	4,997	34.75	8,114
5.00	468	15.00	2,404	25.00	5,070	35.00	8,197
5.25	504	15.25	2,463	25.25	5,143	35.25	8,279
5.50	540	15.50	2,523	25.50	5,217	35.50	8,362
5.75	577	15.75	2,583	25.75	5,291	35.75	8,445
6.00	615	16.00	2,643	26.00	5,365	36.00	8,528
6.25	654	16.25	2,704	26.25	5,440	36.25	8,611
6.50	694	16.50	2,766	26.50	5,514	36.50	8,695
6.75	734	16.75	2,827	26.75	5,589	36.75	8,778
7.00	775	17.00	2,890	27.00	5,665	37.00	8,862
7.25	816	17.25	2,952	27.25	5,740	37.25	8,946
7.50	859	17.50	3,015	27.50	5,816	37.50	9,030
7.75	902	17.75	3,079	27.75	5,892	37.75	9,114
8.00	946	18.00	3,143	28.00	5,968	38.00	9,199
8.25	990	18.25	3,207	28.25	6,045	38.25	9,283
8.50	1,035	18.50	3,271	28.50	6,122	38.50	9,368
8.75	1,081	18.75	3,336	28.75	6,199	38.75	9,453
9.00	1,127	19.00	3,402	29.00	6,276	39.00	9,538
9.25	1,174	19.25	3,467	29.25	6,354	39.25	9,623
9.50	1,222	19.50	3,533	29.50	6,431	39.50	9,708
9.75	1,270	19.75	3,600	29.75	6,509	39.75	9,794

**OFOX 34696****Gage Table Information**Reporting Marks: **OFOX 34696**

Trinity File Number: 9654

Capacity: 33,679 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 3

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,965	50.25	13,487	60.25	17,112	70.25	20,730
40.50	10,051	50.50	13,577	60.50	17,203	70.50	20,819
40.75	10,137	50.75	13,667	60.75	17,294	70.75	20,908
41.00	10,223	51.00	13,757	61.00	17,385	71.00	20,997
41.25	10,309	51.25	13,847	61.25	17,476	71.25	21,087
41.50	10,396	51.50	13,937	61.50	17,567	71.50	21,176
41.75	10,482	51.75	14,027	61.75	17,658	71.75	21,265
42.00	10,569	52.00	14,117	62.00	17,749	72.00	21,353
42.25	10,656	52.25	14,208	62.25	17,840	72.25	21,442
42.50	10,742	52.50	14,298	62.50	17,931	72.50	21,531
42.75	10,829	52.75	14,388	62.75	18,022	72.75	21,620
43.00	10,917	53.00	14,479	63.00	18,113	73.00	21,708
43.25	11,004	53.25	14,569	63.25	18,203	73.25	21,796
43.50	11,091	53.50	14,660	63.50	18,294	73.50	21,885
43.75	11,179	53.75	14,750	63.75	18,385	73.75	21,973
44.00	11,266	54.00	14,841	64.00	18,476	74.00	22,061
44.25	11,354	54.25	14,931	64.25	18,566	74.25	22,149
44.50	11,442	54.50	15,022	64.50	18,657	74.50	22,237
44.75	11,530	54.75	15,112	64.75	18,748	74.75	22,325
45.00	11,618	55.00	15,203	65.00	18,838	75.00	22,413
45.25	11,706	55.25	15,294	65.25	18,929	75.25	22,500
45.50	11,794	55.50	15,385	65.50	19,019	75.50	22,588
45.75	11,882	55.75	15,475	65.75	19,110	75.75	22,675
46.00	11,971	56.00	15,566	66.00	19,200	76.00	22,762
46.25	12,059	56.25	15,657	66.25	19,291	76.25	22,850
46.50	12,148	56.50	15,748	66.50	19,381	76.50	22,937
46.75	12,237	56.75	15,839	66.75	19,471	76.75	23,023
47.00	12,326	57.00	15,930	67.00	19,562	77.00	23,110
47.25	12,414	57.25	16,021	67.25	19,652	77.25	23,197
47.50	12,503	57.50	16,112	67.50	19,742	77.50	23,283
47.75	12,592	57.75	16,203	67.75	19,832	77.75	23,370
48.00	12,682	58.00	16,294	68.00	19,922	78.00	23,456
48.25	12,771	58.25	16,385	68.25	20,012	78.25	23,542
48.50	12,860	58.50	16,476	68.50	20,102	78.50	23,628
48.75	12,949	58.75	16,567	68.75	20,192	78.75	23,714
49.00	13,039	59.00	16,657	69.00	20,282	79.00	23,800
49.25	13,128	59.25	16,748	69.25	20,371	79.25	23,885
49.50	13,218	59.50	16,839	69.50	20,461	79.50	23,971
49.75	13,308	59.75	16,930	69.75	20,551	79.75	24,056
50.00	13,397	60.00	17,021	70.00	20,640	80.00	24,141

**OFOX 34696****Gage Table Information**Reporting Marks: **OFOX 34696**

Trinity File Number: 9654

Capacity: 33,679 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 3

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,226	90.25	27,480	100.25	30,343	110.25	32,598
80.50	24,311	90.50	27,557	100.50	30,408	110.50	32,644
80.75	24,396	90.75	27,634	100.75	30,472	110.75	32,689
81.00	24,480	91.00	27,711	101.00	30,536	111.00	32,733
81.25	24,565	91.25	27,787	101.25	30,600	111.25	32,777
81.50	24,649	91.50	27,863	101.50	30,664	111.50	32,820
81.75	24,733	91.75	27,939	101.75	30,727	111.75	32,863
82.00	24,817	92.00	28,014	102.00	30,789	112.00	32,904
82.25	24,901	92.25	28,090	102.25	30,851	112.25	32,945
82.50	24,984	92.50	28,165	102.50	30,913	112.50	32,985
82.75	25,068	92.75	28,239	102.75	30,975	112.75	33,025
83.00	25,151	93.00	28,314	103.00	31,036	113.00	33,064
83.25	25,234	93.25	28,388	103.25	31,096	113.25	33,102
83.50	25,317	93.50	28,462	103.50	31,156	113.50	33,139
83.75	25,400	93.75	28,536	103.75	31,216	113.75	33,175
84.00	25,482	94.00	28,609	104.00	31,275	114.00	33,211
84.25	25,564	94.25	28,682	104.25	31,334	114.25	33,245
84.50	25,647	94.50	28,755	104.50	31,393	114.50	33,279
84.75	25,729	94.75	28,827	104.75	31,451	114.75	33,312
85.00	25,810	95.00	28,900	105.00	31,508	115.00	33,344
85.25	25,892	95.25	28,971	105.25	31,565	115.25	33,375
85.50	25,973	95.50	29,043	105.50	31,622	115.50	33,405
85.75	26,055	95.75	29,114	105.75	31,678	115.75	33,433
86.00	26,136	96.00	29,185	106.00	31,733	116.00	33,461
86.25	26,216	96.25	29,256	106.25	31,788	116.25	33,488
86.50	26,297	96.50	29,327	106.50	31,843	116.50	33,513
86.75	26,377	96.75	29,397	106.75	31,897	116.75	33,538
87.00	26,458	97.00	29,466	107.00	31,951	117.00	33,560
87.25	26,538	97.25	29,536	107.25	32,004	117.25	33,582
87.50	26,617	97.50	29,605	107.50	32,057	117.50	33,602
87.75	26,697	97.75	29,674	107.75	32,109	117.75	33,620
88.00	26,776	98.00	29,742	108.00	32,160	118.00	33,637
88.25	26,855	98.25	29,810	108.25	32,211	118.25	33,652
88.50	26,934	98.50	29,878	108.50	32,261	118.50	33,664
88.75	27,013	98.75	29,946	108.75	32,311	118.75	33,674
89.00	27,091	99.00	30,013	109.00	32,361	119.00	33,679
89.25	27,170	99.25	30,079	109.25	32,409		
89.50	27,248	99.50	30,146	109.50	32,457		
89.75	27,325	99.75	30,212	109.75	32,505		
90.00	27,403	100.00	30,277	110.00	32,552		

