

**OFOX 34697****Gage Table Information**Reporting Marks: **OFOX 34697**

Trinity File Number: 9654

Capacity: 33,643 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 4

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,730	30.25	6,659
0.50	15	10.50	1,416	20.50	3,797	30.50	6,737
0.75	27	10.75	1,466	20.75	3,865	30.75	6,816
1.00	42	11.00	1,517	21.00	3,933	31.00	6,895
1.25	59	11.25	1,569	21.25	4,001	31.25	6,975
1.50	77	11.50	1,621	21.50	4,070	31.50	7,054
1.75	97	11.75	1,673	21.75	4,139	31.75	7,134
2.00	119	12.00	1,726	22.00	4,208	32.00	7,214
2.25	141	12.25	1,780	22.25	4,278	32.25	7,294
2.50	166	12.50	1,834	22.50	4,348	32.50	7,374
2.75	191	12.75	1,889	22.75	4,418	32.75	7,455
3.00	218	13.00	1,944	23.00	4,489	33.00	7,535
3.25	245	13.25	1,999	23.25	4,560	33.25	7,616
3.50	274	13.50	2,055	23.50	4,631	33.50	7,697
3.75	304	13.75	2,112	23.75	4,703	33.75	7,779
4.00	335	14.00	2,169	24.00	4,774	34.00	7,860
4.25	367	14.25	2,226	24.25	4,847	34.25	7,942
4.50	400	14.50	2,284	24.50	4,919	34.50	8,024
4.75	433	14.75	2,342	24.75	4,992	34.75	8,106
5.00	468	15.00	2,401	25.00	5,065	35.00	8,188
5.25	504	15.25	2,460	25.25	5,138	35.25	8,271
5.50	540	15.50	2,520	25.50	5,212	35.50	8,353
5.75	577	15.75	2,580	25.75	5,285	35.75	8,436
6.00	615	16.00	2,641	26.00	5,360	36.00	8,519
6.25	654	16.25	2,701	26.25	5,434	36.25	8,602
6.50	693	16.50	2,763	26.50	5,509	36.50	8,685
6.75	733	16.75	2,825	26.75	5,584	36.75	8,769
7.00	774	17.00	2,887	27.00	5,659	37.00	8,853
7.25	816	17.25	2,949	27.25	5,734	37.25	8,936
7.50	858	17.50	3,012	27.50	5,810	37.50	9,020
7.75	901	17.75	3,076	27.75	5,886	37.75	9,105
8.00	945	18.00	3,139	28.00	5,962	38.00	9,189
8.25	989	18.25	3,203	28.25	6,039	38.25	9,273
8.50	1,034	18.50	3,268	28.50	6,115	38.50	9,358
8.75	1,080	18.75	3,333	28.75	6,192	38.75	9,443
9.00	1,126	19.00	3,398	29.00	6,269	39.00	9,528
9.25	1,173	19.25	3,464	29.25	6,347	39.25	9,613
9.50	1,220	19.50	3,530	29.50	6,424	39.50	9,698
9.75	1,268	19.75	3,596	29.75	6,502	39.75	9,783

**OFOX 34697****Gage Table Information**Reporting Marks: **OFOX 34697**

Trinity File Number: 9654

Capacity: 33,643 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 4

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,954	50.25	13,473	60.25	17,094	70.25	20,708
40.50	10,040	50.50	13,563	60.50	17,185	70.50	20,797
40.75	10,126	50.75	13,652	60.75	17,276	70.75	20,886
41.00	10,212	51.00	13,742	61.00	17,367	71.00	20,975
41.25	10,298	51.25	13,832	61.25	17,458	71.25	21,064
41.50	10,385	51.50	13,922	61.50	17,549	71.50	21,153
41.75	10,471	51.75	14,012	61.75	17,639	71.75	21,242
42.00	10,558	52.00	14,102	62.00	17,730	72.00	21,331
42.25	10,644	52.25	14,192	62.25	17,821	72.25	21,419
42.50	10,731	52.50	14,283	62.50	17,912	72.50	21,508
42.75	10,818	52.75	14,373	62.75	18,003	72.75	21,597
43.00	10,905	53.00	14,463	63.00	18,093	73.00	21,685
43.25	10,992	53.25	14,554	63.25	18,184	73.25	21,773
43.50	11,079	53.50	14,644	63.50	18,275	73.50	21,862
43.75	11,167	53.75	14,734	63.75	18,365	73.75	21,950
44.00	11,254	54.00	14,825	64.00	18,456	74.00	22,038
44.25	11,342	54.25	14,915	64.25	18,547	74.25	22,126
44.50	11,430	54.50	15,006	64.50	18,637	74.50	22,213
44.75	11,518	54.75	15,096	64.75	18,728	74.75	22,301
45.00	11,605	55.00	15,187	65.00	18,818	75.00	22,389
45.25	11,693	55.25	15,278	65.25	18,909	75.25	22,476
45.50	11,782	55.50	15,368	65.50	18,999	75.50	22,564
45.75	11,870	55.75	15,459	65.75	19,090	75.75	22,651
46.00	11,958	56.00	15,550	66.00	19,180	76.00	22,738
46.25	12,047	56.25	15,640	66.25	19,270	76.25	22,825
46.50	12,135	56.50	15,731	66.50	19,361	76.50	22,912
46.75	12,224	56.75	15,822	66.75	19,451	76.75	22,999
47.00	12,312	57.00	15,913	67.00	19,541	77.00	23,086
47.25	12,401	57.25	16,004	67.25	19,631	77.25	23,172
47.50	12,490	57.50	16,095	67.50	19,721	77.50	23,259
47.75	12,579	57.75	16,185	67.75	19,811	77.75	23,345
48.00	12,668	58.00	16,276	68.00	19,901	78.00	23,431
48.25	12,757	58.25	16,367	68.25	19,991	78.25	23,517
48.50	12,846	58.50	16,458	68.50	20,081	78.50	23,603
48.75	12,936	58.75	16,549	68.75	20,170	78.75	23,689
49.00	13,025	59.00	16,640	69.00	20,260	79.00	23,774
49.25	13,114	59.25	16,731	69.25	20,350	79.25	23,860
49.50	13,204	59.50	16,822	69.50	20,439	79.50	23,945
49.75	13,293	59.75	16,912	69.75	20,529	79.75	24,031
50.00	13,383	60.00	17,003	70.00	20,618	80.00	24,116

**OFOX 34697****Gage Table Information**Reporting Marks: **OFOX 34697**

Trinity File Number: 9654

Capacity: 33,643 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 4

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,201	90.25	27,451	100.25	30,310	110.25	32,563
80.50	24,285	90.50	27,528	100.50	30,375	110.50	32,609
80.75	24,370	90.75	27,605	100.75	30,440	110.75	32,654
81.00	24,454	91.00	27,681	101.00	30,504	111.00	32,698
81.25	24,539	91.25	27,757	101.25	30,568	111.25	32,742
81.50	24,623	91.50	27,833	101.50	30,631	111.50	32,785
81.75	24,707	91.75	27,909	101.75	30,694	111.75	32,827
82.00	24,791	92.00	27,984	102.00	30,756	112.00	32,869
82.25	24,874	92.25	28,060	102.25	30,819	112.25	32,910
82.50	24,958	92.50	28,135	102.50	30,880	112.50	32,950
82.75	25,041	92.75	28,209	102.75	30,942	112.75	32,990
83.00	25,124	93.00	28,284	103.00	31,003	113.00	33,028
83.25	25,207	93.25	28,358	103.25	31,063	113.25	33,066
83.50	25,290	93.50	28,432	103.50	31,123	113.50	33,103
83.75	25,373	93.75	28,505	103.75	31,183	113.75	33,140
84.00	25,455	94.00	28,578	104.00	31,242	114.00	33,175
84.25	25,537	94.25	28,651	104.25	31,301	114.25	33,210
84.50	25,619	94.50	28,724	104.50	31,359	114.50	33,243
84.75	25,701	94.75	28,797	104.75	31,417	114.75	33,276
85.00	25,783	95.00	28,869	105.00	31,474	115.00	33,308
85.25	25,864	95.25	28,941	105.25	31,531	115.25	33,339
85.50	25,946	95.50	29,012	105.50	31,588	115.50	33,369
85.75	26,027	95.75	29,083	105.75	31,644	115.75	33,398
86.00	26,108	96.00	29,154	106.00	31,699	116.00	33,425
86.25	26,189	96.25	29,225	106.25	31,755	116.25	33,452
86.50	26,269	96.50	29,295	106.50	31,809	116.50	33,478
86.75	26,349	96.75	29,365	106.75	31,863	116.75	33,502
87.00	26,429	97.00	29,435	107.00	31,917	117.00	33,525
87.25	26,509	97.25	29,504	107.25	31,970	117.25	33,546
87.50	26,589	97.50	29,573	107.50	32,022	117.50	33,566
87.75	26,669	97.75	29,642	107.75	32,074	117.75	33,585
88.00	26,748	98.00	29,711	108.00	32,126	118.00	33,601
88.25	26,827	98.25	29,779	108.25	32,177	118.25	33,616
88.50	26,906	98.50	29,846	108.50	32,227	118.50	33,628
88.75	26,984	98.75	29,914	108.75	32,277	118.75	33,638
89.00	27,063	99.00	29,981	109.00	32,326	119.00	33,643
89.25	27,141	99.25	30,047	109.25	32,375		
89.50	27,219	99.50	30,114	109.50	32,423		
89.75	27,296	99.75	30,180	109.75	32,470		
90.00	27,374	100.00	30,245	110.00	32,517		

