

**OFOX 34698****Gage Table Information**Reporting Marks: **OFOX 34698**

Trinity File Number: 9654

Capacity: 33,652 Gallons

Tare Weight: 99,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 5

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,730	30.25	6,661
0.50	15	10.50	1,416	20.50	3,798	30.50	6,739
0.75	27	10.75	1,467	20.75	3,866	30.75	6,818
1.00	42	11.00	1,518	21.00	3,934	31.00	6,897
1.25	59	11.25	1,569	21.25	4,002	31.25	6,976
1.50	77	11.50	1,621	21.50	4,071	31.50	7,056
1.75	97	11.75	1,674	21.75	4,140	31.75	7,136
2.00	118	12.00	1,727	22.00	4,209	32.00	7,216
2.25	141	12.25	1,780	22.25	4,279	32.25	7,296
2.50	166	12.50	1,834	22.50	4,349	32.50	7,376
2.75	191	12.75	1,889	22.75	4,419	32.75	7,457
3.00	218	13.00	1,944	23.00	4,490	33.00	7,537
3.25	245	13.25	2,000	23.25	4,561	33.25	7,618
3.50	274	13.50	2,056	23.50	4,632	33.50	7,699
3.75	304	13.75	2,112	23.75	4,704	33.75	7,781
4.00	335	14.00	2,169	24.00	4,776	34.00	7,862
4.25	367	14.25	2,227	24.25	4,848	34.25	7,944
4.50	400	14.50	2,285	24.50	4,920	34.50	8,026
4.75	433	14.75	2,343	24.75	4,993	34.75	8,108
5.00	468	15.00	2,402	25.00	5,066	35.00	8,190
5.25	504	15.25	2,461	25.25	5,139	35.25	8,273
5.50	540	15.50	2,521	25.50	5,213	35.50	8,355
5.75	577	15.75	2,581	25.75	5,287	35.75	8,438
6.00	615	16.00	2,641	26.00	5,361	36.00	8,521
6.25	654	16.25	2,702	26.25	5,435	36.25	8,604
6.50	693	16.50	2,763	26.50	5,510	36.50	8,688
6.75	733	16.75	2,825	26.75	5,585	36.75	8,771
7.00	774	17.00	2,887	27.00	5,660	37.00	8,855
7.25	816	17.25	2,950	27.25	5,736	37.25	8,939
7.50	858	17.50	3,013	27.50	5,811	37.50	9,023
7.75	901	17.75	3,076	27.75	5,887	37.75	9,107
8.00	945	18.00	3,140	28.00	5,964	38.00	9,191
8.25	989	18.25	3,204	28.25	6,040	38.25	9,276
8.50	1,034	18.50	3,269	28.50	6,117	38.50	9,360
8.75	1,080	18.75	3,334	28.75	6,194	38.75	9,445
9.00	1,126	19.00	3,399	29.00	6,271	39.00	9,530
9.25	1,173	19.25	3,464	29.25	6,348	39.25	9,615
9.50	1,221	19.50	3,530	29.50	6,426	39.50	9,700
9.75	1,269	19.75	3,597	29.75	6,504	39.75	9,786

**OFOX 34698****Gage Table Information**Reporting Marks: **OFOX 34698**

Trinity File Number: 9654

Capacity: 33,652 Gallons

Tare Weight: 99,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 5

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,957	50.25	13,476	60.25	17,099	70.25	20,713
40.50	10,043	50.50	13,566	60.50	17,190	70.50	20,802
40.75	10,129	50.75	13,656	60.75	17,281	70.75	20,892
41.00	10,215	51.00	13,746	61.00	17,372	71.00	20,981
41.25	10,301	51.25	13,836	61.25	17,462	71.25	21,070
41.50	10,387	51.50	13,926	61.50	17,553	71.50	21,159
41.75	10,474	51.75	14,016	61.75	17,644	71.75	21,248
42.00	10,560	52.00	14,106	62.00	17,735	72.00	21,336
42.25	10,647	52.25	14,196	62.25	17,826	72.25	21,425
42.50	10,734	52.50	14,286	62.50	17,917	72.50	21,514
42.75	10,821	52.75	14,377	62.75	18,007	72.75	21,602
43.00	10,908	53.00	14,467	63.00	18,098	73.00	21,691
43.25	10,995	53.25	14,557	63.25	18,189	73.25	21,779
43.50	11,082	53.50	14,648	63.50	18,280	73.50	21,867
43.75	11,170	53.75	14,738	63.75	18,370	73.75	21,955
44.00	11,257	54.00	14,829	64.00	18,461	74.00	22,044
44.25	11,345	54.25	14,919	64.25	18,552	74.25	22,132
44.50	11,433	54.50	15,010	64.50	18,642	74.50	22,219
44.75	11,521	54.75	15,100	64.75	18,733	74.75	22,307
45.00	11,608	55.00	15,191	65.00	18,823	75.00	22,395
45.25	11,697	55.25	15,282	65.25	18,914	75.25	22,482
45.50	11,785	55.50	15,372	65.50	19,004	75.50	22,570
45.75	11,873	55.75	15,463	65.75	19,095	75.75	22,657
46.00	11,961	56.00	15,554	66.00	19,185	76.00	22,744
46.25	12,050	56.25	15,645	66.25	19,275	76.25	22,831
46.50	12,138	56.50	15,735	66.50	19,366	76.50	22,918
46.75	12,227	56.75	15,826	66.75	19,456	76.75	23,005
47.00	12,316	57.00	15,917	67.00	19,546	77.00	23,092
47.25	12,404	57.25	16,008	67.25	19,636	77.25	23,178
47.50	12,493	57.50	16,099	67.50	19,726	77.50	23,265
47.75	12,582	57.75	16,190	67.75	19,816	77.75	23,351
48.00	12,671	58.00	16,281	68.00	19,906	78.00	23,437
48.25	12,761	58.25	16,371	68.25	19,996	78.25	23,523
48.50	12,850	58.50	16,462	68.50	20,086	78.50	23,609
48.75	12,939	58.75	16,553	68.75	20,176	78.75	23,695
49.00	13,028	59.00	16,644	69.00	20,265	79.00	23,781
49.25	13,118	59.25	16,735	69.25	20,355	79.25	23,866
49.50	13,207	59.50	16,826	69.50	20,445	79.50	23,952
49.75	13,297	59.75	16,917	69.75	20,534	79.75	24,037
50.00	13,387	60.00	17,008	70.00	20,624	80.00	24,122

**OFOX 34698****Gage Table Information**Reporting Marks: **OFOX 34698**

Trinity File Number: 9654

Capacity: 33,652 Gallons

Tare Weight: 99,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 5

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,207	90.25	27,458	100.25	30,319	110.25	32,572
80.50	24,292	90.50	27,535	100.50	30,383	110.50	32,618
80.75	24,376	90.75	27,612	100.75	30,448	110.75	32,663
81.00	24,461	91.00	27,688	101.00	30,512	111.00	32,707
81.25	24,545	91.25	27,765	101.25	30,576	111.25	32,751
81.50	24,629	91.50	27,841	101.50	30,639	111.50	32,794
81.75	24,713	91.75	27,916	101.75	30,702	111.75	32,836
82.00	24,797	92.00	27,992	102.00	30,765	112.00	32,878
82.25	24,881	92.25	28,067	102.25	30,827	112.25	32,919
82.50	24,964	92.50	28,142	102.50	30,889	112.50	32,959
82.75	25,048	92.75	28,217	102.75	30,950	112.75	32,998
83.00	25,131	93.00	28,291	103.00	31,011	113.00	33,037
83.25	25,214	93.25	28,365	103.25	31,071	113.25	33,075
83.50	25,297	93.50	28,439	103.50	31,131	113.50	33,112
83.75	25,379	93.75	28,513	103.75	31,191	113.75	33,148
84.00	25,462	94.00	28,586	104.00	31,250	114.00	33,184
84.25	25,544	94.25	28,659	104.25	31,309	114.25	33,219
84.50	25,626	94.50	28,732	104.50	31,368	114.50	33,252
84.75	25,708	94.75	28,804	104.75	31,425	114.75	33,285
85.00	25,790	95.00	28,876	105.00	31,483	115.00	33,317
85.25	25,871	95.25	28,948	105.25	31,540	115.25	33,348
85.50	25,953	95.50	29,020	105.50	31,596	115.50	33,378
85.75	26,034	95.75	29,091	105.75	31,652	115.75	33,407
86.00	26,115	96.00	29,162	106.00	31,708	116.00	33,434
86.25	26,195	96.25	29,233	106.25	31,763	116.25	33,461
86.50	26,276	96.50	29,303	106.50	31,818	116.50	33,486
86.75	26,356	96.75	29,373	106.75	31,872	116.75	33,511
87.00	26,437	97.00	29,443	107.00	31,925	117.00	33,534
87.25	26,516	97.25	29,512	107.25	31,978	117.25	33,555
87.50	26,596	97.50	29,581	107.50	32,031	117.50	33,575
87.75	26,676	97.75	29,650	107.75	32,083	117.75	33,594
88.00	26,755	98.00	29,718	108.00	32,134	118.00	33,610
88.25	26,834	98.25	29,787	108.25	32,185	118.25	33,625
88.50	26,913	98.50	29,854	108.50	32,236	118.50	33,637
88.75	26,991	98.75	29,922	108.75	32,285	118.75	33,647
89.00	27,070	99.00	29,989	109.00	32,335	119.00	33,652
89.25	27,148	99.25	30,055	109.25	32,383		
89.50	27,226	99.50	30,122	109.50	32,431		
89.75	27,304	99.75	30,188	109.75	32,479		
90.00	27,381	100.00	30,253	110.00	32,526		

