

**OFOX 34699****Gage Table Information**Reporting Marks: **OFOX 34699**

Trinity File Number: 9654

Capacity: 33,658 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 6

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,367	20.25	3,731	30.25	6,662
0.50	15	10.50	1,417	20.50	3,799	30.50	6,741
0.75	28	10.75	1,467	20.75	3,867	30.75	6,820
1.00	42	11.00	1,518	21.00	3,935	31.00	6,899
1.25	59	11.25	1,570	21.25	4,003	31.25	6,978
1.50	77	11.50	1,622	21.50	4,072	31.50	7,058
1.75	97	11.75	1,674	21.75	4,141	31.75	7,137
2.00	119	12.00	1,728	22.00	4,210	32.00	7,217
2.25	142	12.25	1,781	22.25	4,280	32.25	7,297
2.50	166	12.50	1,835	22.50	4,350	32.50	7,378
2.75	192	12.75	1,890	22.75	4,420	32.75	7,458
3.00	218	13.00	1,945	23.00	4,491	33.00	7,539
3.25	246	13.25	2,000	23.25	4,562	33.25	7,620
3.50	275	13.50	2,056	23.50	4,633	33.50	7,701
3.75	305	13.75	2,113	23.75	4,705	33.75	7,782
4.00	336	14.00	2,170	24.00	4,777	34.00	7,864
4.25	367	14.25	2,227	24.25	4,849	34.25	7,946
4.50	400	14.50	2,285	24.50	4,921	34.50	8,028
4.75	434	14.75	2,344	24.75	4,994	34.75	8,110
5.00	469	15.00	2,402	25.00	5,067	35.00	8,192
5.25	504	15.25	2,462	25.25	5,141	35.25	8,275
5.50	540	15.50	2,521	25.50	5,214	35.50	8,357
5.75	578	15.75	2,582	25.75	5,288	35.75	8,440
6.00	615	16.00	2,642	26.00	5,362	36.00	8,523
6.25	654	16.25	2,703	26.25	5,437	36.25	8,606
6.50	694	16.50	2,764	26.50	5,511	36.50	8,690
6.75	734	16.75	2,826	26.75	5,586	36.75	8,773
7.00	775	17.00	2,888	27.00	5,662	37.00	8,857
7.25	816	17.25	2,951	27.25	5,737	37.25	8,941
7.50	859	17.50	3,014	27.50	5,813	37.50	9,025
7.75	902	17.75	3,077	27.75	5,889	37.75	9,109
8.00	945	18.00	3,141	28.00	5,965	38.00	9,193
8.25	990	18.25	3,205	28.25	6,042	38.25	9,278
8.50	1,035	18.50	3,270	28.50	6,118	38.50	9,362
8.75	1,081	18.75	3,335	28.75	6,195	38.75	9,447
9.00	1,127	19.00	3,400	29.00	6,272	39.00	9,532
9.25	1,174	19.25	3,465	29.25	6,350	39.25	9,617
9.50	1,221	19.50	3,531	29.50	6,428	39.50	9,702
9.75	1,269	19.75	3,598	29.75	6,506	39.75	9,788

**OFOX 34699****Gage Table Information**Reporting Marks: **OFOX 34699**

Trinity File Number: 9654

Capacity: 33,658 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 6

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,959	50.25	13,479	60.25	17,102	70.25	20,717
40.50	10,045	50.50	13,569	60.50	17,193	70.50	20,806
40.75	10,131	50.75	13,659	60.75	17,284	70.75	20,895
41.00	10,217	51.00	13,749	61.00	17,375	71.00	20,985
41.25	10,303	51.25	13,839	61.25	17,466	71.25	21,074
41.50	10,389	51.50	13,929	61.50	17,557	71.50	21,163
41.75	10,476	51.75	14,019	61.75	17,647	71.75	21,252
42.00	10,562	52.00	14,109	62.00	17,738	72.00	21,340
42.25	10,649	52.25	14,199	62.25	17,829	72.25	21,429
42.50	10,736	52.50	14,289	62.50	17,920	72.50	21,518
42.75	10,823	52.75	14,379	62.75	18,011	72.75	21,606
43.00	10,910	53.00	14,470	63.00	18,102	73.00	21,695
43.25	10,997	53.25	14,560	63.25	18,192	73.25	21,783
43.50	11,085	53.50	14,651	63.50	18,283	73.50	21,871
43.75	11,172	53.75	14,741	63.75	18,374	73.75	21,960
44.00	11,260	54.00	14,832	64.00	18,464	74.00	22,048
44.25	11,347	54.25	14,922	64.25	18,555	74.25	22,136
44.50	11,435	54.50	15,013	64.50	18,646	74.50	22,223
44.75	11,523	54.75	15,103	64.75	18,736	74.75	22,311
45.00	11,611	55.00	15,194	65.00	18,827	75.00	22,399
45.25	11,699	55.25	15,285	65.25	18,917	75.25	22,486
45.50	11,787	55.50	15,375	65.50	19,008	75.50	22,574
45.75	11,875	55.75	15,466	65.75	19,098	75.75	22,661
46.00	11,964	56.00	15,557	66.00	19,189	76.00	22,748
46.25	12,052	56.25	15,648	66.25	19,279	76.25	22,835
46.50	12,141	56.50	15,738	66.50	19,369	76.50	22,922
46.75	12,229	56.75	15,829	66.75	19,460	76.75	23,009
47.00	12,318	57.00	15,920	67.00	19,550	77.00	23,096
47.25	12,407	57.25	16,011	67.25	19,640	77.25	23,183
47.50	12,496	57.50	16,102	67.50	19,730	77.50	23,269
47.75	12,585	57.75	16,193	67.75	19,820	77.75	23,355
48.00	12,674	58.00	16,284	68.00	19,910	78.00	23,442
48.25	12,763	58.25	16,375	68.25	20,000	78.25	23,528
48.50	12,852	58.50	16,466	68.50	20,090	78.50	23,614
48.75	12,942	58.75	16,556	68.75	20,180	78.75	23,699
49.00	13,031	59.00	16,647	69.00	20,269	79.00	23,785
49.25	13,120	59.25	16,738	69.25	20,359	79.25	23,871
49.50	13,210	59.50	16,829	69.50	20,448	79.50	23,956
49.75	13,300	59.75	16,920	69.75	20,538	79.75	24,041
50.00	13,389	60.00	17,011	70.00	20,627	80.00	24,126

**OFOX 34699****Gage Table Information**Reporting Marks: **OFOX 34699**

Trinity File Number: 9654

Capacity: 33,658 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 6

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,211	90.25	27,463	100.25	30,324	110.25	32,578
80.50	24,296	90.50	27,540	100.50	30,389	110.50	32,624
80.75	24,381	90.75	27,617	100.75	30,453	110.75	32,669
81.00	24,465	91.00	27,693	101.00	30,517	111.00	32,713
81.25	24,550	91.25	27,770	101.25	30,581	111.25	32,757
81.50	24,634	91.50	27,846	101.50	30,645	111.50	32,800
81.75	24,718	91.75	27,921	101.75	30,708	111.75	32,842
82.00	24,802	92.00	27,997	102.00	30,770	112.00	32,884
82.25	24,885	92.25	28,072	102.25	30,832	112.25	32,925
82.50	24,969	92.50	28,147	102.50	30,894	112.50	32,965
82.75	25,052	92.75	28,222	102.75	30,955	112.75	33,004
83.00	25,135	93.00	28,296	103.00	31,016	113.00	33,043
83.25	25,218	93.25	28,370	103.25	31,077	113.25	33,081
83.50	25,301	93.50	28,444	103.50	31,137	113.50	33,118
83.75	25,384	93.75	28,518	103.75	31,197	113.75	33,154
84.00	25,466	94.00	28,591	104.00	31,256	114.00	33,190
84.25	25,549	94.25	28,664	104.25	31,315	114.25	33,224
84.50	25,631	94.50	28,737	104.50	31,373	114.50	33,258
84.75	25,713	94.75	28,809	104.75	31,431	114.75	33,291
85.00	25,794	95.00	28,882	105.00	31,489	115.00	33,323
85.25	25,876	95.25	28,954	105.25	31,545	115.25	33,354
85.50	25,957	95.50	29,025	105.50	31,602	115.50	33,384
85.75	26,039	95.75	29,096	105.75	31,658	115.75	33,413
86.00	26,119	96.00	29,167	106.00	31,714	116.00	33,440
86.25	26,200	96.25	29,238	106.25	31,769	116.25	33,467
86.50	26,281	96.50	29,308	106.50	31,823	116.50	33,492
86.75	26,361	96.75	29,378	106.75	31,877	116.75	33,517
87.00	26,441	97.00	29,448	107.00	31,931	117.00	33,540
87.25	26,521	97.25	29,518	107.25	31,984	117.25	33,561
87.50	26,601	97.50	29,587	107.50	32,037	117.50	33,581
87.75	26,680	97.75	29,655	107.75	32,089	117.75	33,600
88.00	26,760	98.00	29,724	108.00	32,140	118.00	33,616
88.25	26,839	98.25	29,792	108.25	32,191	118.25	33,631
88.50	26,918	98.50	29,860	108.50	32,241	118.50	33,643
88.75	26,996	98.75	29,927	108.75	32,291	118.75	33,653
89.00	27,075	99.00	29,994	109.00	32,340	119.00	33,658
89.25	27,153	99.25	30,061	109.25	32,389		
89.50	27,231	99.50	30,127	109.50	32,437		
89.75	27,309	99.75	30,193	109.75	32,485		
90.00	27,386	100.00	30,259	110.00	32,532		

