

**OFOX 34700****Gage Table Information**Reporting Marks: **OFOX 34700**

Trinity File Number: 9654

Capacity: 33,665 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 8

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,732	30.25	6,663
0.50	15	10.50	1,417	20.50	3,799	30.50	6,742
0.75	27	10.75	1,468	20.75	3,867	30.75	6,821
1.00	42	11.00	1,518	21.00	3,935	31.00	6,900
1.25	59	11.25	1,570	21.25	4,004	31.25	6,979
1.50	77	11.50	1,622	21.50	4,072	31.50	7,059
1.75	97	11.75	1,675	21.75	4,142	31.75	7,139
2.00	119	12.00	1,728	22.00	4,211	32.00	7,218
2.25	142	12.25	1,781	22.25	4,281	32.25	7,299
2.50	166	12.50	1,835	22.50	4,351	32.50	7,379
2.75	191	12.75	1,890	22.75	4,421	32.75	7,460
3.00	218	13.00	1,945	23.00	4,492	33.00	7,540
3.25	246	13.25	2,001	23.25	4,563	33.25	7,621
3.50	275	13.50	2,057	23.50	4,634	33.50	7,703
3.75	304	13.75	2,113	23.75	4,706	33.75	7,784
4.00	335	14.00	2,170	24.00	4,778	34.00	7,865
4.25	367	14.25	2,228	24.25	4,850	34.25	7,947
4.50	400	14.50	2,286	24.50	4,922	34.50	8,029
4.75	434	14.75	2,344	24.75	4,995	34.75	8,111
5.00	468	15.00	2,403	25.00	5,068	35.00	8,194
5.25	504	15.25	2,462	25.25	5,141	35.25	8,276
5.50	540	15.50	2,522	25.50	5,215	35.50	8,359
5.75	577	15.75	2,582	25.75	5,289	35.75	8,442
6.00	615	16.00	2,642	26.00	5,363	36.00	8,525
6.25	654	16.25	2,703	26.25	5,438	36.25	8,608
6.50	693	16.50	2,765	26.50	5,512	36.50	8,691
6.75	734	16.75	2,827	26.75	5,587	36.75	8,775
7.00	775	17.00	2,889	27.00	5,663	37.00	8,858
7.25	816	17.25	2,951	27.25	5,738	37.25	8,942
7.50	859	17.50	3,014	27.50	5,814	37.50	9,026
7.75	902	17.75	3,078	27.75	5,890	37.75	9,111
8.00	945	18.00	3,141	28.00	5,966	38.00	9,195
8.25	990	18.25	3,206	28.25	6,043	38.25	9,279
8.50	1,035	18.50	3,270	28.50	6,119	38.50	9,364
8.75	1,081	18.75	3,335	28.75	6,196	38.75	9,449
9.00	1,127	19.00	3,400	29.00	6,274	39.00	9,534
9.25	1,174	19.25	3,466	29.25	6,351	39.25	9,619
9.50	1,221	19.50	3,532	29.50	6,429	39.50	9,704
9.75	1,269	19.75	3,598	29.75	6,507	39.75	9,790

**OFOX 34700****Gage Table Information**Reporting Marks: **OFOX 34700**

Trinity File Number: 9654

Capacity: 33,665 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 8

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,961	50.25	13,482	60.25	17,105	70.25	20,721
40.50	10,047	50.50	13,571	60.50	17,196	70.50	20,810
40.75	10,133	50.75	13,661	60.75	17,287	70.75	20,900
41.00	10,219	51.00	13,751	61.00	17,378	71.00	20,989
41.25	10,305	51.25	13,841	61.25	17,469	71.25	21,078
41.50	10,391	51.50	13,931	61.50	17,560	71.50	21,167
41.75	10,478	51.75	14,021	61.75	17,651	71.75	21,256
42.00	10,565	52.00	14,112	62.00	17,742	72.00	21,345
42.25	10,651	52.25	14,202	62.25	17,833	72.25	21,433
42.50	10,738	52.50	14,292	62.50	17,924	72.50	21,522
42.75	10,825	52.75	14,382	62.75	18,014	72.75	21,611
43.00	10,912	53.00	14,473	63.00	18,105	73.00	21,699
43.25	10,999	53.25	14,563	63.25	18,196	73.25	21,788
43.50	11,087	53.50	14,654	63.50	18,287	73.50	21,876
43.75	11,174	53.75	14,744	63.75	18,378	73.75	21,964
44.00	11,262	54.00	14,835	64.00	18,468	74.00	22,052
44.25	11,349	54.25	14,925	64.25	18,559	74.25	22,140
44.50	11,437	54.50	15,016	64.50	18,650	74.50	22,228
44.75	11,525	54.75	15,106	64.75	18,740	74.75	22,316
45.00	11,613	55.00	15,197	65.00	18,831	75.00	22,403
45.25	11,701	55.25	15,288	65.25	18,921	75.25	22,491
45.50	11,789	55.50	15,378	65.50	19,012	75.50	22,578
45.75	11,878	55.75	15,469	65.75	19,102	75.75	22,666
46.00	11,966	56.00	15,560	66.00	19,193	76.00	22,753
46.25	12,055	56.25	15,651	66.25	19,283	76.25	22,840
46.50	12,143	56.50	15,742	66.50	19,373	76.50	22,927
46.75	12,232	56.75	15,832	66.75	19,463	76.75	23,014
47.00	12,321	57.00	15,923	67.00	19,554	77.00	23,101
47.25	12,409	57.25	16,014	67.25	19,644	77.25	23,187
47.50	12,498	57.50	16,105	67.50	19,734	77.50	23,274
47.75	12,587	57.75	16,196	67.75	19,824	77.75	23,360
48.00	12,676	58.00	16,287	68.00	19,914	78.00	23,446
48.25	12,766	58.25	16,378	68.25	20,004	78.25	23,533
48.50	12,855	58.50	16,469	68.50	20,094	78.50	23,618
48.75	12,944	58.75	16,560	68.75	20,184	78.75	23,704
49.00	13,034	59.00	16,651	69.00	20,273	79.00	23,790
49.25	13,123	59.25	16,742	69.25	20,363	79.25	23,876
49.50	13,213	59.50	16,833	69.50	20,453	79.50	23,961
49.75	13,302	59.75	16,924	69.75	20,542	79.75	24,046
50.00	13,392	60.00	17,015	70.00	20,632	80.00	24,131

**OFOX 34700****Gage Table Information**Reporting Marks: **OFOX 34700**

Trinity File Number: 9654

Capacity: 33,665 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 8

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,216	90.25	27,469	100.25	30,330	110.25	32,585
80.50	24,301	90.50	27,546	100.50	30,395	110.50	32,630
80.75	24,386	90.75	27,623	100.75	30,460	110.75	32,675
81.00	24,470	91.00	27,699	101.00	30,524	111.00	32,720
81.25	24,555	91.25	27,775	101.25	30,588	111.25	32,764
81.50	24,639	91.50	27,851	101.50	30,651	111.50	32,807
81.75	24,723	91.75	27,927	101.75	30,714	111.75	32,849
82.00	24,807	92.00	28,003	102.00	30,777	112.00	32,891
82.25	24,890	92.25	28,078	102.25	30,839	112.25	32,932
82.50	24,974	92.50	28,153	102.50	30,901	112.50	32,972
82.75	25,057	92.75	28,228	102.75	30,962	112.75	33,011
83.00	25,141	93.00	28,302	103.00	31,023	113.00	33,050
83.25	25,224	93.25	28,376	103.25	31,083	113.25	33,088
83.50	25,306	93.50	28,450	103.50	31,144	113.50	33,125
83.75	25,389	93.75	28,524	103.75	31,203	113.75	33,161
84.00	25,472	94.00	28,597	104.00	31,262	114.00	33,197
84.25	25,554	94.25	28,670	104.25	31,321	114.25	33,231
84.50	25,636	94.50	28,743	104.50	31,380	114.50	33,265
84.75	25,718	94.75	28,815	104.75	31,438	114.75	33,298
85.00	25,800	95.00	28,888	105.00	31,495	115.00	33,330
85.25	25,881	95.25	28,960	105.25	31,552	115.25	33,361
85.50	25,963	95.50	29,031	105.50	31,609	115.50	33,391
85.75	26,044	95.75	29,102	105.75	31,665	115.75	33,419
86.00	26,125	96.00	29,173	106.00	31,720	116.00	33,447
86.25	26,206	96.25	29,244	106.25	31,775	116.25	33,474
86.50	26,286	96.50	29,314	106.50	31,830	116.50	33,499
86.75	26,367	96.75	29,384	106.75	31,884	116.75	33,524
87.00	26,447	97.00	29,454	107.00	31,938	117.00	33,547
87.25	26,527	97.25	29,524	107.25	31,991	117.25	33,568
87.50	26,606	97.50	29,593	107.50	32,043	117.50	33,588
87.75	26,686	97.75	29,661	107.75	32,095	117.75	33,607
88.00	26,765	98.00	29,730	108.00	32,147	118.00	33,623
88.25	26,844	98.25	29,798	108.25	32,198	118.25	33,638
88.50	26,923	98.50	29,866	108.50	32,248	118.50	33,650
88.75	27,002	98.75	29,933	108.75	32,298	118.75	33,660
89.00	27,080	99.00	30,000	109.00	32,347	119.00	33,665
89.25	27,158	99.25	30,067	109.25	32,396		
89.50	27,236	99.50	30,133	109.50	32,444		
89.75	27,314	99.75	30,199	109.75	32,492		
90.00	27,392	100.00	30,265	110.00	32,538		

