

**OFOX 34702****Gage Table Information**Reporting Marks: **OFOX 34702**

Trinity File Number: 9654

Capacity: 33,655 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 10

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,731	30.25	6,661
0.50	15	10.50	1,416	20.50	3,798	30.50	6,740
0.75	27	10.75	1,467	20.75	3,866	30.75	6,818
1.00	42	11.00	1,518	21.00	3,934	31.00	6,898
1.25	58	11.25	1,569	21.25	4,002	31.25	6,977
1.50	77	11.50	1,621	21.50	4,071	31.50	7,056
1.75	97	11.75	1,674	21.75	4,140	31.75	7,136
2.00	118	12.00	1,727	22.00	4,209	32.00	7,216
2.25	141	12.25	1,780	22.25	4,279	32.25	7,296
2.50	165	12.50	1,834	22.50	4,349	32.50	7,376
2.75	191	12.75	1,889	22.75	4,419	32.75	7,457
3.00	217	13.00	1,944	23.00	4,490	33.00	7,538
3.25	245	13.25	2,000	23.25	4,561	33.25	7,619
3.50	274	13.50	2,056	23.50	4,632	33.50	7,700
3.75	304	13.75	2,112	23.75	4,704	33.75	7,781
4.00	335	14.00	2,169	24.00	4,776	34.00	7,863
4.25	367	14.25	2,227	24.25	4,848	34.25	7,944
4.50	400	14.50	2,284	24.50	4,920	34.50	8,026
4.75	433	14.75	2,343	24.75	4,993	34.75	8,109
5.00	468	15.00	2,402	25.00	5,066	35.00	8,191
5.25	503	15.25	2,461	25.25	5,140	35.25	8,273
5.50	540	15.50	2,521	25.50	5,213	35.50	8,356
5.75	577	15.75	2,581	25.75	5,287	35.75	8,439
6.00	615	16.00	2,641	26.00	5,361	36.00	8,522
6.25	653	16.25	2,702	26.25	5,436	36.25	8,605
6.50	693	16.50	2,763	26.50	5,510	36.50	8,688
6.75	733	16.75	2,825	26.75	5,585	36.75	8,772
7.00	774	17.00	2,887	27.00	5,660	37.00	8,855
7.25	816	17.25	2,950	27.25	5,736	37.25	8,939
7.50	858	17.50	3,013	27.50	5,812	37.50	9,023
7.75	901	17.75	3,076	27.75	5,888	37.75	9,108
8.00	945	18.00	3,140	28.00	5,964	38.00	9,192
8.25	989	18.25	3,204	28.25	6,040	38.25	9,276
8.50	1,034	18.50	3,269	28.50	6,117	38.50	9,361
8.75	1,080	18.75	3,334	28.75	6,194	38.75	9,446
9.00	1,126	19.00	3,399	29.00	6,271	39.00	9,531
9.25	1,173	19.25	3,464	29.25	6,349	39.25	9,616
9.50	1,220	19.50	3,530	29.50	6,427	39.50	9,701
9.75	1,269	19.75	3,597	29.75	6,504	39.75	9,786

**OFOX 34702****Gage Table Information**Reporting Marks: **OFOX 34702**

Trinity File Number: 9654

Capacity: 33,655 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 10

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,958	50.25	13,477	60.25	17,100	70.25	20,715
40.50	10,043	50.50	13,567	60.50	17,191	70.50	20,804
40.75	10,129	50.75	13,657	60.75	17,282	70.75	20,893
41.00	10,215	51.00	13,747	61.00	17,373	71.00	20,982
41.25	10,302	51.25	13,837	61.25	17,464	71.25	21,071
41.50	10,388	51.50	13,927	61.50	17,555	71.50	21,160
41.75	10,474	51.75	14,017	61.75	17,646	71.75	21,249
42.00	10,561	52.00	14,107	62.00	17,736	72.00	21,338
42.25	10,648	52.25	14,197	62.25	17,827	72.25	21,427
42.50	10,735	52.50	14,288	62.50	17,918	72.50	21,516
42.75	10,822	52.75	14,378	62.75	18,009	72.75	21,604
43.00	10,909	53.00	14,468	63.00	18,100	73.00	21,693
43.25	10,996	53.25	14,559	63.25	18,190	73.25	21,781
43.50	11,083	53.50	14,649	63.50	18,281	73.50	21,869
43.75	11,171	53.75	14,739	63.75	18,372	73.75	21,957
44.00	11,258	54.00	14,830	64.00	18,463	74.00	22,045
44.25	11,346	54.25	14,920	64.25	18,553	74.25	22,133
44.50	11,434	54.50	15,011	64.50	18,644	74.50	22,221
44.75	11,521	54.75	15,102	64.75	18,734	74.75	22,309
45.00	11,609	55.00	15,192	65.00	18,825	75.00	22,397
45.25	11,697	55.25	15,283	65.25	18,915	75.25	22,484
45.50	11,786	55.50	15,374	65.50	19,006	75.50	22,572
45.75	11,874	55.75	15,464	65.75	19,096	75.75	22,659
46.00	11,962	56.00	15,555	66.00	19,187	76.00	22,746
46.25	12,051	56.25	15,646	66.25	19,277	76.25	22,833
46.50	12,139	56.50	15,737	66.50	19,367	76.50	22,920
46.75	12,228	56.75	15,828	66.75	19,457	76.75	23,007
47.00	12,317	57.00	15,918	67.00	19,548	77.00	23,094
47.25	12,405	57.25	16,009	67.25	19,638	77.25	23,180
47.50	12,494	57.50	16,100	67.50	19,728	77.50	23,267
47.75	12,583	57.75	16,191	67.75	19,818	77.75	23,353
48.00	12,672	58.00	16,282	68.00	19,908	78.00	23,439
48.25	12,762	58.25	16,373	68.25	19,998	78.25	23,525
48.50	12,851	58.50	16,464	68.50	20,088	78.50	23,611
48.75	12,940	58.75	16,555	68.75	20,177	78.75	23,697
49.00	13,029	59.00	16,646	69.00	20,267	79.00	23,783
49.25	13,119	59.25	16,736	69.25	20,357	79.25	23,868
49.50	13,208	59.50	16,827	69.50	20,446	79.50	23,954
49.75	13,298	59.75	16,918	69.75	20,536	79.75	24,039
50.00	13,388	60.00	17,009	70.00	20,625	80.00	24,124

**OFOX 34702****Gage Table Information**Reporting Marks: **OFOX 34702**

Trinity File Number: 9654

Capacity: 33,655 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 10

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,209	90.25	27,461	100.25	30,321	110.25	32,575
80.50	24,294	90.50	27,538	100.50	30,386	110.50	32,621
80.75	24,378	90.75	27,614	100.75	30,451	110.75	32,666
81.00	24,463	91.00	27,691	101.00	30,515	111.00	32,710
81.25	24,547	91.25	27,767	101.25	30,578	111.25	32,754
81.50	24,631	91.50	27,843	101.50	30,642	111.50	32,797
81.75	24,715	91.75	27,919	101.75	30,705	111.75	32,839
82.00	24,799	92.00	27,994	102.00	30,767	112.00	32,881
82.25	24,883	92.25	28,070	102.25	30,830	112.25	32,922
82.50	24,967	92.50	28,145	102.50	30,891	112.50	32,962
82.75	25,050	92.75	28,219	102.75	30,953	112.75	33,001
83.00	25,133	93.00	28,294	103.00	31,014	113.00	33,040
83.25	25,216	93.25	28,368	103.25	31,074	113.25	33,078
83.50	25,299	93.50	28,442	103.50	31,134	113.50	33,115
83.75	25,382	93.75	28,515	103.75	31,194	113.75	33,151
84.00	25,464	94.00	28,589	104.00	31,253	114.00	33,187
84.25	25,546	94.25	28,662	104.25	31,312	114.25	33,222
84.50	25,628	94.50	28,734	104.50	31,370	114.50	33,255
84.75	25,710	94.75	28,807	104.75	31,428	114.75	33,288
85.00	25,792	95.00	28,879	105.00	31,486	115.00	33,320
85.25	25,874	95.25	28,951	105.25	31,543	115.25	33,351
85.50	25,955	95.50	29,022	105.50	31,599	115.50	33,381
85.75	26,036	95.75	29,094	105.75	31,655	115.75	33,410
86.00	26,117	96.00	29,165	106.00	31,711	116.00	33,437
86.25	26,198	96.25	29,235	106.25	31,766	116.25	33,464
86.50	26,278	96.50	29,306	106.50	31,820	116.50	33,489
86.75	26,359	96.75	29,376	106.75	31,875	116.75	33,514
87.00	26,439	97.00	29,445	107.00	31,928	117.00	33,537
87.25	26,519	97.25	29,515	107.25	31,981	117.25	33,558
87.50	26,598	97.50	29,584	107.50	32,034	117.50	33,578
87.75	26,678	97.75	29,653	107.75	32,086	117.75	33,597
88.00	26,757	98.00	29,721	108.00	32,137	118.00	33,613
88.25	26,836	98.25	29,789	108.25	32,188	118.25	33,628
88.50	26,915	98.50	29,857	108.50	32,239	118.50	33,640
88.75	26,994	98.75	29,924	108.75	32,288	118.75	33,650
89.00	27,072	99.00	29,991	109.00	32,338	119.00	33,655
89.25	27,150	99.25	30,058	109.25	32,386		
89.50	27,228	99.50	30,124	109.50	32,434		
89.75	27,306	99.75	30,190	109.75	32,482		
90.00	27,383	100.00	30,256	110.00	32,529		

