

**OFOX 34703****Gage Table Information**Reporting Marks: **OFOX 34703**

Trinity File Number: 9654

Capacity: 33,672 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 11

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,368	20.25	3,733	30.25	6,665
0.50	15	10.50	1,418	20.50	3,800	30.50	6,744
0.75	28	10.75	1,468	20.75	3,868	30.75	6,822
1.00	42	11.00	1,519	21.00	3,936	31.00	6,902
1.25	59	11.25	1,571	21.25	4,005	31.25	6,981
1.50	77	11.50	1,623	21.50	4,074	31.50	7,060
1.75	97	11.75	1,675	21.75	4,143	31.75	7,140
2.00	119	12.00	1,728	22.00	4,212	32.00	7,220
2.25	142	12.25	1,782	22.25	4,282	32.25	7,300
2.50	166	12.50	1,836	22.50	4,352	32.50	7,381
2.75	192	12.75	1,891	22.75	4,422	32.75	7,461
3.00	218	13.00	1,946	23.00	4,493	33.00	7,542
3.25	246	13.25	2,001	23.25	4,564	33.25	7,623
3.50	275	13.50	2,057	23.50	4,635	33.50	7,704
3.75	305	13.75	2,114	23.75	4,707	33.75	7,786
4.00	336	14.00	2,171	24.00	4,779	34.00	7,867
4.25	368	14.25	2,228	24.25	4,851	34.25	7,949
4.50	400	14.50	2,286	24.50	4,923	34.50	8,031
4.75	434	14.75	2,345	24.75	4,996	34.75	8,113
5.00	469	15.00	2,403	25.00	5,069	35.00	8,195
5.25	504	15.25	2,463	25.25	5,143	35.25	8,278
5.50	541	15.50	2,522	25.50	5,216	35.50	8,361
5.75	578	15.75	2,583	25.75	5,290	35.75	8,444
6.00	616	16.00	2,643	26.00	5,364	36.00	8,527
6.25	654	16.25	2,704	26.25	5,439	36.25	8,610
6.50	694	16.50	2,765	26.50	5,514	36.50	8,693
6.75	734	16.75	2,827	26.75	5,589	36.75	8,777
7.00	775	17.00	2,889	27.00	5,664	37.00	8,860
7.25	817	17.25	2,952	27.25	5,739	37.25	8,944
7.50	859	17.50	3,015	27.50	5,815	37.50	9,028
7.75	902	17.75	3,078	27.75	5,891	37.75	9,113
8.00	946	18.00	3,142	28.00	5,967	38.00	9,197
8.25	990	18.25	3,206	28.25	6,044	38.25	9,282
8.50	1,035	18.50	3,271	28.50	6,121	38.50	9,366
8.75	1,081	18.75	3,336	28.75	6,198	38.75	9,451
9.00	1,127	19.00	3,401	29.00	6,275	39.00	9,536
9.25	1,174	19.25	3,467	29.25	6,353	39.25	9,621
9.50	1,222	19.50	3,533	29.50	6,430	39.50	9,706
9.75	1,270	19.75	3,599	29.75	6,508	39.75	9,792

**OFOX 34703****Gage Table Information**Reporting Marks: **OFOX 34703**

Trinity File Number: 9654

Capacity: 33,672 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 11

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,963	50.25	13,485	60.25	17,109	70.25	20,725
40.50	10,049	50.50	13,574	60.50	17,200	70.50	20,815
40.75	10,135	50.75	13,664	60.75	17,291	70.75	20,904
41.00	10,221	51.00	13,754	61.00	17,382	71.00	20,993
41.25	10,307	51.25	13,844	61.25	17,473	71.25	21,082
41.50	10,394	51.50	13,934	61.50	17,564	71.50	21,171
41.75	10,480	51.75	14,024	61.75	17,655	71.75	21,260
42.00	10,567	52.00	14,115	62.00	17,746	72.00	21,349
42.25	10,654	52.25	14,205	62.25	17,837	72.25	21,438
42.50	10,740	52.50	14,295	62.50	17,927	72.50	21,527
42.75	10,828	52.75	14,385	62.75	18,018	72.75	21,615
43.00	10,915	53.00	14,476	63.00	18,109	73.00	21,704
43.25	11,002	53.25	14,566	63.25	18,200	73.25	21,792
43.50	11,089	53.50	14,657	63.50	18,291	73.50	21,880
43.75	11,177	53.75	14,747	63.75	18,381	73.75	21,969
44.00	11,264	54.00	14,838	64.00	18,472	74.00	22,057
44.25	11,352	54.25	14,928	64.25	18,563	74.25	22,145
44.50	11,440	54.50	15,019	64.50	18,653	74.50	22,233
44.75	11,528	54.75	15,110	64.75	18,744	74.75	22,320
45.00	11,616	55.00	15,200	65.00	18,835	75.00	22,408
45.25	11,704	55.25	15,291	65.25	18,925	75.25	22,496
45.50	11,792	55.50	15,382	65.50	19,016	75.50	22,583
45.75	11,880	55.75	15,473	65.75	19,106	75.75	22,671
46.00	11,969	56.00	15,563	66.00	19,197	76.00	22,758
46.25	12,057	56.25	15,654	66.25	19,287	76.25	22,845
46.50	12,146	56.50	15,745	66.50	19,377	76.50	22,932
46.75	12,234	56.75	15,836	66.75	19,468	76.75	23,019
47.00	12,323	57.00	15,927	67.00	19,558	77.00	23,106
47.25	12,412	57.25	16,018	67.25	19,648	77.25	23,192
47.50	12,501	57.50	16,109	67.50	19,738	77.50	23,279
47.75	12,590	57.75	16,199	67.75	19,828	77.75	23,365
48.00	12,679	58.00	16,290	68.00	19,918	78.00	23,451
48.25	12,768	58.25	16,381	68.25	20,008	78.25	23,537
48.50	12,858	58.50	16,472	68.50	20,098	78.50	23,623
48.75	12,947	58.75	16,563	68.75	20,188	78.75	23,709
49.00	13,036	59.00	16,654	69.00	20,278	79.00	23,795
49.25	13,126	59.25	16,745	69.25	20,367	79.25	23,881
49.50	13,215	59.50	16,836	69.50	20,457	79.50	23,966
49.75	13,305	59.75	16,927	69.75	20,547	79.75	24,051
50.00	13,395	60.00	17,018	70.00	20,636	80.00	24,136

**OFOX 34703****Gage Table Information**Reporting Marks: **OFOX 34703**

Trinity File Number: 9654

Capacity: 33,672 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 11

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,221	90.25	27,475	100.25	30,337	110.25	32,591
80.50	24,306	90.50	27,552	100.50	30,401	110.50	32,637
80.75	24,391	90.75	27,628	100.75	30,466	110.75	32,682
81.00	24,475	91.00	27,705	101.00	30,530	111.00	32,727
81.25	24,560	91.25	27,781	101.25	30,594	111.25	32,770
81.50	24,644	91.50	27,857	101.50	30,657	111.50	32,813
81.75	24,728	91.75	27,933	101.75	30,720	111.75	32,856
82.00	24,812	92.00	28,009	102.00	30,783	112.00	32,897
82.25	24,896	92.25	28,084	102.25	30,845	112.25	32,938
82.50	24,979	92.50	28,159	102.50	30,907	112.50	32,979
82.75	25,063	92.75	28,234	102.75	30,968	112.75	33,018
83.00	25,146	93.00	28,308	103.00	31,029	113.00	33,057
83.25	25,229	93.25	28,382	103.25	31,090	113.25	33,095
83.50	25,312	93.50	28,456	103.50	31,150	113.50	33,132
83.75	25,394	93.75	28,530	103.75	31,210	113.75	33,168
84.00	25,477	94.00	28,603	104.00	31,269	114.00	33,204
84.25	25,559	94.25	28,676	104.25	31,328	114.25	33,238
84.50	25,641	94.50	28,749	104.50	31,386	114.50	33,272
84.75	25,723	94.75	28,821	104.75	31,444	114.75	33,305
85.00	25,805	95.00	28,894	105.00	31,502	115.00	33,337
85.25	25,887	95.25	28,966	105.25	31,559	115.25	33,368
85.50	25,968	95.50	29,037	105.50	31,615	115.50	33,398
85.75	26,049	95.75	29,108	105.75	31,671	115.75	33,426
86.00	26,130	96.00	29,179	106.00	31,727	116.00	33,454
86.25	26,211	96.25	29,250	106.25	31,782	116.25	33,481
86.50	26,292	96.50	29,321	106.50	31,837	116.50	33,506
86.75	26,372	96.75	29,391	106.75	31,891	116.75	33,531
87.00	26,452	97.00	29,460	107.00	31,944	117.00	33,554
87.25	26,532	97.25	29,530	107.25	31,997	117.25	33,575
87.50	26,612	97.50	29,599	107.50	32,050	117.50	33,595
87.75	26,692	97.75	29,668	107.75	32,102	117.75	33,614
88.00	26,771	98.00	29,736	108.00	32,153	118.00	33,630
88.25	26,850	98.25	29,804	108.25	32,204	118.25	33,645
88.50	26,929	98.50	29,872	108.50	32,255	118.50	33,657
88.75	27,007	98.75	29,939	108.75	32,305	118.75	33,667
89.00	27,086	99.00	30,006	109.00	32,354	119.00	33,672
89.25	27,164	99.25	30,073	109.25	32,403		
89.50	27,242	99.50	30,140	109.50	32,451		
89.75	27,320	99.75	30,206	109.75	32,498		
90.00	27,397	100.00	30,271	110.00	32,545		

