

**OFOX 34706****Gage Table Information**Reporting Marks: **OFOX 34706**

Trinity File Number: 97151

Capacity: 33,722 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 57

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 0.25   | 5       | 10.25  | 1,370   | 20.25  | 3,738   | 30.25  | 6,675   |
| 0.50   | 15      | 10.50  | 1,420   | 20.50  | 3,806   | 30.50  | 6,754   |
| 0.75   | 27      | 10.75  | 1,470   | 20.75  | 3,874   | 30.75  | 6,833   |
| 1.00   | 42      | 11.00  | 1,521   | 21.00  | 3,942   | 31.00  | 6,912   |
| 1.25   | 59      | 11.25  | 1,573   | 21.25  | 4,011   | 31.25  | 6,991   |
| 1.50   | 77      | 11.50  | 1,625   | 21.50  | 4,080   | 31.50  | 7,071   |
| 1.75   | 97      | 11.75  | 1,677   | 21.75  | 4,149   | 31.75  | 7,151   |
| 2.00   | 119     | 12.00  | 1,731   | 22.00  | 4,218   | 32.00  | 7,231   |
| 2.25   | 142     | 12.25  | 1,784   | 22.25  | 4,288   | 32.25  | 7,311   |
| 2.50   | 166     | 12.50  | 1,839   | 22.50  | 4,358   | 32.50  | 7,392   |
| 2.75   | 192     | 12.75  | 1,893   | 22.75  | 4,429   | 32.75  | 7,472   |
| 3.00   | 218     | 13.00  | 1,948   | 23.00  | 4,500   | 33.00  | 7,553   |
| 3.25   | 246     | 13.25  | 2,004   | 23.25  | 4,571   | 33.25  | 7,634   |
| 3.50   | 275     | 13.50  | 2,060   | 23.50  | 4,642   | 33.50  | 7,716   |
| 3.75   | 305     | 13.75  | 2,117   | 23.75  | 4,714   | 33.75  | 7,797   |
| 4.00   | 336     | 14.00  | 2,174   | 24.00  | 4,786   | 34.00  | 7,879   |
| 4.25   | 368     | 14.25  | 2,232   | 24.25  | 4,858   | 34.25  | 7,961   |
| 4.50   | 401     | 14.50  | 2,290   | 24.50  | 4,931   | 34.50  | 8,043   |
| 4.75   | 435     | 14.75  | 2,348   | 24.75  | 5,004   | 34.75  | 8,125   |
| 5.00   | 469     | 15.00  | 2,407   | 25.00  | 5,077   | 35.00  | 8,208   |
| 5.25   | 505     | 15.25  | 2,466   | 25.25  | 5,150   | 35.25  | 8,290   |
| 5.50   | 541     | 15.50  | 2,526   | 25.50  | 5,224   | 35.50  | 8,373   |
| 5.75   | 578     | 15.75  | 2,586   | 25.75  | 5,298   | 35.75  | 8,456   |
| 6.00   | 616     | 16.00  | 2,647   | 26.00  | 5,372   | 36.00  | 8,539   |
| 6.25   | 655     | 16.25  | 2,708   | 26.25  | 5,447   | 36.25  | 8,623   |
| 6.50   | 695     | 16.50  | 2,770   | 26.50  | 5,522   | 36.50  | 8,706   |
| 6.75   | 735     | 16.75  | 2,831   | 26.75  | 5,597   | 36.75  | 8,790   |
| 7.00   | 776     | 17.00  | 2,894   | 27.00  | 5,672   | 37.00  | 8,874   |
| 7.25   | 818     | 17.25  | 2,956   | 27.25  | 5,748   | 37.25  | 8,958   |
| 7.50   | 860     | 17.50  | 3,019   | 27.50  | 5,824   | 37.50  | 9,042   |
| 7.75   | 903     | 17.75  | 3,083   | 27.75  | 5,900   | 37.75  | 9,126   |
| 8.00   | 947     | 18.00  | 3,147   | 28.00  | 5,976   | 38.00  | 9,211   |
| 8.25   | 992     | 18.25  | 3,211   | 28.25  | 6,053   | 38.25  | 9,295   |
| 8.50   | 1,037   | 18.50  | 3,276   | 28.50  | 6,130   | 38.50  | 9,380   |
| 8.75   | 1,082   | 18.75  | 3,341   | 28.75  | 6,207   | 38.75  | 9,465   |
| 9.00   | 1,129   | 19.00  | 3,406   | 29.00  | 6,284   | 39.00  | 9,550   |
| 9.25   | 1,176   | 19.25  | 3,472   | 29.25  | 6,362   | 39.25  | 9,635   |
| 9.50   | 1,223   | 19.50  | 3,538   | 29.50  | 6,440   | 39.50  | 9,721   |
| 9.75   | 1,272   | 19.75  | 3,604   | 29.75  | 6,518   | 39.75  | 9,806   |



**OFOX 34706****Gage Table Information**Reporting Marks: **OFOX 34706**

Trinity File Number: 97151

Capacity: 33,722 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 57

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 40.25  | 9,978   | 50.25  | 13,505  | 60.25  | 17,134  | 70.25  | 20,756  |
| 40.50  | 10,064  | 50.50  | 13,594  | 60.50  | 17,226  | 70.50  | 20,846  |
| 40.75  | 10,150  | 50.75  | 13,684  | 60.75  | 17,317  | 70.75  | 20,935  |
| 41.00  | 10,236  | 51.00  | 13,775  | 61.00  | 17,408  | 71.00  | 21,024  |
| 41.25  | 10,323  | 51.25  | 13,865  | 61.25  | 17,499  | 71.25  | 21,114  |
| 41.50  | 10,409  | 51.50  | 13,955  | 61.50  | 17,590  | 71.50  | 21,203  |
| 41.75  | 10,496  | 51.75  | 14,045  | 61.75  | 17,681  | 71.75  | 21,292  |
| 42.00  | 10,582  | 52.00  | 14,136  | 62.00  | 17,772  | 72.00  | 21,381  |
| 42.25  | 10,669  | 52.25  | 14,226  | 62.25  | 17,863  | 72.25  | 21,470  |
| 42.50  | 10,756  | 52.50  | 14,316  | 62.50  | 17,954  | 72.50  | 21,558  |
| 42.75  | 10,844  | 52.75  | 14,407  | 62.75  | 18,045  | 72.75  | 21,647  |
| 43.00  | 10,931  | 53.00  | 14,497  | 63.00  | 18,136  | 73.00  | 21,736  |
| 43.25  | 11,018  | 53.25  | 14,588  | 63.25  | 18,227  | 73.25  | 21,824  |
| 43.50  | 11,106  | 53.50  | 14,678  | 63.50  | 18,318  | 73.50  | 21,913  |
| 43.75  | 11,193  | 53.75  | 14,769  | 63.75  | 18,409  | 73.75  | 22,001  |
| 44.00  | 11,281  | 54.00  | 14,860  | 64.00  | 18,499  | 74.00  | 22,089  |
| 44.25  | 11,369  | 54.25  | 14,950  | 64.25  | 18,590  | 74.25  | 22,178  |
| 44.50  | 11,457  | 54.50  | 15,041  | 64.50  | 18,681  | 74.50  | 22,266  |
| 44.75  | 11,545  | 54.75  | 15,132  | 64.75  | 18,772  | 74.75  | 22,353  |
| 45.00  | 11,633  | 55.00  | 15,223  | 65.00  | 18,863  | 75.00  | 22,441  |
| 45.25  | 11,721  | 55.25  | 15,314  | 65.25  | 18,953  | 75.25  | 22,529  |
| 45.50  | 11,809  | 55.50  | 15,404  | 65.50  | 19,044  | 75.50  | 22,617  |
| 45.75  | 11,898  | 55.75  | 15,495  | 65.75  | 19,134  | 75.75  | 22,704  |
| 46.00  | 11,986  | 56.00  | 15,586  | 66.00  | 19,225  | 76.00  | 22,791  |
| 46.25  | 12,075  | 56.25  | 15,677  | 66.25  | 19,315  | 76.25  | 22,879  |
| 46.50  | 12,164  | 56.50  | 15,768  | 66.50  | 19,406  | 76.50  | 22,966  |
| 46.75  | 12,253  | 56.75  | 15,859  | 66.75  | 19,496  | 76.75  | 23,053  |
| 47.00  | 12,341  | 57.00  | 15,950  | 67.00  | 19,587  | 77.00  | 23,140  |
| 47.25  | 12,430  | 57.25  | 16,041  | 67.25  | 19,677  | 77.25  | 23,226  |
| 47.50  | 12,520  | 57.50  | 16,132  | 67.50  | 19,767  | 77.50  | 23,313  |
| 47.75  | 12,609  | 57.75  | 16,223  | 67.75  | 19,857  | 77.75  | 23,400  |
| 48.00  | 12,698  | 58.00  | 16,315  | 68.00  | 19,948  | 78.00  | 23,486  |
| 48.25  | 12,787  | 58.25  | 16,406  | 68.25  | 20,038  | 78.25  | 23,572  |
| 48.50  | 12,877  | 58.50  | 16,497  | 68.50  | 20,128  | 78.50  | 23,658  |
| 48.75  | 12,966  | 58.75  | 16,588  | 68.75  | 20,218  | 78.75  | 23,744  |
| 49.00  | 13,056  | 59.00  | 16,679  | 69.00  | 20,308  | 79.00  | 23,830  |
| 49.25  | 13,145  | 59.25  | 16,770  | 69.25  | 20,397  | 79.25  | 23,916  |
| 49.50  | 13,235  | 59.50  | 16,861  | 69.50  | 20,487  | 79.50  | 24,001  |
| 49.75  | 13,325  | 59.75  | 16,952  | 69.75  | 20,577  | 79.75  | 24,087  |
| 50.00  | 13,415  | 60.00  | 17,043  | 70.00  | 20,667  | 80.00  | 24,172  |



**OFOX 34706****Gage Table Information**Reporting Marks: **OFOX 34706**

Trinity File Number: 97151

Capacity: 33,722 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 57

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 80.25  | 24,257  | 90.25  | 27,515  | 100.25 | 30,381  | 110.25 | 32,640  |
| 80.50  | 24,342  | 90.50  | 27,592  | 100.50 | 30,446  | 110.50 | 32,686  |
| 80.75  | 24,427  | 90.75  | 27,669  | 100.75 | 30,511  | 110.75 | 32,731  |
| 81.00  | 24,512  | 91.00  | 27,746  | 101.00 | 30,575  | 111.00 | 32,775  |
| 81.25  | 24,596  | 91.25  | 27,822  | 101.25 | 30,639  | 111.25 | 32,819  |
| 81.50  | 24,680  | 91.50  | 27,898  | 101.50 | 30,703  | 111.50 | 32,862  |
| 81.75  | 24,765  | 91.75  | 27,974  | 101.75 | 30,766  | 111.75 | 32,904  |
| 82.00  | 24,849  | 92.00  | 28,050  | 102.00 | 30,829  | 112.00 | 32,946  |
| 82.25  | 24,933  | 92.25  | 28,125  | 102.25 | 30,891  | 112.25 | 32,987  |
| 82.50  | 25,016  | 92.50  | 28,200  | 102.50 | 30,953  | 112.50 | 33,028  |
| 82.75  | 25,100  | 92.75  | 28,275  | 102.75 | 31,014  | 112.75 | 33,067  |
| 83.00  | 25,183  | 93.00  | 28,350  | 103.00 | 31,075  | 113.00 | 33,106  |
| 83.25  | 25,266  | 93.25  | 28,424  | 103.25 | 31,136  | 113.25 | 33,144  |
| 83.50  | 25,349  | 93.50  | 28,498  | 103.50 | 31,196  | 113.50 | 33,181  |
| 83.75  | 25,432  | 93.75  | 28,572  | 103.75 | 31,256  | 113.75 | 33,217  |
| 84.00  | 25,515  | 94.00  | 28,645  | 104.00 | 31,315  | 114.00 | 33,253  |
| 84.25  | 25,597  | 94.25  | 28,719  | 104.25 | 31,374  | 114.25 | 33,288  |
| 84.50  | 25,679  | 94.50  | 28,791  | 104.50 | 31,433  | 114.50 | 33,321  |
| 84.75  | 25,761  | 94.75  | 28,864  | 104.75 | 31,491  | 114.75 | 33,354  |
| 85.00  | 25,843  | 95.00  | 28,936  | 105.00 | 31,548  | 115.00 | 33,386  |
| 85.25  | 25,925  | 95.25  | 29,008  | 105.25 | 31,605  | 115.25 | 33,417  |
| 85.50  | 26,007  | 95.50  | 29,080  | 105.50 | 31,662  | 115.50 | 33,447  |
| 85.75  | 26,088  | 95.75  | 29,152  | 105.75 | 31,718  | 115.75 | 33,476  |
| 86.00  | 26,169  | 96.00  | 29,223  | 106.00 | 31,774  | 116.00 | 33,504  |
| 86.25  | 26,250  | 96.25  | 29,293  | 106.25 | 31,829  | 116.25 | 33,531  |
| 86.50  | 26,331  | 96.50  | 29,364  | 106.50 | 31,884  | 116.50 | 33,556  |
| 86.75  | 26,411  | 96.75  | 29,434  | 106.75 | 31,938  | 116.75 | 33,580  |
| 87.00  | 26,491  | 97.00  | 29,504  | 107.00 | 31,992  | 117.00 | 33,603  |
| 87.25  | 26,571  | 97.25  | 29,574  | 107.25 | 32,045  | 117.25 | 33,625  |
| 87.50  | 26,651  | 97.50  | 29,643  | 107.50 | 32,097  | 117.50 | 33,645  |
| 87.75  | 26,731  | 97.75  | 29,712  | 107.75 | 32,150  | 117.75 | 33,663  |
| 88.00  | 26,810  | 98.00  | 29,780  | 108.00 | 32,201  | 118.00 | 33,680  |
| 88.25  | 26,890  | 98.25  | 29,848  | 108.25 | 32,252  | 118.25 | 33,695  |
| 88.50  | 26,969  | 98.50  | 29,916  | 108.50 | 32,303  | 118.50 | 33,707  |
| 88.75  | 27,047  | 98.75  | 29,984  | 108.75 | 32,353  | 118.75 | 33,717  |
| 89.00  | 27,126  | 99.00  | 30,051  | 109.00 | 32,402  | 119.00 | 33,722  |
| 89.25  | 27,204  | 99.25  | 30,118  | 109.25 | 32,451  |        |         |
| 89.50  | 27,282  | 99.50  | 30,184  | 109.50 | 32,499  |        |         |
| 89.75  | 27,360  | 99.75  | 30,250  | 109.75 | 32,546  |        |         |
| 90.00  | 27,438  | 100.00 | 30,316  | 110.00 | 32,593  |        |         |



