

**OFOX 34707****Gage Table Information**Reporting Marks: **OFOX 34707**

Trinity File Number: 9654

Capacity: 33,690 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 15

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,734	30.25	6,668
0.50	14	10.50	1,418	20.50	3,802	30.50	6,747
0.75	27	10.75	1,468	20.75	3,870	30.75	6,826
1.00	41	11.00	1,519	21.00	3,938	31.00	6,905
1.25	58	11.25	1,571	21.25	4,006	31.25	6,984
1.50	77	11.50	1,623	21.50	4,075	31.50	7,064
1.75	97	11.75	1,675	21.75	4,144	31.75	7,143
2.00	118	12.00	1,728	22.00	4,214	32.00	7,223
2.25	141	12.25	1,782	22.25	4,283	32.25	7,304
2.50	165	12.50	1,836	22.50	4,354	32.50	7,384
2.75	191	12.75	1,891	22.75	4,424	32.75	7,465
3.00	218	13.00	1,946	23.00	4,495	33.00	7,546
3.25	245	13.25	2,002	23.25	4,566	33.25	7,627
3.50	274	13.50	2,058	23.50	4,637	33.50	7,708
3.75	304	13.75	2,114	23.75	4,709	33.75	7,789
4.00	335	14.00	2,171	24.00	4,781	34.00	7,871
4.25	367	14.25	2,229	24.25	4,853	34.25	7,953
4.50	400	14.50	2,287	24.50	4,925	34.50	8,035
4.75	434	14.75	2,345	24.75	4,998	34.75	8,117
5.00	468	15.00	2,404	25.00	5,071	35.00	8,199
5.25	504	15.25	2,463	25.25	5,145	35.25	8,282
5.50	540	15.50	2,523	25.50	5,218	35.50	8,365
5.75	577	15.75	2,583	25.75	5,292	35.75	8,447
6.00	615	16.00	2,644	26.00	5,367	36.00	8,531
6.25	654	16.25	2,705	26.25	5,441	36.25	8,614
6.50	693	16.50	2,766	26.50	5,516	36.50	8,697
6.75	734	16.75	2,828	26.75	5,591	36.75	8,781
7.00	775	17.00	2,890	27.00	5,666	37.00	8,865
7.25	816	17.25	2,953	27.25	5,742	37.25	8,949
7.50	859	17.50	3,016	27.50	5,818	37.50	9,033
7.75	902	17.75	3,079	27.75	5,894	37.75	9,117
8.00	946	18.00	3,143	28.00	5,970	38.00	9,201
8.25	990	18.25	3,207	28.25	6,047	38.25	9,286
8.50	1,035	18.50	3,272	28.50	6,123	38.50	9,371
8.75	1,081	18.75	3,337	28.75	6,200	38.75	9,456
9.00	1,127	19.00	3,402	29.00	6,278	39.00	9,541
9.25	1,174	19.25	3,468	29.25	6,355	39.25	9,626
9.50	1,222	19.50	3,534	29.50	6,433	39.50	9,711
9.75	1,270	19.75	3,600	29.75	6,511	39.75	9,797

**OFOX 34707****Gage Table Information**Reporting Marks: **OFOX 34707**

Trinity File Number: 9654

Capacity: 33,690 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 15

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,968	50.25	13,491	60.25	17,118	70.25	20,736
40.50	10,054	50.50	13,581	60.50	17,209	70.50	20,826
40.75	10,140	50.75	13,671	60.75	17,300	70.75	20,915
41.00	10,226	51.00	13,761	61.00	17,391	71.00	21,004
41.25	10,312	51.25	13,851	61.25	17,482	71.25	21,093
41.50	10,399	51.50	13,941	61.50	17,573	71.50	21,182
41.75	10,485	51.75	14,031	61.75	17,664	71.75	21,271
42.00	10,572	52.00	14,122	62.00	17,755	72.00	21,360
42.25	10,659	52.25	14,212	62.25	17,846	72.25	21,449
42.50	10,746	52.50	14,302	62.50	17,937	72.50	21,538
42.75	10,833	52.75	14,393	62.75	18,028	72.75	21,626
43.00	10,920	53.00	14,483	63.00	18,118	73.00	21,715
43.25	11,007	53.25	14,574	63.25	18,209	73.25	21,803
43.50	11,095	53.50	14,664	63.50	18,300	73.50	21,892
43.75	11,182	53.75	14,755	63.75	18,391	73.75	21,980
44.00	11,270	54.00	14,845	64.00	18,482	74.00	22,068
44.25	11,358	54.25	14,936	64.25	18,572	74.25	22,156
44.50	11,445	54.50	15,027	64.50	18,663	74.50	22,244
44.75	11,533	54.75	15,117	64.75	18,754	74.75	22,332
45.00	11,621	55.00	15,208	65.00	18,844	75.00	22,420
45.25	11,710	55.25	15,299	65.25	18,935	75.25	22,507
45.50	11,798	55.50	15,390	65.50	19,026	75.50	22,595
45.75	11,886	55.75	15,480	65.75	19,116	75.75	22,682
46.00	11,975	56.00	15,571	66.00	19,206	76.00	22,770
46.25	12,063	56.25	15,662	66.25	19,297	76.25	22,857
46.50	12,152	56.50	15,753	66.50	19,387	76.50	22,944
46.75	12,241	56.75	15,844	66.75	19,478	76.75	23,031
47.00	12,329	57.00	15,935	67.00	19,568	77.00	23,118
47.25	12,418	57.25	16,026	67.25	19,658	77.25	23,204
47.50	12,507	57.50	16,117	67.50	19,748	77.50	23,291
47.75	12,596	57.75	16,208	67.75	19,838	77.75	23,377
48.00	12,685	58.00	16,299	68.00	19,928	78.00	23,464
48.25	12,775	58.25	16,390	68.25	20,018	78.25	23,550
48.50	12,864	58.50	16,481	68.50	20,108	78.50	23,636
48.75	12,953	58.75	16,572	68.75	20,198	78.75	23,722
49.00	13,043	59.00	16,663	69.00	20,288	79.00	23,807
49.25	13,132	59.25	16,754	69.25	20,378	79.25	23,893
49.50	13,222	59.50	16,845	69.50	20,468	79.50	23,979
49.75	13,312	59.75	16,936	69.75	20,557	79.75	24,064
50.00	13,401	60.00	17,027	70.00	20,647	80.00	24,149

**OFOX 34707****Gage Table Information**Reporting Marks: **OFOX 34707**

Trinity File Number: 9654

Capacity: 33,690 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 15

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,234	90.25	27,489	100.25	30,353	110.25	32,609
80.50	24,319	90.50	27,566	100.50	30,418	110.50	32,655
80.75	24,404	90.75	27,643	100.75	30,482	110.75	32,700
81.00	24,488	91.00	27,720	101.00	30,546	111.00	32,744
81.25	24,573	91.25	27,796	101.25	30,610	111.25	32,788
81.50	24,657	91.50	27,872	101.50	30,674	111.50	32,831
81.75	24,741	91.75	27,948	101.75	30,737	111.75	32,873
82.00	24,825	92.00	28,023	102.00	30,799	112.00	32,915
82.25	24,909	92.25	28,099	102.25	30,862	112.25	32,956
82.50	24,992	92.50	28,174	102.50	30,923	112.50	32,996
82.75	25,076	92.75	28,248	102.75	30,985	112.75	33,036
83.00	25,159	93.00	28,323	103.00	31,046	113.00	33,074
83.25	25,242	93.25	28,397	103.25	31,106	113.25	33,112
83.50	25,325	93.50	28,471	103.50	31,167	113.50	33,150
83.75	25,408	93.75	28,545	103.75	31,226	113.75	33,186
84.00	25,490	94.00	28,618	104.00	31,286	114.00	33,221
84.25	25,573	94.25	28,691	104.25	31,344	114.25	33,256
84.50	25,655	94.50	28,764	104.50	31,403	114.50	33,290
84.75	25,737	94.75	28,837	104.75	31,461	114.75	33,323
85.00	25,819	95.00	28,909	105.00	31,518	115.00	33,355
85.25	25,900	95.25	28,981	105.25	31,575	115.25	33,385
85.50	25,982	95.50	29,053	105.50	31,632	115.50	33,415
85.75	26,063	95.75	29,124	105.75	31,688	115.75	33,444
86.00	26,144	96.00	29,195	106.00	31,744	116.00	33,472
86.25	26,225	96.25	29,266	106.25	31,799	116.25	33,499
86.50	26,306	96.50	29,336	106.50	31,853	116.50	33,524
86.75	26,386	96.75	29,406	106.75	31,908	116.75	33,549
87.00	26,466	97.00	29,476	107.00	31,961	117.00	33,571
87.25	26,546	97.25	29,545	107.25	32,014	117.25	33,593
87.50	26,626	97.50	29,615	107.50	32,067	117.50	33,613
87.75	26,706	97.75	29,683	107.75	32,119	117.75	33,631
88.00	26,785	98.00	29,752	108.00	32,171	118.00	33,648
88.25	26,864	98.25	29,820	108.25	32,222	118.25	33,663
88.50	26,943	98.50	29,888	108.50	32,272	118.50	33,675
88.75	27,022	98.75	29,955	108.75	32,322	118.75	33,685
89.00	27,100	99.00	30,022	109.00	32,371	119.00	33,690
89.25	27,178	99.25	30,089	109.25	32,420		
89.50	27,256	99.50	30,156	109.50	32,468		
89.75	27,334	99.75	30,222	109.75	32,516		
90.00	27,412	100.00	30,287	110.00	32,563		

