

**OFOX 34708****Gage Table Information**Reporting Marks: **OFOX 34708**

Trinity File Number: 9654

Capacity: 33,669 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 16

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,732	30.25	6,664
0.50	15	10.50	1,417	20.50	3,800	30.50	6,743
0.75	27	10.75	1,467	20.75	3,867	30.75	6,822
1.00	42	11.00	1,518	21.00	3,936	31.00	6,901
1.25	58	11.25	1,570	21.25	4,004	31.25	6,980
1.50	77	11.50	1,622	21.50	4,073	31.50	7,059
1.75	97	11.75	1,675	21.75	4,142	31.75	7,139
2.00	118	12.00	1,728	22.00	4,211	32.00	7,219
2.25	141	12.25	1,781	22.25	4,281	32.25	7,299
2.50	166	12.50	1,835	22.50	4,351	32.50	7,380
2.75	191	12.75	1,890	22.75	4,421	32.75	7,460
3.00	218	13.00	1,945	23.00	4,492	33.00	7,541
3.25	246	13.25	2,001	23.25	4,563	33.25	7,622
3.50	274	13.50	2,057	23.50	4,634	33.50	7,703
3.75	304	13.75	2,113	23.75	4,706	33.75	7,785
4.00	335	14.00	2,170	24.00	4,778	34.00	7,866
4.25	367	14.25	2,228	24.25	4,850	34.25	7,948
4.50	400	14.50	2,286	24.50	4,923	34.50	8,030
4.75	434	14.75	2,344	24.75	4,995	34.75	8,112
5.00	468	15.00	2,403	25.00	5,069	35.00	8,194
5.25	504	15.25	2,462	25.25	5,142	35.25	8,277
5.50	540	15.50	2,522	25.50	5,215	35.50	8,360
5.75	577	15.75	2,582	25.75	5,289	35.75	8,442
6.00	615	16.00	2,642	26.00	5,364	36.00	8,525
6.25	654	16.25	2,703	26.25	5,438	36.25	8,609
6.50	693	16.50	2,765	26.50	5,513	36.50	8,692
6.75	734	16.75	2,827	26.75	5,588	36.75	8,776
7.00	775	17.00	2,889	27.00	5,663	37.00	8,859
7.25	816	17.25	2,951	27.25	5,739	37.25	8,943
7.50	859	17.50	3,014	27.50	5,814	37.50	9,027
7.75	902	17.75	3,078	27.75	5,890	37.75	9,111
8.00	945	18.00	3,142	28.00	5,967	38.00	9,196
8.25	990	18.25	3,206	28.25	6,043	38.25	9,280
8.50	1,035	18.50	3,270	28.50	6,120	38.50	9,365
8.75	1,080	18.75	3,335	28.75	6,197	38.75	9,450
9.00	1,127	19.00	3,400	29.00	6,274	39.00	9,535
9.25	1,174	19.25	3,466	29.25	6,352	39.25	9,620
9.50	1,221	19.50	3,532	29.50	6,429	39.50	9,705
9.75	1,269	19.75	3,598	29.75	6,507	39.75	9,791

**OFOX 34708****Gage Table Information**Reporting Marks: **OFOX 34708**

Trinity File Number: 9654

Capacity: 33,669 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 16

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,962	50.25	13,483	60.25	17,107	70.25	20,723
40.50	10,048	50.50	13,573	60.50	17,198	70.50	20,813
40.75	10,134	50.75	13,663	60.75	17,289	70.75	20,902
41.00	10,220	51.00	13,753	61.00	17,380	71.00	20,991
41.25	10,306	51.25	13,843	61.25	17,471	71.25	21,080
41.50	10,392	51.50	13,933	61.50	17,562	71.50	21,169
41.75	10,479	51.75	14,023	61.75	17,653	71.75	21,258
42.00	10,566	52.00	14,113	62.00	17,744	72.00	21,347
42.25	10,652	52.25	14,203	62.25	17,835	72.25	21,436
42.50	10,739	52.50	14,294	62.50	17,926	72.50	21,525
42.75	10,826	52.75	14,384	62.75	18,016	72.75	21,613
43.00	10,913	53.00	14,474	63.00	18,107	73.00	21,702
43.25	11,001	53.25	14,565	63.25	18,198	73.25	21,790
43.50	11,088	53.50	14,655	63.50	18,289	73.50	21,878
43.75	11,175	53.75	14,746	63.75	18,380	73.75	21,967
44.00	11,263	54.00	14,836	64.00	18,470	74.00	22,055
44.25	11,351	54.25	14,927	64.25	18,561	74.25	22,143
44.50	11,438	54.50	15,017	64.50	18,652	74.50	22,231
44.75	11,526	54.75	15,108	64.75	18,742	74.75	22,318
45.00	11,614	55.00	15,199	65.00	18,833	75.00	22,406
45.25	11,702	55.25	15,289	65.25	18,923	75.25	22,494
45.50	11,791	55.50	15,380	65.50	19,014	75.50	22,581
45.75	11,879	55.75	15,471	65.75	19,104	75.75	22,668
46.00	11,967	56.00	15,562	66.00	19,195	76.00	22,756
46.25	12,056	56.25	15,652	66.25	19,285	76.25	22,843
46.50	12,144	56.50	15,743	66.50	19,375	76.50	22,930
46.75	12,233	56.75	15,834	66.75	19,466	76.75	23,017
47.00	12,322	57.00	15,925	67.00	19,556	77.00	23,103
47.25	12,411	57.25	16,016	67.25	19,646	77.25	23,190
47.50	12,500	57.50	16,107	67.50	19,736	77.50	23,277
47.75	12,589	57.75	16,198	67.75	19,826	77.75	23,363
48.00	12,678	58.00	16,289	68.00	19,916	78.00	23,449
48.25	12,767	58.25	16,380	68.25	20,006	78.25	23,535
48.50	12,856	58.50	16,471	68.50	20,096	78.50	23,621
48.75	12,946	58.75	16,562	68.75	20,186	78.75	23,707
49.00	13,035	59.00	16,653	69.00	20,276	79.00	23,793
49.25	13,124	59.25	16,744	69.25	20,365	79.25	23,878
49.50	13,214	59.50	16,834	69.50	20,455	79.50	23,964
49.75	13,304	59.75	16,925	69.75	20,545	79.75	24,049
50.00	13,393	60.00	17,016	70.00	20,634	80.00	24,134

**OFOX 34708****Gage Table Information**Reporting Marks: **OFOX 34708**

Trinity File Number: 9654

Capacity: 33,669 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 16

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,219	90.25	27,472	100.25	30,334	110.25	32,589
80.50	24,304	90.50	27,549	100.50	30,399	110.50	32,634
80.75	24,389	90.75	27,626	100.75	30,463	110.75	32,679
81.00	24,473	91.00	27,702	101.00	30,527	111.00	32,724
81.25	24,558	91.25	27,779	101.25	30,591	111.25	32,767
81.50	24,642	91.50	27,855	101.50	30,655	111.50	32,810
81.75	24,726	91.75	27,930	101.75	30,718	111.75	32,853
82.00	24,810	92.00	28,006	102.00	30,780	112.00	32,894
82.25	24,893	92.25	28,081	102.25	30,842	112.25	32,935
82.50	24,977	92.50	28,156	102.50	30,904	112.50	32,976
82.75	25,060	92.75	28,231	102.75	30,966	112.75	33,015
83.00	25,144	93.00	28,305	103.00	31,027	113.00	33,054
83.25	25,227	93.25	28,380	103.25	31,087	113.25	33,092
83.50	25,309	93.50	28,453	103.50	31,147	113.50	33,129
83.75	25,392	93.75	28,527	103.75	31,207	113.75	33,165
84.00	25,475	94.00	28,600	104.00	31,266	114.00	33,201
84.25	25,557	94.25	28,674	104.25	31,325	114.25	33,235
84.50	25,639	94.50	28,746	104.50	31,383	114.50	33,269
84.75	25,721	94.75	28,819	104.75	31,441	114.75	33,302
85.00	25,803	95.00	28,891	105.00	31,499	115.00	33,334
85.25	25,884	95.25	28,963	105.25	31,556	115.25	33,365
85.50	25,966	95.50	29,035	105.50	31,612	115.50	33,395
85.75	26,047	95.75	29,106	105.75	31,668	115.75	33,423
86.00	26,128	96.00	29,177	106.00	31,724	116.00	33,451
86.25	26,209	96.25	29,248	106.25	31,779	116.25	33,478
86.50	26,289	96.50	29,318	106.50	31,834	116.50	33,503
86.75	26,370	96.75	29,388	106.75	31,888	116.75	33,528
87.00	26,450	97.00	29,458	107.00	31,941	117.00	33,551
87.25	26,530	97.25	29,527	107.25	31,994	117.25	33,572
87.50	26,610	97.50	29,596	107.50	32,047	117.50	33,592
87.75	26,689	97.75	29,665	107.75	32,099	117.75	33,611
88.00	26,768	98.00	29,733	108.00	32,151	118.00	33,627
88.25	26,847	98.25	29,802	108.25	32,202	118.25	33,642
88.50	26,926	98.50	29,869	108.50	32,252	118.50	33,654
88.75	27,005	98.75	29,937	108.75	32,302	118.75	33,664
89.00	27,083	99.00	30,004	109.00	32,351	119.00	33,669
89.25	27,162	99.25	30,070	109.25	32,400		
89.50	27,240	99.50	30,137	109.50	32,448		
89.75	27,317	99.75	30,203	109.75	32,495		
90.00	27,395	100.00	30,269	110.00	32,542		

