

**OFOX 34709****Gage Table Information**Reporting Marks: **OFOX 34709**

Trinity File Number: 97151

Capacity: 33,694 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 60

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,369	20.25	3,735	30.25	6,669
0.50	15	10.50	1,418	20.50	3,803	30.50	6,748
0.75	27	10.75	1,469	20.75	3,871	30.75	6,827
1.00	42	11.00	1,520	21.00	3,939	31.00	6,906
1.25	59	11.25	1,571	21.25	4,007	31.25	6,985
1.50	77	11.50	1,624	21.50	4,076	31.50	7,065
1.75	97	11.75	1,676	21.75	4,145	31.75	7,145
2.00	119	12.00	1,729	22.00	4,215	32.00	7,225
2.25	142	12.25	1,783	22.25	4,285	32.25	7,305
2.50	166	12.50	1,837	22.50	4,355	32.50	7,386
2.75	192	12.75	1,892	22.75	4,425	32.75	7,466
3.00	218	13.00	1,947	23.00	4,496	33.00	7,547
3.25	246	13.25	2,002	23.25	4,567	33.25	7,628
3.50	275	13.50	2,059	23.50	4,638	33.50	7,709
3.75	305	13.75	2,115	23.75	4,710	33.75	7,791
4.00	336	14.00	2,172	24.00	4,782	34.00	7,872
4.25	368	14.25	2,230	24.25	4,854	34.25	7,954
4.50	401	14.50	2,288	24.50	4,927	34.50	8,036
4.75	434	14.75	2,346	24.75	4,999	34.75	8,118
5.00	469	15.00	2,405	25.00	5,073	35.00	8,201
5.25	504	15.25	2,464	25.25	5,146	35.25	8,283
5.50	541	15.50	2,524	25.50	5,220	35.50	8,366
5.75	578	15.75	2,584	25.75	5,294	35.75	8,449
6.00	616	16.00	2,645	26.00	5,368	36.00	8,532
6.25	655	16.25	2,706	26.25	5,442	36.25	8,615
6.50	694	16.50	2,767	26.50	5,517	36.50	8,699
6.75	734	16.75	2,829	26.75	5,592	36.75	8,782
7.00	775	17.00	2,891	27.00	5,668	37.00	8,866
7.25	817	17.25	2,954	27.25	5,743	37.25	8,950
7.50	860	17.50	3,017	27.50	5,819	37.50	9,034
7.75	903	17.75	3,080	27.75	5,895	37.75	9,119
8.00	946	18.00	3,144	28.00	5,971	38.00	9,203
8.25	991	18.25	3,208	28.25	6,048	38.25	9,288
8.50	1,036	18.50	3,273	28.50	6,125	38.50	9,372
8.75	1,082	18.75	3,338	28.75	6,202	38.75	9,457
9.00	1,128	19.00	3,403	29.00	6,279	39.00	9,542
9.25	1,175	19.25	3,469	29.25	6,357	39.25	9,627
9.50	1,222	19.50	3,535	29.50	6,434	39.50	9,713
9.75	1,271	19.75	3,602	29.75	6,512	39.75	9,798

**OFOX 34709****Gage Table Information**Reporting Marks: **OFOX 34709**

Trinity File Number: 97151

Capacity: 33,694 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 60

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,970	50.25	13,493	60.25	17,120	70.25	20,739
40.50	10,056	50.50	13,583	60.50	17,211	70.50	20,828
40.75	10,142	50.75	13,673	60.75	17,302	70.75	20,918
41.00	10,228	51.00	13,763	61.00	17,393	71.00	21,007
41.25	10,314	51.25	13,853	61.25	17,484	71.25	21,096
41.50	10,400	51.50	13,943	61.50	17,575	71.50	21,185
41.75	10,487	51.75	14,034	61.75	17,666	71.75	21,274
42.00	10,574	52.00	14,124	62.00	17,757	72.00	21,363
42.25	10,661	52.25	14,214	62.25	17,848	72.25	21,452
42.50	10,747	52.50	14,304	62.50	17,939	72.50	21,541
42.75	10,835	52.75	14,395	62.75	18,030	72.75	21,629
43.00	10,922	53.00	14,485	63.00	18,121	73.00	21,718
43.25	11,009	53.25	14,576	63.25	18,212	73.25	21,806
43.50	11,096	53.50	14,666	63.50	18,303	73.50	21,895
43.75	11,184	53.75	14,757	63.75	18,393	73.75	21,983
44.00	11,272	54.00	14,847	64.00	18,484	74.00	22,071
44.25	11,359	54.25	14,938	64.25	18,575	74.25	22,159
44.50	11,447	54.50	15,029	64.50	18,666	74.50	22,247
44.75	11,535	54.75	15,119	64.75	18,756	74.75	22,335
45.00	11,623	55.00	15,210	65.00	18,847	75.00	22,423
45.25	11,711	55.25	15,301	65.25	18,938	75.25	22,510
45.50	11,800	55.50	15,392	65.50	19,028	75.50	22,598
45.75	11,888	55.75	15,483	65.75	19,119	75.75	22,685
46.00	11,976	56.00	15,573	66.00	19,209	76.00	22,773
46.25	12,065	56.25	15,664	66.25	19,300	76.25	22,860
46.50	12,154	56.50	15,755	66.50	19,390	76.50	22,947
46.75	12,242	56.75	15,846	66.75	19,480	76.75	23,034
47.00	12,331	57.00	15,937	67.00	19,571	77.00	23,121
47.25	12,420	57.25	16,028	67.25	19,661	77.25	23,207
47.50	12,509	57.50	16,119	67.50	19,751	77.50	23,294
47.75	12,598	57.75	16,210	67.75	19,841	77.75	23,380
48.00	12,687	58.00	16,301	68.00	19,931	78.00	23,467
48.25	12,777	58.25	16,392	68.25	20,021	78.25	23,553
48.50	12,866	58.50	16,483	68.50	20,111	78.50	23,639
48.75	12,955	58.75	16,574	68.75	20,201	78.75	23,725
49.00	13,045	59.00	16,665	69.00	20,291	79.00	23,810
49.25	13,134	59.25	16,756	69.25	20,381	79.25	23,896
49.50	13,224	59.50	16,847	69.50	20,470	79.50	23,982
49.75	13,314	59.75	16,938	69.75	20,560	79.75	24,067
50.00	13,403	60.00	17,029	70.00	20,649	80.00	24,152

**OFOX 34709****Gage Table Information**Reporting Marks: **OFOX 34709**

Trinity File Number: 97151

Capacity: 33,694 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 60

Table Created: 9/21/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,237	90.25	27,492	100.25	30,356	110.25	32,613
80.50	24,322	90.50	27,570	100.50	30,421	110.50	32,658
80.75	24,407	90.75	27,646	100.75	30,486	110.75	32,704
81.00	24,491	91.00	27,723	101.00	30,550	111.00	32,748
81.25	24,576	91.25	27,799	101.25	30,614	111.25	32,792
81.50	24,660	91.50	27,875	101.50	30,677	111.50	32,835
81.75	24,744	91.75	27,951	101.75	30,740	111.75	32,877
82.00	24,828	92.00	28,027	102.00	30,803	112.00	32,919
82.25	24,912	92.25	28,102	102.25	30,865	112.25	32,960
82.50	24,996	92.50	28,177	102.50	30,927	112.50	33,000
82.75	25,079	92.75	28,252	102.75	30,989	112.75	33,040
83.00	25,162	93.00	28,326	103.00	31,050	113.00	33,078
83.25	25,245	93.25	28,401	103.25	31,110	113.25	33,116
83.50	25,328	93.50	28,475	103.50	31,170	113.50	33,153
83.75	25,411	93.75	28,548	103.75	31,230	113.75	33,190
84.00	25,494	94.00	28,622	104.00	31,289	114.00	33,225
84.25	25,576	94.25	28,695	104.25	31,348	114.25	33,260
84.50	25,658	94.50	28,768	104.50	31,407	114.50	33,294
84.75	25,740	94.75	28,840	104.75	31,465	114.75	33,327
85.00	25,822	95.00	28,912	105.00	31,522	115.00	33,359
85.25	25,904	95.25	28,984	105.25	31,579	115.25	33,389
85.50	25,985	95.50	29,056	105.50	31,636	115.50	33,419
85.75	26,066	95.75	29,127	105.75	31,692	115.75	33,448
86.00	26,147	96.00	29,198	106.00	31,747	116.00	33,476
86.25	26,228	96.25	29,269	106.25	31,803	116.25	33,503
86.50	26,309	96.50	29,340	106.50	31,857	116.50	33,528
86.75	26,389	96.75	29,410	106.75	31,911	116.75	33,552
87.00	26,469	97.00	29,480	107.00	31,965	117.00	33,575
87.25	26,549	97.25	29,549	107.25	32,018	117.25	33,597
87.50	26,629	97.50	29,618	107.50	32,071	117.50	33,617
87.75	26,709	97.75	29,687	107.75	32,123	117.75	33,635
88.00	26,788	98.00	29,755	108.00	32,174	118.00	33,652
88.25	26,867	98.25	29,824	108.25	32,225	118.25	33,667
88.50	26,946	98.50	29,891	108.50	32,276	118.50	33,679
88.75	27,025	98.75	29,959	108.75	32,326	118.75	33,689
89.00	27,104	99.00	30,026	109.00	32,375	119.00	33,694
89.25	27,182	99.25	30,093	109.25	32,424		
89.50	27,260	99.50	30,159	109.50	32,472		
89.75	27,338	99.75	30,225	109.75	32,519		
90.00	27,415	100.00	30,291	110.00	32,566		

