

**OFOX 34710****Gage Table Information**Reporting Marks: **OFOX 34710**

Trinity File Number: 9654

Capacity: 33,653 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 18

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,367	20.25	3,731	30.25	6,661
0.50	15	10.50	1,417	20.50	3,798	30.50	6,740
0.75	27	10.75	1,467	20.75	3,866	30.75	6,819
1.00	42	11.00	1,518	21.00	3,934	31.00	6,898
1.25	59	11.25	1,570	21.25	4,002	31.25	6,977
1.50	77	11.50	1,622	21.50	4,071	31.50	7,056
1.75	97	11.75	1,674	21.75	4,140	31.75	7,136
2.00	119	12.00	1,727	22.00	4,210	32.00	7,216
2.25	142	12.25	1,781	22.25	4,279	32.25	7,296
2.50	166	12.50	1,835	22.50	4,349	32.50	7,376
2.75	191	12.75	1,889	22.75	4,420	32.75	7,457
3.00	218	13.00	1,944	23.00	4,490	33.00	7,538
3.25	246	13.25	2,000	23.25	4,561	33.25	7,619
3.50	275	13.50	2,056	23.50	4,633	33.50	7,700
3.75	304	13.75	2,113	23.75	4,704	33.75	7,781
4.00	335	14.00	2,170	24.00	4,776	34.00	7,863
4.25	367	14.25	2,227	24.25	4,848	34.25	7,944
4.50	400	14.50	2,285	24.50	4,921	34.50	8,026
4.75	434	14.75	2,343	24.75	4,993	34.75	8,108
5.00	468	15.00	2,402	25.00	5,066	35.00	8,191
5.25	504	15.25	2,461	25.25	5,140	35.25	8,273
5.50	540	15.50	2,521	25.50	5,213	35.50	8,356
5.75	577	15.75	2,581	25.75	5,287	35.75	8,439
6.00	615	16.00	2,642	26.00	5,361	36.00	8,522
6.25	654	16.25	2,702	26.25	5,436	36.25	8,605
6.50	693	16.50	2,764	26.50	5,510	36.50	8,688
6.75	734	16.75	2,826	26.75	5,585	36.75	8,772
7.00	774	17.00	2,888	27.00	5,661	37.00	8,855
7.25	816	17.25	2,950	27.25	5,736	37.25	8,939
7.50	858	17.50	3,013	27.50	5,812	37.50	9,023
7.75	902	17.75	3,077	27.75	5,888	37.75	9,107
8.00	945	18.00	3,140	28.00	5,964	38.00	9,192
8.25	990	18.25	3,205	28.25	6,040	38.25	9,276
8.50	1,035	18.50	3,269	28.50	6,117	38.50	9,361
8.75	1,080	18.75	3,334	28.75	6,194	38.75	9,446
9.00	1,126	19.00	3,399	29.00	6,271	39.00	9,531
9.25	1,173	19.25	3,465	29.25	6,349	39.25	9,616
9.50	1,221	19.50	3,531	29.50	6,427	39.50	9,701
9.75	1,269	19.75	3,597	29.75	6,505	39.75	9,786

**OFOX 34710****Gage Table Information**Reporting Marks: **OFOX 34710**

Trinity File Number: 9654

Capacity: 33,653 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 18

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,957	50.25	13,477	60.25	17,099	70.25	20,714
40.50	10,043	50.50	13,567	60.50	17,190	70.50	20,803
40.75	10,129	50.75	13,657	60.75	17,281	70.75	20,892
41.00	10,215	51.00	13,746	61.00	17,372	71.00	20,981
41.25	10,301	51.25	13,836	61.25	17,463	71.25	21,070
41.50	10,388	51.50	13,926	61.50	17,554	71.50	21,159
41.75	10,474	51.75	14,016	61.75	17,645	71.75	21,248
42.00	10,561	52.00	14,107	62.00	17,736	72.00	21,337
42.25	10,648	52.25	14,197	62.25	17,826	72.25	21,426
42.50	10,734	52.50	14,287	62.50	17,917	72.50	21,514
42.75	10,821	52.75	14,377	62.75	18,008	72.75	21,603
43.00	10,908	53.00	14,468	63.00	18,099	73.00	21,691
43.25	10,996	53.25	14,558	63.25	18,190	73.25	21,780
43.50	11,083	53.50	14,648	63.50	18,280	73.50	21,868
43.75	11,170	53.75	14,739	63.75	18,371	73.75	21,956
44.00	11,258	54.00	14,829	64.00	18,462	74.00	22,044
44.25	11,345	54.25	14,920	64.25	18,552	74.25	22,132
44.50	11,433	54.50	15,010	64.50	18,643	74.50	22,220
44.75	11,521	54.75	15,101	64.75	18,733	74.75	22,308
45.00	11,609	55.00	15,192	65.00	18,824	75.00	22,396
45.25	11,697	55.25	15,282	65.25	18,915	75.25	22,483
45.50	11,785	55.50	15,373	65.50	19,005	75.50	22,570
45.75	11,874	55.75	15,464	65.75	19,095	75.75	22,658
46.00	11,962	56.00	15,554	66.00	19,186	76.00	22,745
46.25	12,050	56.25	15,645	66.25	19,276	76.25	22,832
46.50	12,139	56.50	15,736	66.50	19,366	76.50	22,919
46.75	12,227	56.75	15,827	66.75	19,457	76.75	23,006
47.00	12,316	57.00	15,918	67.00	19,547	77.00	23,093
47.25	12,405	57.25	16,009	67.25	19,637	77.25	23,179
47.50	12,494	57.50	16,099	67.50	19,727	77.50	23,266
47.75	12,583	57.75	16,190	67.75	19,817	77.75	23,352
48.00	12,672	58.00	16,281	68.00	19,907	78.00	23,438
48.25	12,761	58.25	16,372	68.25	19,997	78.25	23,524
48.50	12,850	58.50	16,463	68.50	20,087	78.50	23,610
48.75	12,940	58.75	16,554	68.75	20,176	78.75	23,696
49.00	13,029	59.00	16,645	69.00	20,266	79.00	23,782
49.25	13,118	59.25	16,736	69.25	20,356	79.25	23,867
49.50	13,208	59.50	16,827	69.50	20,445	79.50	23,952
49.75	13,298	59.75	16,918	69.75	20,535	79.75	24,038
50.00	13,387	60.00	17,009	70.00	20,624	80.00	24,123

**OFOX 34710****Gage Table Information**Reporting Marks: **OFOX 34710**

Trinity File Number: 9654

Capacity: 33,653 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 18

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,208	90.25	27,459	100.25	30,319	110.25	32,573
80.50	24,293	90.50	27,536	100.50	30,384	110.50	32,619
80.75	24,377	90.75	27,613	100.75	30,449	110.75	32,664
81.00	24,462	91.00	27,689	101.00	30,513	111.00	32,708
81.25	24,546	91.25	27,766	101.25	30,577	111.25	32,752
81.50	24,630	91.50	27,842	101.50	30,640	111.50	32,795
81.75	24,714	91.75	27,917	101.75	30,703	111.75	32,837
82.00	24,798	92.00	27,993	102.00	30,766	112.00	32,879
82.25	24,882	92.25	28,068	102.25	30,828	112.25	32,920
82.50	24,965	92.50	28,143	102.50	30,890	112.50	32,960
82.75	25,049	92.75	28,218	102.75	30,951	112.75	32,999
83.00	25,132	93.00	28,292	103.00	31,012	113.00	33,038
83.25	25,215	93.25	28,366	103.25	31,072	113.25	33,076
83.50	25,298	93.50	28,440	103.50	31,132	113.50	33,113
83.75	25,380	93.75	28,514	103.75	31,192	113.75	33,149
84.00	25,463	94.00	28,587	104.00	31,251	114.00	33,185
84.25	25,545	94.25	28,660	104.25	31,310	114.25	33,220
84.50	25,627	94.50	28,733	104.50	31,368	114.50	33,253
84.75	25,709	94.75	28,805	104.75	31,426	114.75	33,286
85.00	25,791	95.00	28,877	105.00	31,484	115.00	33,318
85.25	25,872	95.25	28,949	105.25	31,541	115.25	33,349
85.50	25,954	95.50	29,021	105.50	31,597	115.50	33,379
85.75	26,035	95.75	29,092	105.75	31,653	115.75	33,408
86.00	26,116	96.00	29,163	106.00	31,709	116.00	33,435
86.25	26,196	96.25	29,234	106.25	31,764	116.25	33,462
86.50	26,277	96.50	29,304	106.50	31,819	116.50	33,487
86.75	26,357	96.75	29,374	106.75	31,873	116.75	33,512
87.00	26,437	97.00	29,444	107.00	31,926	117.00	33,535
87.25	26,517	97.25	29,513	107.25	31,979	117.25	33,556
87.50	26,597	97.50	29,582	107.50	32,032	117.50	33,576
87.75	26,676	97.75	29,651	107.75	32,084	117.75	33,595
88.00	26,756	98.00	29,719	108.00	32,135	118.00	33,611
88.25	26,835	98.25	29,787	108.25	32,186	118.25	33,626
88.50	26,914	98.50	29,855	108.50	32,237	118.50	33,638
88.75	26,992	98.75	29,923	108.75	32,286	118.75	33,648
89.00	27,071	99.00	29,990	109.00	32,336	119.00	33,653
89.25	27,149	99.25	30,056	109.25	32,384		
89.50	27,227	99.50	30,123	109.50	32,432		
89.75	27,304	99.75	30,189	109.75	32,480		
90.00	27,382	100.00	30,254	110.00	32,527		

