

**OFOX 34711****Gage Table Information**Reporting Marks: **OFOX 34711**

Trinity File Number: 9654

Capacity: 33,660 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 19

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,731	30.25	6,662
0.50	15	10.50	1,417	20.50	3,799	30.50	6,741
0.75	27	10.75	1,467	20.75	3,866	30.75	6,820
1.00	42	11.00	1,518	21.00	3,934	31.00	6,899
1.25	58	11.25	1,569	21.25	4,003	31.25	6,978
1.50	77	11.50	1,621	21.50	4,072	31.50	7,057
1.75	97	11.75	1,674	21.75	4,141	31.75	7,137
2.00	118	12.00	1,727	22.00	4,210	32.00	7,217
2.25	141	12.25	1,781	22.25	4,280	32.25	7,297
2.50	165	12.50	1,835	22.50	4,350	32.50	7,378
2.75	191	12.75	1,889	22.75	4,420	32.75	7,458
3.00	218	13.00	1,944	23.00	4,491	33.00	7,539
3.25	245	13.25	2,000	23.25	4,562	33.25	7,620
3.50	274	13.50	2,056	23.50	4,633	33.50	7,701
3.75	304	13.75	2,113	23.75	4,705	33.75	7,782
4.00	335	14.00	2,170	24.00	4,777	34.00	7,864
4.25	367	14.25	2,227	24.25	4,849	34.25	7,946
4.50	400	14.50	2,285	24.50	4,921	34.50	8,028
4.75	433	14.75	2,343	24.75	4,994	34.75	8,110
5.00	468	15.00	2,402	25.00	5,067	35.00	8,192
5.25	503	15.25	2,461	25.25	5,140	35.25	8,275
5.50	540	15.50	2,521	25.50	5,214	35.50	8,357
5.75	577	15.75	2,581	25.75	5,288	35.75	8,440
6.00	615	16.00	2,642	26.00	5,362	36.00	8,523
6.25	654	16.25	2,703	26.25	5,436	36.25	8,606
6.50	693	16.50	2,764	26.50	5,511	36.50	8,690
6.75	733	16.75	2,826	26.75	5,586	36.75	8,773
7.00	774	17.00	2,888	27.00	5,661	37.00	8,857
7.25	816	17.25	2,951	27.25	5,737	37.25	8,941
7.50	858	17.50	3,013	27.50	5,813	37.50	9,025
7.75	901	17.75	3,077	27.75	5,889	37.75	9,109
8.00	945	18.00	3,141	28.00	5,965	38.00	9,193
8.25	989	18.25	3,205	28.25	6,041	38.25	9,278
8.50	1,034	18.50	3,269	28.50	6,118	38.50	9,362
8.75	1,080	18.75	3,334	28.75	6,195	38.75	9,447
9.00	1,126	19.00	3,399	29.00	6,272	39.00	9,532
9.25	1,173	19.25	3,465	29.25	6,350	39.25	9,617
9.50	1,221	19.50	3,531	29.50	6,428	39.50	9,703
9.75	1,269	19.75	3,597	29.75	6,505	39.75	9,788

**OFOX 34711****Gage Table Information**Reporting Marks: **OFOX 34711**

Trinity File Number: 9654

Capacity: 33,660 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 19

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,959	50.25	13,479	60.25	17,103	70.25	20,718
40.50	10,045	50.50	13,569	60.50	17,194	70.50	20,807
40.75	10,131	50.75	13,659	60.75	17,285	70.75	20,896
41.00	10,217	51.00	13,749	61.00	17,376	71.00	20,986
41.25	10,303	51.25	13,839	61.25	17,466	71.25	21,075
41.50	10,390	51.50	13,929	61.50	17,557	71.50	21,164
41.75	10,476	51.75	14,019	61.75	17,648	71.75	21,253
42.00	10,563	52.00	14,109	62.00	17,739	72.00	21,341
42.25	10,649	52.25	14,199	62.25	17,830	72.25	21,430
42.50	10,736	52.50	14,290	62.50	17,921	72.50	21,519
42.75	10,823	52.75	14,380	62.75	18,012	72.75	21,607
43.00	10,910	53.00	14,470	63.00	18,102	73.00	21,696
43.25	10,998	53.25	14,561	63.25	18,193	73.25	21,784
43.50	11,085	53.50	14,651	63.50	18,284	73.50	21,872
43.75	11,172	53.75	14,742	63.75	18,375	73.75	21,961
44.00	11,260	54.00	14,832	64.00	18,465	74.00	22,049
44.25	11,348	54.25	14,923	64.25	18,556	74.25	22,137
44.50	11,435	54.50	15,013	64.50	18,647	74.50	22,225
44.75	11,523	54.75	15,104	64.75	18,737	74.75	22,312
45.00	11,611	55.00	15,195	65.00	18,828	75.00	22,400
45.25	11,699	55.25	15,285	65.25	18,918	75.25	22,488
45.50	11,787	55.50	15,376	65.50	19,009	75.50	22,575
45.75	11,876	55.75	15,467	65.75	19,099	75.75	22,662
46.00	11,964	56.00	15,557	66.00	19,190	76.00	22,750
46.25	12,053	56.25	15,648	66.25	19,280	76.25	22,837
46.50	12,141	56.50	15,739	66.50	19,370	76.50	22,924
46.75	12,230	56.75	15,830	66.75	19,460	76.75	23,010
47.00	12,318	57.00	15,921	67.00	19,551	77.00	23,097
47.25	12,407	57.25	16,012	67.25	19,641	77.25	23,184
47.50	12,496	57.50	16,102	67.50	19,731	77.50	23,270
47.75	12,585	57.75	16,193	67.75	19,821	77.75	23,357
48.00	12,674	58.00	16,284	68.00	19,911	78.00	23,443
48.25	12,763	58.25	16,375	68.25	20,001	78.25	23,529
48.50	12,853	58.50	16,466	68.50	20,091	78.50	23,615
48.75	12,942	58.75	16,557	68.75	20,180	78.75	23,701
49.00	13,031	59.00	16,648	69.00	20,270	79.00	23,786
49.25	13,121	59.25	16,739	69.25	20,360	79.25	23,872
49.50	13,210	59.50	16,830	69.50	20,449	79.50	23,957
49.75	13,300	59.75	16,921	69.75	20,539	79.75	24,043
50.00	13,390	60.00	17,012	70.00	20,628	80.00	24,128

**OFOX 34711****Gage Table Information**Reporting Marks: **OFOX 34711**

Trinity File Number: 9654

Capacity: 33,660 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 19

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,213	90.25	27,465	100.25	30,326	110.25	32,580
80.50	24,297	90.50	27,542	100.50	30,391	110.50	32,626
80.75	24,382	90.75	27,618	100.75	30,455	110.75	32,671
81.00	24,467	91.00	27,695	101.00	30,519	111.00	32,715
81.25	24,551	91.25	27,771	101.25	30,583	111.25	32,759
81.50	24,635	91.50	27,847	101.50	30,646	111.50	32,802
81.75	24,719	91.75	27,923	101.75	30,709	111.75	32,844
82.00	24,803	92.00	27,999	102.00	30,772	112.00	32,886
82.25	24,887	92.25	28,074	102.25	30,834	112.25	32,927
82.50	24,970	92.50	28,149	102.50	30,896	112.50	32,967
82.75	25,054	92.75	28,223	102.75	30,957	112.75	33,006
83.00	25,137	93.00	28,298	103.00	31,018	113.00	33,045
83.25	25,220	93.25	28,372	103.25	31,079	113.25	33,083
83.50	25,303	93.50	28,446	103.50	31,139	113.50	33,120
83.75	25,385	93.75	28,520	103.75	31,199	113.75	33,156
84.00	25,468	94.00	28,593	104.00	31,258	114.00	33,192
84.25	25,550	94.25	28,666	104.25	31,317	114.25	33,226
84.50	25,632	94.50	28,739	104.50	31,375	114.50	33,260
84.75	25,714	94.75	28,811	104.75	31,433	114.75	33,293
85.00	25,796	95.00	28,883	105.00	31,490	115.00	33,325
85.25	25,877	95.25	28,955	105.25	31,547	115.25	33,356
85.50	25,959	95.50	29,027	105.50	31,604	115.50	33,386
85.75	26,040	95.75	29,098	105.75	31,660	115.75	33,415
86.00	26,121	96.00	29,169	106.00	31,715	116.00	33,442
86.25	26,202	96.25	29,240	106.25	31,771	116.25	33,469
86.50	26,282	96.50	29,310	106.50	31,825	116.50	33,494
86.75	26,363	96.75	29,380	106.75	31,879	116.75	33,519
87.00	26,443	97.00	29,450	107.00	31,933	117.00	33,542
87.25	26,523	97.25	29,519	107.25	31,986	117.25	33,563
87.50	26,602	97.50	29,588	107.50	32,038	117.50	33,583
87.75	26,682	97.75	29,657	107.75	32,090	117.75	33,602
88.00	26,761	98.00	29,725	108.00	32,142	118.00	33,618
88.25	26,840	98.25	29,794	108.25	32,193	118.25	33,633
88.50	26,919	98.50	29,861	108.50	32,243	118.50	33,645
88.75	26,998	98.75	29,929	108.75	32,293	118.75	33,655
89.00	27,076	99.00	29,996	109.00	32,342	119.00	33,660
89.25	27,154	99.25	30,062	109.25	32,391		
89.50	27,232	99.50	30,129	109.50	32,439		
89.75	27,310	99.75	30,195	109.75	32,487		
90.00	27,388	100.00	30,260	110.00	32,534		

