

**OFOX 34713****Gage Table Information**Reporting Marks: **OFOX 34713**

Trinity File Number: 9654

Capacity: 33,656 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 21

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,731	30.25	6,661
0.50	15	10.50	1,417	20.50	3,798	30.50	6,740
0.75	27	10.75	1,467	20.75	3,866	30.75	6,819
1.00	42	11.00	1,518	21.00	3,934	31.00	6,898
1.25	59	11.25	1,569	21.25	4,002	31.25	6,977
1.50	77	11.50	1,621	21.50	4,071	31.50	7,057
1.75	97	11.75	1,674	21.75	4,140	31.75	7,136
2.00	118	12.00	1,727	22.00	4,210	32.00	7,216
2.25	141	12.25	1,781	22.25	4,279	32.25	7,297
2.50	166	12.50	1,835	22.50	4,349	32.50	7,377
2.75	191	12.75	1,889	22.75	4,420	32.75	7,457
3.00	218	13.00	1,944	23.00	4,490	33.00	7,538
3.25	245	13.25	2,000	23.25	4,561	33.25	7,619
3.50	274	13.50	2,056	23.50	4,633	33.50	7,700
3.75	304	13.75	2,112	23.75	4,704	33.75	7,782
4.00	335	14.00	2,169	24.00	4,776	34.00	7,863
4.25	367	14.25	2,227	24.25	4,848	34.25	7,945
4.50	400	14.50	2,285	24.50	4,921	34.50	8,027
4.75	434	14.75	2,343	24.75	4,994	34.75	8,109
5.00	468	15.00	2,402	25.00	5,067	35.00	8,191
5.25	504	15.25	2,461	25.25	5,140	35.25	8,274
5.50	540	15.50	2,521	25.50	5,214	35.50	8,356
5.75	577	15.75	2,581	25.75	5,287	35.75	8,439
6.00	615	16.00	2,641	26.00	5,362	36.00	8,522
6.25	654	16.25	2,702	26.25	5,436	36.25	8,605
6.50	693	16.50	2,764	26.50	5,511	36.50	8,689
6.75	733	16.75	2,826	26.75	5,586	36.75	8,772
7.00	774	17.00	2,888	27.00	5,661	37.00	8,856
7.25	816	17.25	2,950	27.25	5,736	37.25	8,940
7.50	858	17.50	3,013	27.50	5,812	37.50	9,024
7.75	901	17.75	3,077	27.75	5,888	37.75	9,108
8.00	945	18.00	3,140	28.00	5,964	38.00	9,192
8.25	989	18.25	3,205	28.25	6,041	38.25	9,277
8.50	1,034	18.50	3,269	28.50	6,118	38.50	9,361
8.75	1,080	18.75	3,334	28.75	6,195	38.75	9,446
9.00	1,126	19.00	3,399	29.00	6,272	39.00	9,531
9.25	1,173	19.25	3,465	29.25	6,349	39.25	9,616
9.50	1,221	19.50	3,531	29.50	6,427	39.50	9,702
9.75	1,269	19.75	3,597	29.75	6,505	39.75	9,787

**OFOX 34713****Gage Table Information**Reporting Marks: **OFOX 34713**

Trinity File Number: 9654

Capacity: 33,656 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 21

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,958	50.25	13,478	60.25	17,101	70.25	20,715
40.50	10,044	50.50	13,568	60.50	17,192	70.50	20,805
40.75	10,130	50.75	13,658	60.75	17,283	70.75	20,894
41.00	10,216	51.00	13,747	61.00	17,374	71.00	20,983
41.25	10,302	51.25	13,837	61.25	17,464	71.25	21,072
41.50	10,388	51.50	13,927	61.50	17,555	71.50	21,161
41.75	10,475	51.75	14,018	61.75	17,646	71.75	21,250
42.00	10,562	52.00	14,108	62.00	17,737	72.00	21,339
42.25	10,648	52.25	14,198	62.25	17,828	72.25	21,428
42.50	10,735	52.50	14,288	62.50	17,919	72.50	21,516
42.75	10,822	52.75	14,378	62.75	18,010	72.75	21,605
43.00	10,909	53.00	14,469	63.00	18,100	73.00	21,693
43.25	10,996	53.25	14,559	63.25	18,191	73.25	21,782
43.50	11,084	53.50	14,650	63.50	18,282	73.50	21,870
43.75	11,171	53.75	14,740	63.75	18,373	73.75	21,958
44.00	11,259	54.00	14,830	64.00	18,463	74.00	22,046
44.25	11,346	54.25	14,921	64.25	18,554	74.25	22,134
44.50	11,434	54.50	15,012	64.50	18,644	74.50	22,222
44.75	11,522	54.75	15,102	64.75	18,735	74.75	22,310
45.00	11,610	55.00	15,193	65.00	18,826	75.00	22,397
45.25	11,698	55.25	15,284	65.25	18,916	75.25	22,485
45.50	11,786	55.50	15,374	65.50	19,007	75.50	22,572
45.75	11,874	55.75	15,465	65.75	19,097	75.75	22,660
46.00	11,963	56.00	15,556	66.00	19,187	76.00	22,747
46.25	12,051	56.25	15,646	66.25	19,278	76.25	22,834
46.50	12,140	56.50	15,737	66.50	19,368	76.50	22,921
46.75	12,228	56.75	15,828	66.75	19,458	76.75	23,008
47.00	12,317	57.00	15,919	67.00	19,548	77.00	23,095
47.25	12,406	57.25	16,010	67.25	19,639	77.25	23,181
47.50	12,495	57.50	16,101	67.50	19,729	77.50	23,268
47.75	12,584	57.75	16,192	67.75	19,819	77.75	23,354
48.00	12,673	58.00	16,282	68.00	19,909	78.00	23,440
48.25	12,762	58.25	16,373	68.25	19,999	78.25	23,526
48.50	12,851	58.50	16,464	68.50	20,088	78.50	23,612
48.75	12,941	58.75	16,555	68.75	20,178	78.75	23,698
49.00	13,030	59.00	16,646	69.00	20,268	79.00	23,784
49.25	13,119	59.25	16,737	69.25	20,358	79.25	23,869
49.50	13,209	59.50	16,828	69.50	20,447	79.50	23,955
49.75	13,299	59.75	16,919	69.75	20,537	79.75	24,040
50.00	13,388	60.00	17,010	70.00	20,626	80.00	24,125

**OFOX 34713****Gage Table Information**Reporting Marks: **OFOX 34713**

Trinity File Number: 9654

Capacity: 33,656 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 21

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,210	90.25	27,462	100.25	30,322	110.25	32,576
80.50	24,295	90.50	27,539	100.50	30,387	110.50	32,622
80.75	24,379	90.75	27,615	100.75	30,452	110.75	32,667
81.00	24,464	91.00	27,692	101.00	30,516	111.00	32,711
81.25	24,548	91.25	27,768	101.25	30,579	111.25	32,755
81.50	24,632	91.50	27,844	101.50	30,643	111.50	32,798
81.75	24,716	91.75	27,920	101.75	30,706	111.75	32,840
82.00	24,800	92.00	27,995	102.00	30,768	112.00	32,882
82.25	24,884	92.25	28,070	102.25	30,830	112.25	32,923
82.50	24,967	92.50	28,145	102.50	30,892	112.50	32,963
82.75	25,051	92.75	28,220	102.75	30,954	112.75	33,002
83.00	25,134	93.00	28,295	103.00	31,015	113.00	33,041
83.25	25,217	93.25	28,369	103.25	31,075	113.25	33,079
83.50	25,300	93.50	28,443	103.50	31,135	113.50	33,116
83.75	25,382	93.75	28,516	103.75	31,195	113.75	33,152
84.00	25,465	94.00	28,589	104.00	31,254	114.00	33,188
84.25	25,547	94.25	28,663	104.25	31,313	114.25	33,223
84.50	25,629	94.50	28,735	104.50	31,371	114.50	33,256
84.75	25,711	94.75	28,808	104.75	31,429	114.75	33,289
85.00	25,793	95.00	28,880	105.00	31,487	115.00	33,321
85.25	25,874	95.25	28,952	105.25	31,544	115.25	33,352
85.50	25,956	95.50	29,023	105.50	31,600	115.50	33,382
85.75	26,037	95.75	29,095	105.75	31,656	115.75	33,411
86.00	26,118	96.00	29,166	106.00	31,712	116.00	33,438
86.25	26,199	96.25	29,236	106.25	31,767	116.25	33,465
86.50	26,279	96.50	29,307	106.50	31,821	116.50	33,490
86.75	26,360	96.75	29,377	106.75	31,875	116.75	33,515
87.00	26,440	97.00	29,446	107.00	31,929	117.00	33,538
87.25	26,520	97.25	29,516	107.25	31,982	117.25	33,559
87.50	26,599	97.50	29,585	107.50	32,035	117.50	33,579
87.75	26,679	97.75	29,654	107.75	32,087	117.75	33,598
88.00	26,758	98.00	29,722	108.00	32,138	118.00	33,614
88.25	26,837	98.25	29,790	108.25	32,189	118.25	33,629
88.50	26,916	98.50	29,858	108.50	32,239	118.50	33,641
88.75	26,995	98.75	29,925	108.75	32,289	118.75	33,651
89.00	27,073	99.00	29,992	109.00	32,339	119.00	33,656
89.25	27,151	99.25	30,059	109.25	32,387		
89.50	27,229	99.50	30,125	109.50	32,435		
89.75	27,307	99.75	30,191	109.75	32,483		
90.00	27,384	100.00	30,257	110.00	32,530		

