

**OFOX 34714****Gage Table Information**Reporting Marks: **OFOX 34714**

Trinity File Number: 9654

Capacity: 33,648 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 22

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,730	30.25	6,660
0.50	15	10.50	1,416	20.50	3,798	30.50	6,739
0.75	27	10.75	1,467	20.75	3,865	30.75	6,817
1.00	42	11.00	1,518	21.00	3,933	31.00	6,896
1.25	59	11.25	1,569	21.25	4,002	31.25	6,976
1.50	77	11.50	1,621	21.50	4,070	31.50	7,055
1.75	97	11.75	1,674	21.75	4,140	31.75	7,135
2.00	119	12.00	1,727	22.00	4,209	32.00	7,215
2.25	142	12.25	1,780	22.25	4,279	32.25	7,295
2.50	166	12.50	1,834	22.50	4,349	32.50	7,375
2.75	191	12.75	1,889	22.75	4,419	32.75	7,456
3.00	218	13.00	1,944	23.00	4,490	33.00	7,537
3.25	246	13.25	2,000	23.25	4,561	33.25	7,618
3.50	275	13.50	2,056	23.50	4,632	33.50	7,699
3.75	304	13.75	2,112	23.75	4,703	33.75	7,780
4.00	335	14.00	2,169	24.00	4,775	34.00	7,861
4.25	367	14.25	2,227	24.25	4,847	34.25	7,943
4.50	400	14.50	2,284	24.50	4,920	34.50	8,025
4.75	434	14.75	2,343	24.75	4,993	34.75	8,107
5.00	468	15.00	2,402	25.00	5,066	35.00	8,189
5.25	504	15.25	2,461	25.25	5,139	35.25	8,272
5.50	540	15.50	2,520	25.50	5,212	35.50	8,355
5.75	577	15.75	2,581	25.75	5,286	35.75	8,437
6.00	615	16.00	2,641	26.00	5,360	36.00	8,520
6.25	654	16.25	2,702	26.25	5,435	36.25	8,603
6.50	693	16.50	2,763	26.50	5,510	36.50	8,687
6.75	733	16.75	2,825	26.75	5,584	36.75	8,770
7.00	774	17.00	2,887	27.00	5,660	37.00	8,854
7.25	816	17.25	2,950	27.25	5,735	37.25	8,938
7.50	858	17.50	3,013	27.50	5,811	37.50	9,022
7.75	901	17.75	3,076	27.75	5,887	37.75	9,106
8.00	945	18.00	3,140	28.00	5,963	38.00	9,190
8.25	989	18.25	3,204	28.25	6,040	38.25	9,275
8.50	1,034	18.50	3,268	28.50	6,116	38.50	9,359
8.75	1,080	18.75	3,333	28.75	6,193	38.75	9,444
9.00	1,126	19.00	3,399	29.00	6,270	39.00	9,529
9.25	1,173	19.25	3,464	29.25	6,348	39.25	9,614
9.50	1,221	19.50	3,530	29.50	6,426	39.50	9,699
9.75	1,269	19.75	3,596	29.75	6,503	39.75	9,785

**OFOX 34714****Gage Table Information**Reporting Marks: **OFOX 34714**

Trinity File Number: 9654

Capacity: 33,648 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 22

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,956	50.25	13,475	60.25	17,097	70.25	20,711
40.50	10,042	50.50	13,565	60.50	17,188	70.50	20,800
40.75	10,128	50.75	13,654	60.75	17,279	70.75	20,889
41.00	10,214	51.00	13,744	61.00	17,370	71.00	20,978
41.25	10,300	51.25	13,834	61.25	17,460	71.25	21,067
41.50	10,386	51.50	13,924	61.50	17,551	71.50	21,156
41.75	10,473	51.75	14,014	61.75	17,642	71.75	21,245
42.00	10,559	52.00	14,104	62.00	17,733	72.00	21,334
42.25	10,646	52.25	14,195	62.25	17,824	72.25	21,423
42.50	10,733	52.50	14,285	62.50	17,915	72.50	21,511
42.75	10,820	52.75	14,375	62.75	18,005	72.75	21,600
43.00	10,907	53.00	14,465	63.00	18,096	73.00	21,688
43.25	10,994	53.25	14,556	63.25	18,187	73.25	21,777
43.50	11,081	53.50	14,646	63.50	18,278	73.50	21,865
43.75	11,169	53.75	14,737	63.75	18,368	73.75	21,953
44.00	11,256	54.00	14,827	64.00	18,459	74.00	22,041
44.25	11,344	54.25	14,918	64.25	18,550	74.25	22,129
44.50	11,431	54.50	15,008	64.50	18,640	74.50	22,217
44.75	11,519	54.75	15,099	64.75	18,731	74.75	22,305
45.00	11,607	55.00	15,189	65.00	18,821	75.00	22,392
45.25	11,695	55.25	15,280	65.25	18,912	75.25	22,480
45.50	11,783	55.50	15,371	65.50	19,002	75.50	22,567
45.75	11,872	55.75	15,461	65.75	19,093	75.75	22,654
46.00	11,960	56.00	15,552	66.00	19,183	76.00	22,742
46.25	12,048	56.25	15,643	66.25	19,273	76.25	22,829
46.50	12,137	56.50	15,734	66.50	19,363	76.50	22,916
46.75	12,226	56.75	15,824	66.75	19,454	76.75	23,002
47.00	12,314	57.00	15,915	67.00	19,544	77.00	23,089
47.25	12,403	57.25	16,006	67.25	19,634	77.25	23,176
47.50	12,492	57.50	16,097	67.50	19,724	77.50	23,262
47.75	12,581	57.75	16,188	67.75	19,814	77.75	23,348
48.00	12,670	58.00	16,279	68.00	19,904	78.00	23,435
48.25	12,759	58.25	16,370	68.25	19,994	78.25	23,521
48.50	12,848	58.50	16,461	68.50	20,084	78.50	23,607
48.75	12,938	58.75	16,551	68.75	20,173	78.75	23,692
49.00	13,027	59.00	16,642	69.00	20,263	79.00	23,778
49.25	13,116	59.25	16,733	69.25	20,353	79.25	23,864
49.50	13,206	59.50	16,824	69.50	20,442	79.50	23,949
49.75	13,296	59.75	16,915	69.75	20,532	79.75	24,034
50.00	13,385	60.00	17,006	70.00	20,621	80.00	24,119

**OFOX 34714****Gage Table Information**Reporting Marks: **OFOX 34714**

Trinity File Number: 9654

Capacity: 33,648 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 22

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,204	90.25	27,455	100.25	30,315	110.25	32,568
80.50	24,289	90.50	27,532	100.50	30,380	110.50	32,614
80.75	24,374	90.75	27,609	100.75	30,444	110.75	32,659
81.00	24,458	91.00	27,685	101.00	30,508	111.00	32,703
81.25	24,542	91.25	27,761	101.25	30,572	111.25	32,747
81.50	24,626	91.50	27,837	101.50	30,636	111.50	32,790
81.75	24,710	91.75	27,913	101.75	30,698	111.75	32,832
82.00	24,794	92.00	27,989	102.00	30,761	112.00	32,874
82.25	24,878	92.25	28,064	102.25	30,823	112.25	32,915
82.50	24,961	92.50	28,139	102.50	30,885	112.50	32,955
82.75	25,045	92.75	28,213	102.75	30,946	112.75	32,995
83.00	25,128	93.00	28,288	103.00	31,007	113.00	33,033
83.25	25,211	93.25	28,362	103.25	31,068	113.25	33,071
83.50	25,294	93.50	28,436	103.50	31,128	113.50	33,108
83.75	25,376	93.75	28,509	103.75	31,187	113.75	33,145
84.00	25,459	94.00	28,583	104.00	31,247	114.00	33,180
84.25	25,541	94.25	28,656	104.25	31,305	114.25	33,215
84.50	25,623	94.50	28,728	104.50	31,364	114.50	33,248
84.75	25,705	94.75	28,801	104.75	31,422	114.75	33,281
85.00	25,787	95.00	28,873	105.00	31,479	115.00	33,313
85.25	25,868	95.25	28,945	105.25	31,536	115.25	33,344
85.50	25,950	95.50	29,016	105.50	31,593	115.50	33,374
85.75	26,031	95.75	29,088	105.75	31,649	115.75	33,403
86.00	26,112	96.00	29,159	106.00	31,704	116.00	33,430
86.25	26,192	96.25	29,229	106.25	31,759	116.25	33,457
86.50	26,273	96.50	29,300	106.50	31,814	116.50	33,482
86.75	26,353	96.75	29,370	106.75	31,868	116.75	33,507
87.00	26,433	97.00	29,439	107.00	31,921	117.00	33,530
87.25	26,513	97.25	29,509	107.25	31,975	117.25	33,551
87.50	26,593	97.50	29,578	107.50	32,027	117.50	33,571
87.75	26,673	97.75	29,647	107.75	32,079	117.75	33,590
88.00	26,752	98.00	29,715	108.00	32,131	118.00	33,606
88.25	26,831	98.25	29,783	108.25	32,181	118.25	33,621
88.50	26,910	98.50	29,851	108.50	32,232	118.50	33,633
88.75	26,988	98.75	29,918	108.75	32,282	118.75	33,643
89.00	27,067	99.00	29,985	109.00	32,331	119.00	33,648
89.25	27,145	99.25	30,052	109.25	32,380		
89.50	27,223	99.50	30,118	109.50	32,428		
89.75	27,300	99.75	30,184	109.75	32,475		
90.00	27,378	100.00	30,250	110.00	32,522		

