

**OFOX 34715****Gage Table Information**Reporting Marks: **OFOX 34715**

Trinity File Number: 9654

Capacity: 33,662 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 23

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,731	30.25	6,662
0.50	14	10.50	1,416	20.50	3,799	30.50	6,741
0.75	27	10.75	1,467	20.75	3,866	30.75	6,820
1.00	41	11.00	1,518	21.00	3,934	31.00	6,899
1.25	58	11.25	1,569	21.25	4,003	31.25	6,978
1.50	76	11.50	1,621	21.50	4,072	31.50	7,058
1.75	97	11.75	1,674	21.75	4,141	31.75	7,137
2.00	118	12.00	1,727	22.00	4,210	32.00	7,217
2.25	141	12.25	1,780	22.25	4,280	32.25	7,297
2.50	165	12.50	1,835	22.50	4,350	32.50	7,378
2.75	191	12.75	1,889	22.75	4,420	32.75	7,458
3.00	217	13.00	1,944	23.00	4,491	33.00	7,539
3.25	245	13.25	2,000	23.25	4,562	33.25	7,620
3.50	274	13.50	2,056	23.50	4,633	33.50	7,701
3.75	304	13.75	2,112	23.75	4,705	33.75	7,783
4.00	335	14.00	2,169	24.00	4,777	34.00	7,864
4.25	367	14.25	2,227	24.25	4,849	34.25	7,946
4.50	399	14.50	2,285	24.50	4,921	34.50	8,028
4.75	433	14.75	2,343	24.75	4,994	34.75	8,110
5.00	468	15.00	2,402	25.00	5,067	35.00	8,192
5.25	503	15.25	2,461	25.25	5,140	35.25	8,275
5.50	540	15.50	2,521	25.50	5,214	35.50	8,358
5.75	577	15.75	2,581	25.75	5,288	35.75	8,440
6.00	615	16.00	2,642	26.00	5,362	36.00	8,523
6.25	653	16.25	2,702	26.25	5,437	36.25	8,607
6.50	693	16.50	2,764	26.50	5,511	36.50	8,690
6.75	733	16.75	2,826	26.75	5,586	36.75	8,773
7.00	774	17.00	2,888	27.00	5,661	37.00	8,857
7.25	816	17.25	2,950	27.25	5,737	37.25	8,941
7.50	858	17.50	3,013	27.50	5,813	37.50	9,025
7.75	901	17.75	3,077	27.75	5,889	37.75	9,109
8.00	945	18.00	3,141	28.00	5,965	38.00	9,194
8.25	989	18.25	3,205	28.25	6,041	38.25	9,278
8.50	1,034	18.50	3,269	28.50	6,118	38.50	9,363
8.75	1,080	18.75	3,334	28.75	6,195	38.75	9,448
9.00	1,126	19.00	3,399	29.00	6,272	39.00	9,533
9.25	1,173	19.25	3,465	29.25	6,350	39.25	9,618
9.50	1,220	19.50	3,531	29.50	6,428	39.50	9,703
9.75	1,269	19.75	3,597	29.75	6,506	39.75	9,788

**OFOX 34715****Gage Table Information**Reporting Marks: **OFOX 34715**

Trinity File Number: 9654

Capacity: 33,662 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 23

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,960	50.25	13,480	60.25	17,104	70.25	20,719
40.50	10,045	50.50	13,570	60.50	17,195	70.50	20,808
40.75	10,131	50.75	13,660	60.75	17,286	70.75	20,898
41.00	10,217	51.00	13,750	61.00	17,376	71.00	20,987
41.25	10,304	51.25	13,840	61.25	17,467	71.25	21,076
41.50	10,390	51.50	13,930	61.50	17,558	71.50	21,165
41.75	10,477	51.75	14,020	61.75	17,649	71.75	21,254
42.00	10,563	52.00	14,110	62.00	17,740	72.00	21,343
42.25	10,650	52.25	14,200	62.25	17,831	72.25	21,431
42.50	10,737	52.50	14,290	62.50	17,922	72.50	21,520
42.75	10,824	52.75	14,381	62.75	18,013	72.75	21,609
43.00	10,911	53.00	14,471	63.00	18,103	73.00	21,697
43.25	10,998	53.25	14,561	63.25	18,194	73.25	21,785
43.50	11,085	53.50	14,652	63.50	18,285	73.50	21,874
43.75	11,173	53.75	14,742	63.75	18,376	73.75	21,962
44.00	11,260	54.00	14,833	64.00	18,466	74.00	22,050
44.25	11,348	54.25	14,923	64.25	18,557	74.25	22,138
44.50	11,436	54.50	15,014	64.50	18,648	74.50	22,226
44.75	11,524	54.75	15,105	64.75	18,738	74.75	22,314
45.00	11,612	55.00	15,195	65.00	18,829	75.00	22,401
45.25	11,700	55.25	15,286	65.25	18,919	75.25	22,489
45.50	11,788	55.50	15,377	65.50	19,010	75.50	22,576
45.75	11,876	55.75	15,467	65.75	19,100	75.75	22,664
46.00	11,965	56.00	15,558	66.00	19,191	76.00	22,751
46.25	12,053	56.25	15,649	66.25	19,281	76.25	22,838
46.50	12,142	56.50	15,740	66.50	19,371	76.50	22,925
46.75	12,230	56.75	15,831	66.75	19,461	76.75	23,012
47.00	12,319	57.00	15,922	67.00	19,552	77.00	23,098
47.25	12,408	57.25	16,012	67.25	19,642	77.25	23,185
47.50	12,497	57.50	16,103	67.50	19,732	77.50	23,272
47.75	12,586	57.75	16,194	67.75	19,822	77.75	23,358
48.00	12,675	58.00	16,285	68.00	19,912	78.00	23,444
48.25	12,764	58.25	16,376	68.25	20,002	78.25	23,530
48.50	12,853	58.50	16,467	68.50	20,092	78.50	23,616
48.75	12,943	58.75	16,558	68.75	20,182	78.75	23,702
49.00	13,032	59.00	16,649	69.00	20,271	79.00	23,788
49.25	13,121	59.25	16,740	69.25	20,361	79.25	23,873
49.50	13,211	59.50	16,831	69.50	20,451	79.50	23,959
49.75	13,301	59.75	16,922	69.75	20,540	79.75	24,044
50.00	13,390	60.00	17,013	70.00	20,630	80.00	24,129

**OFOX 34715****Gage Table Information**Reporting Marks: **OFOX 34715**

Trinity File Number: 9654

Capacity: 33,662 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 23

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,214	90.25	27,466	100.25	30,327	110.25	32,582
80.50	24,299	90.50	27,543	100.50	30,392	110.50	32,627
80.75	24,383	90.75	27,620	100.75	30,457	110.75	32,672
81.00	24,468	91.00	27,697	101.00	30,521	111.00	32,717
81.25	24,552	91.25	27,773	101.25	30,585	111.25	32,761
81.50	24,637	91.50	27,849	101.50	30,648	111.50	32,804
81.75	24,721	91.75	27,925	101.75	30,711	111.75	32,846
82.00	24,804	92.00	28,000	102.00	30,774	112.00	32,888
82.25	24,888	92.25	28,075	102.25	30,836	112.25	32,929
82.50	24,972	92.50	28,150	102.50	30,898	112.50	32,969
82.75	25,055	92.75	28,225	102.75	30,959	112.75	33,008
83.00	25,138	93.00	28,299	103.00	31,020	113.00	33,047
83.25	25,221	93.25	28,374	103.25	31,081	113.25	33,085
83.50	25,304	93.50	28,448	103.50	31,141	113.50	33,122
83.75	25,387	93.75	28,521	103.75	31,200	113.75	33,158
84.00	25,469	94.00	28,594	104.00	31,260	114.00	33,194
84.25	25,552	94.25	28,668	104.25	31,318	114.25	33,228
84.50	25,634	94.50	28,740	104.50	31,377	114.50	33,262
84.75	25,716	94.75	28,813	104.75	31,435	114.75	33,295
85.00	25,797	95.00	28,885	105.00	31,492	115.00	33,327
85.25	25,879	95.25	28,957	105.25	31,549	115.25	33,358
85.50	25,960	95.50	29,028	105.50	31,606	115.50	33,388
85.75	26,041	95.75	29,100	105.75	31,662	115.75	33,417
86.00	26,122	96.00	29,171	106.00	31,717	116.00	33,444
86.25	26,203	96.25	29,241	106.25	31,772	116.25	33,471
86.50	26,284	96.50	29,312	106.50	31,827	116.50	33,496
86.75	26,364	96.75	29,382	106.75	31,881	116.75	33,521
87.00	26,444	97.00	29,452	107.00	31,935	117.00	33,544
87.25	26,524	97.25	29,521	107.25	31,988	117.25	33,565
87.50	26,604	97.50	29,590	107.50	32,040	117.50	33,585
87.75	26,683	97.75	29,659	107.75	32,092	117.75	33,604
88.00	26,763	98.00	29,727	108.00	32,144	118.00	33,620
88.25	26,842	98.25	29,795	108.25	32,195	118.25	33,635
88.50	26,921	98.50	29,863	108.50	32,245	118.50	33,647
88.75	26,999	98.75	29,930	108.75	32,295	118.75	33,657
89.00	27,078	99.00	29,997	109.00	32,344	119.00	33,662
89.25	27,156	99.25	30,064	109.25	32,393		
89.50	27,234	99.50	30,131	109.50	32,441		
89.75	27,312	99.75	30,197	109.75	32,489		
90.00	27,389	100.00	30,262	110.00	32,536		

