

**OFOX 34716****Gage Table Information**Reporting Marks: **OFOX 34716**

Trinity File Number: 9654

Capacity: 33,666 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 24

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,732	30.25	6,664
0.50	15	10.50	1,417	20.50	3,800	30.50	6,742
0.75	27	10.75	1,468	20.75	3,867	30.75	6,821
1.00	42	11.00	1,519	21.00	3,935	31.00	6,900
1.25	59	11.25	1,570	21.25	4,004	31.25	6,979
1.50	77	11.50	1,622	21.50	4,073	31.50	7,059
1.75	97	11.75	1,675	21.75	4,142	31.75	7,139
2.00	119	12.00	1,728	22.00	4,211	32.00	7,219
2.25	142	12.25	1,781	22.25	4,281	32.25	7,299
2.50	166	12.50	1,835	22.50	4,351	32.50	7,379
2.75	191	12.75	1,890	22.75	4,421	32.75	7,460
3.00	218	13.00	1,945	23.00	4,492	33.00	7,541
3.25	246	13.25	2,001	23.25	4,563	33.25	7,622
3.50	275	13.50	2,057	23.50	4,634	33.50	7,703
3.75	305	13.75	2,113	23.75	4,706	33.75	7,784
4.00	335	14.00	2,170	24.00	4,778	34.00	7,866
4.25	367	14.25	2,228	24.25	4,850	34.25	7,947
4.50	400	14.50	2,286	24.50	4,922	34.50	8,029
4.75	434	14.75	2,344	24.75	4,995	34.75	8,112
5.00	468	15.00	2,403	25.00	5,068	35.00	8,194
5.25	504	15.25	2,462	25.25	5,142	35.25	8,276
5.50	540	15.50	2,522	25.50	5,215	35.50	8,359
5.75	577	15.75	2,582	25.75	5,289	35.75	8,442
6.00	615	16.00	2,642	26.00	5,363	36.00	8,525
6.25	654	16.25	2,703	26.25	5,438	36.25	8,608
6.50	694	16.50	2,765	26.50	5,512	36.50	8,691
6.75	734	16.75	2,827	26.75	5,587	36.75	8,775
7.00	775	17.00	2,889	27.00	5,663	37.00	8,859
7.25	816	17.25	2,951	27.25	5,738	37.25	8,943
7.50	859	17.50	3,014	27.50	5,814	37.50	9,027
7.75	902	17.75	3,078	27.75	5,890	37.75	9,111
8.00	945	18.00	3,142	28.00	5,966	38.00	9,195
8.25	990	18.25	3,206	28.25	6,043	38.25	9,280
8.50	1,035	18.50	3,270	28.50	6,120	38.50	9,364
8.75	1,081	18.75	3,335	28.75	6,197	38.75	9,449
9.00	1,127	19.00	3,400	29.00	6,274	39.00	9,534
9.25	1,174	19.25	3,466	29.25	6,351	39.25	9,619
9.50	1,221	19.50	3,532	29.50	6,429	39.50	9,705
9.75	1,269	19.75	3,598	29.75	6,507	39.75	9,790

**OFOX 34716****Gage Table Information**Reporting Marks: **OFOX 34716**

Trinity File Number: 9654

Capacity: 33,666 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 24

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,961	50.25	13,482	60.25	17,106	70.25	20,722
40.50	10,047	50.50	13,572	60.50	17,197	70.50	20,811
40.75	10,133	50.75	13,662	60.75	17,288	70.75	20,900
41.00	10,219	51.00	13,752	61.00	17,379	71.00	20,989
41.25	10,305	51.25	13,842	61.25	17,470	71.25	21,079
41.50	10,392	51.50	13,932	61.50	17,561	71.50	21,168
41.75	10,478	51.75	14,022	61.75	17,652	71.75	21,256
42.00	10,565	52.00	14,112	62.00	17,742	72.00	21,345
42.25	10,652	52.25	14,202	62.25	17,833	72.25	21,434
42.50	10,738	52.50	14,292	62.50	17,924	72.50	21,523
42.75	10,825	52.75	14,383	62.75	18,015	72.75	21,611
43.00	10,913	53.00	14,473	63.00	18,106	73.00	21,700
43.25	11,000	53.25	14,564	63.25	18,197	73.25	21,788
43.50	11,087	53.50	14,654	63.50	18,287	73.50	21,876
43.75	11,175	53.75	14,744	63.75	18,378	73.75	21,965
44.00	11,262	54.00	14,835	64.00	18,469	74.00	22,053
44.25	11,350	54.25	14,926	64.25	18,559	74.25	22,141
44.50	11,438	54.50	15,016	64.50	18,650	74.50	22,229
44.75	11,525	54.75	15,107	64.75	18,741	74.75	22,316
45.00	11,613	55.00	15,197	65.00	18,831	75.00	22,404
45.25	11,702	55.25	15,288	65.25	18,922	75.25	22,492
45.50	11,790	55.50	15,379	65.50	19,012	75.50	22,579
45.75	11,878	55.75	15,470	65.75	19,103	75.75	22,666
46.00	11,966	56.00	15,560	66.00	19,193	76.00	22,754
46.25	12,055	56.25	15,651	66.25	19,283	76.25	22,841
46.50	12,143	56.50	15,742	66.50	19,374	76.50	22,928
46.75	12,232	56.75	15,833	66.75	19,464	76.75	23,015
47.00	12,321	57.00	15,924	67.00	19,554	77.00	23,101
47.25	12,410	57.25	16,015	67.25	19,644	77.25	23,188
47.50	12,499	57.50	16,106	67.50	19,735	77.50	23,275
47.75	12,588	57.75	16,196	67.75	19,825	77.75	23,361
48.00	12,677	58.00	16,287	68.00	19,915	78.00	23,447
48.25	12,766	58.25	16,378	68.25	20,005	78.25	23,533
48.50	12,855	58.50	16,469	68.50	20,094	78.50	23,619
48.75	12,945	58.75	16,560	68.75	20,184	78.75	23,705
49.00	13,034	59.00	16,651	69.00	20,274	79.00	23,791
49.25	13,123	59.25	16,742	69.25	20,364	79.25	23,876
49.50	13,213	59.50	16,833	69.50	20,453	79.50	23,962
49.75	13,303	59.75	16,924	69.75	20,543	79.75	24,047
50.00	13,392	60.00	17,015	70.00	20,632	80.00	24,132

**OFOX 34716****Gage Table Information**Reporting Marks: **OFOX 34716**

Trinity File Number: 9654

Capacity: 33,666 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 24

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,217	90.25	27,470	100.25	30,331	110.25	32,586
80.50	24,302	90.50	27,547	100.50	30,396	110.50	32,631
80.75	24,387	90.75	27,623	100.75	30,461	110.75	32,676
81.00	24,471	91.00	27,700	101.00	30,525	111.00	32,721
81.25	24,555	91.25	27,776	101.25	30,588	111.25	32,764
81.50	24,640	91.50	27,852	101.50	30,652	111.50	32,808
81.75	24,724	91.75	27,928	101.75	30,715	111.75	32,850
82.00	24,808	92.00	28,004	102.00	30,777	112.00	32,892
82.25	24,891	92.25	28,079	102.25	30,840	112.25	32,932
82.50	24,975	92.50	28,154	102.50	30,901	112.50	32,973
82.75	25,058	92.75	28,228	102.75	30,963	112.75	33,012
83.00	25,141	93.00	28,303	103.00	31,024	113.00	33,051
83.25	25,224	93.25	28,377	103.25	31,084	113.25	33,089
83.50	25,307	93.50	28,451	103.50	31,144	113.50	33,126
83.75	25,390	93.75	28,525	103.75	31,204	113.75	33,162
84.00	25,472	94.00	28,598	104.00	31,263	114.00	33,198
84.25	25,555	94.25	28,671	104.25	31,322	114.25	33,232
84.50	25,637	94.50	28,744	104.50	31,381	114.50	33,266
84.75	25,719	94.75	28,816	104.75	31,438	114.75	33,299
85.00	25,801	95.00	28,888	105.00	31,496	115.00	33,331
85.25	25,882	95.25	28,960	105.25	31,553	115.25	33,362
85.50	25,963	95.50	29,032	105.50	31,609	115.50	33,392
85.75	26,045	95.75	29,103	105.75	31,666	115.75	33,420
86.00	26,126	96.00	29,174	106.00	31,721	116.00	33,448
86.25	26,206	96.25	29,245	106.25	31,776	116.25	33,475
86.50	26,287	96.50	29,315	106.50	31,831	116.50	33,500
86.75	26,367	96.75	29,385	106.75	31,885	116.75	33,525
87.00	26,448	97.00	29,455	107.00	31,939	117.00	33,548
87.25	26,527	97.25	29,525	107.25	31,992	117.25	33,569
87.50	26,607	97.50	29,594	107.50	32,044	117.50	33,589
87.75	26,687	97.75	29,662	107.75	32,096	117.75	33,608
88.00	26,766	98.00	29,731	108.00	32,148	118.00	33,624
88.25	26,845	98.25	29,799	108.25	32,199	118.25	33,639
88.50	26,924	98.50	29,867	108.50	32,249	118.50	33,651
88.75	27,003	98.75	29,934	108.75	32,299	118.75	33,661
89.00	27,081	99.00	30,001	109.00	32,348	119.00	33,666
89.25	27,159	99.25	30,068	109.25	32,397		
89.50	27,237	99.50	30,134	109.50	32,445		
89.75	27,315	99.75	30,200	109.75	32,492		
90.00	27,392	100.00	30,266	110.00	32,539		

