

**OFOX 34717****Gage Table Information**Reporting Marks: **OFOX 34717**

Trinity File Number: 9654

Capacity: 33,664 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 26

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,732	30.25	6,663
0.50	15	10.50	1,417	20.50	3,799	30.50	6,742
0.75	27	10.75	1,467	20.75	3,867	30.75	6,820
1.00	42	11.00	1,518	21.00	3,935	31.00	6,900
1.25	58	11.25	1,570	21.25	4,003	31.25	6,979
1.50	77	11.50	1,622	21.50	4,072	31.50	7,058
1.75	97	11.75	1,674	21.75	4,141	31.75	7,138
2.00	118	12.00	1,727	22.00	4,211	32.00	7,218
2.25	141	12.25	1,781	22.25	4,280	32.25	7,298
2.50	166	12.50	1,835	22.50	4,350	32.50	7,379
2.75	191	12.75	1,890	22.75	4,421	32.75	7,459
3.00	218	13.00	1,945	23.00	4,491	33.00	7,540
3.25	245	13.25	2,000	23.25	4,562	33.25	7,621
3.50	274	13.50	2,056	23.50	4,634	33.50	7,702
3.75	304	13.75	2,113	23.75	4,705	33.75	7,783
4.00	335	14.00	2,170	24.00	4,777	34.00	7,865
4.25	367	14.25	2,227	24.25	4,849	34.25	7,947
4.50	400	14.50	2,285	24.50	4,922	34.50	8,029
4.75	434	14.75	2,344	24.75	4,995	34.75	8,111
5.00	468	15.00	2,402	25.00	5,068	35.00	8,193
5.25	504	15.25	2,462	25.25	5,141	35.25	8,276
5.50	540	15.50	2,521	25.50	5,215	35.50	8,358
5.75	577	15.75	2,582	25.75	5,289	35.75	8,441
6.00	615	16.00	2,642	26.00	5,363	36.00	8,524
6.25	654	16.25	2,703	26.25	5,437	36.25	8,607
6.50	693	16.50	2,764	26.50	5,512	36.50	8,691
6.75	733	16.75	2,826	26.75	5,587	36.75	8,774
7.00	774	17.00	2,888	27.00	5,662	37.00	8,858
7.25	816	17.25	2,951	27.25	5,738	37.25	8,942
7.50	858	17.50	3,014	27.50	5,813	37.50	9,026
7.75	901	17.75	3,077	27.75	5,889	37.75	9,110
8.00	945	18.00	3,141	28.00	5,966	38.00	9,194
8.25	990	18.25	3,205	28.25	6,042	38.25	9,279
8.50	1,035	18.50	3,270	28.50	6,119	38.50	9,364
8.75	1,080	18.75	3,335	28.75	6,196	38.75	9,448
9.00	1,127	19.00	3,400	29.00	6,273	39.00	9,533
9.25	1,173	19.25	3,466	29.25	6,351	39.25	9,619
9.50	1,221	19.50	3,532	29.50	6,428	39.50	9,704
9.75	1,269	19.75	3,598	29.75	6,506	39.75	9,789

**OFOX 34717****Gage Table Information**Reporting Marks: **OFOX 34717**

Trinity File Number: 9654

Capacity: 33,664 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 26

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,960	50.25	13,481	60.25	17,105	70.25	20,720
40.50	10,046	50.50	13,571	60.50	17,196	70.50	20,810
40.75	10,132	50.75	13,661	60.75	17,287	70.75	20,899
41.00	10,218	51.00	13,751	61.00	17,378	71.00	20,988
41.25	10,305	51.25	13,841	61.25	17,469	71.25	21,077
41.50	10,391	51.50	13,931	61.50	17,559	71.50	21,166
41.75	10,477	51.75	14,021	61.75	17,650	71.75	21,255
42.00	10,564	52.00	14,111	62.00	17,741	72.00	21,344
42.25	10,651	52.25	14,201	62.25	17,832	72.25	21,433
42.50	10,738	52.50	14,291	62.50	17,923	72.50	21,521
42.75	10,825	52.75	14,382	62.75	18,014	72.75	21,610
43.00	10,912	53.00	14,472	63.00	18,105	73.00	21,698
43.25	10,999	53.25	14,563	63.25	18,195	73.25	21,787
43.50	11,086	53.50	14,653	63.50	18,286	73.50	21,875
43.75	11,174	53.75	14,743	63.75	18,377	73.75	21,963
44.00	11,261	54.00	14,834	64.00	18,468	74.00	22,051
44.25	11,349	54.25	14,925	64.25	18,558	74.25	22,139
44.50	11,437	54.50	15,015	64.50	18,649	74.50	22,227
44.75	11,525	54.75	15,106	64.75	18,739	74.75	22,315
45.00	11,613	55.00	15,196	65.00	18,830	75.00	22,403
45.25	11,701	55.25	15,287	65.25	18,921	75.25	22,490
45.50	11,789	55.50	15,378	65.50	19,011	75.50	22,578
45.75	11,877	55.75	15,469	65.75	19,101	75.75	22,665
46.00	11,966	56.00	15,559	66.00	19,192	76.00	22,752
46.25	12,054	56.25	15,650	66.25	19,282	76.25	22,839
46.50	12,143	56.50	15,741	66.50	19,373	76.50	22,926
46.75	12,231	56.75	15,832	66.75	19,463	76.75	23,013
47.00	12,320	57.00	15,923	67.00	19,553	77.00	23,100
47.25	12,409	57.25	16,014	67.25	19,643	77.25	23,187
47.50	12,498	57.50	16,104	67.50	19,733	77.50	23,273
47.75	12,587	57.75	16,195	67.75	19,823	77.75	23,359
48.00	12,676	58.00	16,286	68.00	19,913	78.00	23,446
48.25	12,765	58.25	16,377	68.25	20,003	78.25	23,532
48.50	12,854	58.50	16,468	68.50	20,093	78.50	23,618
48.75	12,944	58.75	16,559	68.75	20,183	78.75	23,704
49.00	13,033	59.00	16,650	69.00	20,273	79.00	23,789
49.25	13,122	59.25	16,741	69.25	20,362	79.25	23,875
49.50	13,212	59.50	16,832	69.50	20,452	79.50	23,960
49.75	13,302	59.75	16,923	69.75	20,541	79.75	24,045
50.00	13,391	60.00	17,014	70.00	20,631	80.00	24,131

**OFOX 34717****Gage Table Information**Reporting Marks: **OFOX 34717**

Trinity File Number: 9654

Capacity: 33,664 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 26

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,216	90.25	27,468	100.25	30,329	110.25	32,584
80.50	24,300	90.50	27,545	100.50	30,394	110.50	32,629
80.75	24,385	90.75	27,622	100.75	30,459	110.75	32,674
81.00	24,470	91.00	27,698	101.00	30,523	111.00	32,719
81.25	24,554	91.25	27,775	101.25	30,587	111.25	32,763
81.50	24,638	91.50	27,851	101.50	30,650	111.50	32,806
81.75	24,722	91.75	27,926	101.75	30,713	111.75	32,848
82.00	24,806	92.00	28,002	102.00	30,776	112.00	32,890
82.25	24,890	92.25	28,077	102.25	30,838	112.25	32,931
82.50	24,973	92.50	28,152	102.50	30,900	112.50	32,971
82.75	25,057	92.75	28,227	102.75	30,961	112.75	33,010
83.00	25,140	93.00	28,301	103.00	31,022	113.00	33,049
83.25	25,223	93.25	28,375	103.25	31,082	113.25	33,087
83.50	25,306	93.50	28,449	103.50	31,143	113.50	33,124
83.75	25,388	93.75	28,523	103.75	31,202	113.75	33,160
84.00	25,471	94.00	28,596	104.00	31,262	114.00	33,196
84.25	25,553	94.25	28,669	104.25	31,320	114.25	33,230
84.50	25,635	94.50	28,742	104.50	31,379	114.50	33,264
84.75	25,717	94.75	28,815	104.75	31,437	114.75	33,297
85.00	25,799	95.00	28,887	105.00	31,494	115.00	33,329
85.25	25,881	95.25	28,959	105.25	31,551	115.25	33,360
85.50	25,962	95.50	29,030	105.50	31,608	115.50	33,390
85.75	26,043	95.75	29,102	105.75	31,664	115.75	33,419
86.00	26,124	96.00	29,172	106.00	31,719	116.00	33,446
86.25	26,205	96.25	29,243	106.25	31,774	116.25	33,473
86.50	26,285	96.50	29,314	106.50	31,829	116.50	33,498
86.75	26,366	96.75	29,384	106.75	31,883	116.75	33,523
87.00	26,446	97.00	29,453	107.00	31,937	117.00	33,546
87.25	26,526	97.25	29,523	107.25	31,990	117.25	33,567
87.50	26,606	97.50	29,592	107.50	32,042	117.50	33,587
87.75	26,685	97.75	29,661	107.75	32,094	117.75	33,606
88.00	26,764	98.00	29,729	108.00	32,146	118.00	33,622
88.25	26,843	98.25	29,797	108.25	32,197	118.25	33,637
88.50	26,922	98.50	29,865	108.50	32,247	118.50	33,649
88.75	27,001	98.75	29,932	108.75	32,297	118.75	33,659
89.00	27,079	99.00	29,999	109.00	32,346	119.00	33,664
89.25	27,158	99.25	30,066	109.25	32,395		
89.50	27,236	99.50	30,132	109.50	32,443		
89.75	27,313	99.75	30,198	109.75	32,491		
90.00	27,391	100.00	30,264	110.00	32,537		

