

**OFOX 34718****Gage Table Information**Reporting Marks: **OFOX 34718**

Trinity File Number: 9654

Capacity: 33,634 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 27

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,365	20.25	3,728	30.25	6,657
0.50	14	10.50	1,415	20.50	3,795	30.50	6,735
0.75	27	10.75	1,466	20.75	3,863	30.75	6,814
1.00	41	11.00	1,517	21.00	3,931	31.00	6,893
1.25	58	11.25	1,568	21.25	4,000	31.25	6,972
1.50	77	11.50	1,620	21.50	4,068	31.50	7,052
1.75	97	11.75	1,672	21.75	4,137	31.75	7,131
2.00	118	12.00	1,725	22.00	4,207	32.00	7,211
2.25	141	12.25	1,779	22.25	4,276	32.25	7,291
2.50	165	12.50	1,833	22.50	4,346	32.50	7,372
2.75	191	12.75	1,888	22.75	4,417	32.75	7,452
3.00	217	13.00	1,943	23.00	4,487	33.00	7,533
3.25	245	13.25	1,998	23.25	4,558	33.25	7,614
3.50	274	13.50	2,054	23.50	4,629	33.50	7,695
3.75	304	13.75	2,111	23.75	4,701	33.75	7,776
4.00	335	14.00	2,168	24.00	4,773	34.00	7,858
4.25	366	14.25	2,225	24.25	4,845	34.25	7,939
4.50	399	14.50	2,283	24.50	4,917	34.50	8,021
4.75	433	14.75	2,341	24.75	4,990	34.75	8,103
5.00	467	15.00	2,400	25.00	5,063	35.00	8,186
5.25	503	15.25	2,459	25.25	5,136	35.25	8,268
5.50	539	15.50	2,519	25.50	5,210	35.50	8,351
5.75	576	15.75	2,579	25.75	5,284	35.75	8,433
6.00	614	16.00	2,639	26.00	5,358	36.00	8,516
6.25	653	16.25	2,700	26.25	5,432	36.25	8,599
6.50	692	16.50	2,762	26.50	5,507	36.50	8,683
6.75	732	16.75	2,823	26.75	5,582	36.75	8,766
7.00	773	17.00	2,885	27.00	5,657	37.00	8,850
7.25	815	17.25	2,948	27.25	5,732	37.25	8,934
7.50	857	17.50	3,011	27.50	5,808	37.50	9,018
7.75	900	17.75	3,074	27.75	5,884	37.75	9,102
8.00	944	18.00	3,138	28.00	5,960	38.00	9,186
8.25	988	18.25	3,202	28.25	6,036	38.25	9,270
8.50	1,033	18.50	3,267	28.50	6,113	38.50	9,355
8.75	1,079	18.75	3,331	28.75	6,190	38.75	9,440
9.00	1,125	19.00	3,397	29.00	6,267	39.00	9,525
9.25	1,172	19.25	3,462	29.25	6,345	39.25	9,610
9.50	1,220	19.50	3,528	29.50	6,422	39.50	9,695
9.75	1,268	19.75	3,594	29.75	6,500	39.75	9,780

**OFOX 34718****Gage Table Information**Reporting Marks: **OFOX 34718**

Trinity File Number: 9654

Capacity: 33,634 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 27

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,951	50.25	13,469	60.25	17,089	70.25	20,702
40.50	10,037	50.50	13,559	60.50	17,180	70.50	20,791
40.75	10,123	50.75	13,648	60.75	17,271	70.75	20,880
41.00	10,209	51.00	13,738	61.00	17,362	71.00	20,969
41.25	10,295	51.25	13,828	61.25	17,453	71.25	21,058
41.50	10,381	51.50	13,918	61.50	17,544	71.50	21,147
41.75	10,468	51.75	14,008	61.75	17,635	71.75	21,236
42.00	10,554	52.00	14,098	62.00	17,725	72.00	21,325
42.25	10,641	52.25	14,188	62.25	17,816	72.25	21,414
42.50	10,728	52.50	14,279	62.50	17,907	72.50	21,502
42.75	10,815	52.75	14,369	62.75	17,998	72.75	21,591
43.00	10,902	53.00	14,459	63.00	18,088	73.00	21,679
43.25	10,989	53.25	14,549	63.25	18,179	73.25	21,767
43.50	11,076	53.50	14,640	63.50	18,270	73.50	21,856
43.75	11,164	53.75	14,730	63.75	18,360	73.75	21,944
44.00	11,251	54.00	14,821	64.00	18,451	74.00	22,032
44.25	11,339	54.25	14,911	64.25	18,542	74.25	22,120
44.50	11,426	54.50	15,002	64.50	18,632	74.50	22,207
44.75	11,514	54.75	15,092	64.75	18,723	74.75	22,295
45.00	11,602	55.00	15,183	65.00	18,813	75.00	22,383
45.25	11,690	55.25	15,273	65.25	18,904	75.25	22,470
45.50	11,778	55.50	15,364	65.50	18,994	75.50	22,558
45.75	11,866	55.75	15,455	65.75	19,084	75.75	22,645
46.00	11,955	56.00	15,545	66.00	19,175	76.00	22,732
46.25	12,043	56.25	15,636	66.25	19,265	76.25	22,819
46.50	12,132	56.50	15,727	66.50	19,355	76.50	22,906
46.75	12,220	56.75	15,818	66.75	19,445	76.75	22,993
47.00	12,309	57.00	15,908	67.00	19,535	77.00	23,079
47.25	12,398	57.25	15,999	67.25	19,626	77.25	23,166
47.50	12,486	57.50	16,090	67.50	19,716	77.50	23,252
47.75	12,575	57.75	16,181	67.75	19,806	77.75	23,339
48.00	12,664	58.00	16,272	68.00	19,895	78.00	23,425
48.25	12,753	58.25	16,362	68.25	19,985	78.25	23,511
48.50	12,843	58.50	16,453	68.50	20,075	78.50	23,597
48.75	12,932	58.75	16,544	68.75	20,165	78.75	23,682
49.00	13,021	59.00	16,635	69.00	20,254	79.00	23,768
49.25	13,111	59.25	16,726	69.25	20,344	79.25	23,853
49.50	13,200	59.50	16,817	69.50	20,434	79.50	23,939
49.75	13,290	59.75	16,908	69.75	20,523	79.75	24,024
50.00	13,379	60.00	16,999	70.00	20,612	80.00	24,109

**OFOX 34718****Gage Table Information**Reporting Marks: **OFOX 34718**

Trinity File Number: 9654

Capacity: 33,634 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 27

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,194	90.25	27,444	100.25	30,302	110.25	32,555
80.50	24,279	90.50	27,520	100.50	30,367	110.50	32,600
80.75	24,363	90.75	27,597	100.75	30,432	110.75	32,645
81.00	24,448	91.00	27,674	101.00	30,496	111.00	32,690
81.25	24,532	91.25	27,750	101.25	30,559	111.25	32,733
81.50	24,616	91.50	27,826	101.50	30,623	111.50	32,776
81.75	24,700	91.75	27,901	101.75	30,686	111.75	32,819
82.00	24,784	92.00	27,977	102.00	30,748	112.00	32,860
82.25	24,867	92.25	28,052	102.25	30,810	112.25	32,901
82.50	24,951	92.50	28,127	102.50	30,872	112.50	32,941
82.75	25,034	92.75	28,202	102.75	30,933	112.75	32,981
83.00	25,117	93.00	28,276	103.00	30,994	113.00	33,019
83.25	25,200	93.25	28,350	103.25	31,055	113.25	33,057
83.50	25,283	93.50	28,424	103.50	31,115	113.50	33,094
83.75	25,366	93.75	28,498	103.75	31,174	113.75	33,131
84.00	25,448	94.00	28,571	104.00	31,234	114.00	33,166
84.25	25,530	94.25	28,644	104.25	31,292	114.25	33,201
84.50	25,612	94.50	28,716	104.50	31,351	114.50	33,234
84.75	25,694	94.75	28,789	104.75	31,409	114.75	33,267
85.00	25,776	95.00	28,861	105.00	31,466	115.00	33,299
85.25	25,857	95.25	28,933	105.25	31,523	115.25	33,330
85.50	25,939	95.50	29,004	105.50	31,579	115.50	33,360
85.75	26,020	95.75	29,076	105.75	31,635	115.75	33,389
86.00	26,101	96.00	29,147	106.00	31,691	116.00	33,416
86.25	26,181	96.25	29,217	106.25	31,746	116.25	33,443
86.50	26,262	96.50	29,287	106.50	31,801	116.50	33,469
86.75	26,342	96.75	29,357	106.75	31,855	116.75	33,493
87.00	26,422	97.00	29,427	107.00	31,908	117.00	33,516
87.25	26,502	97.25	29,496	107.25	31,961	117.25	33,537
87.50	26,582	97.50	29,565	107.50	32,014	117.50	33,557
87.75	26,661	97.75	29,634	107.75	32,066	117.75	33,576
88.00	26,741	98.00	29,703	108.00	32,117	118.00	33,592
88.25	26,820	98.25	29,771	108.25	32,168	118.25	33,607
88.50	26,898	98.50	29,838	108.50	32,218	118.50	33,619
88.75	26,977	98.75	29,906	108.75	32,268	118.75	33,629
89.00	27,055	99.00	29,973	109.00	32,317	119.00	33,634
89.25	27,133	99.25	30,039	109.25	32,366		
89.50	27,211	99.50	30,106	109.50	32,414		
89.75	27,289	99.75	30,172	109.75	32,462		
90.00	27,366	100.00	30,237	110.00	32,508		

