

**OFOX 34719****Gage Table Information**Reporting Marks: **OFOX 34719**

Trinity File Number: 9654

Capacity: 33,673 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 28

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,733	30.25	6,665
0.50	15	10.50	1,417	20.50	3,800	30.50	6,743
0.75	27	10.75	1,467	20.75	3,868	30.75	6,822
1.00	42	11.00	1,518	21.00	3,936	31.00	6,901
1.25	58	11.25	1,570	21.25	4,004	31.25	6,981
1.50	77	11.50	1,622	21.50	4,073	31.50	7,060
1.75	97	11.75	1,675	21.75	4,142	31.75	7,140
2.00	118	12.00	1,728	22.00	4,212	32.00	7,220
2.25	141	12.25	1,781	22.25	4,281	32.25	7,300
2.50	165	12.50	1,835	22.50	4,351	32.50	7,380
2.75	191	12.75	1,890	22.75	4,422	32.75	7,461
3.00	218	13.00	1,945	23.00	4,493	33.00	7,542
3.25	245	13.25	2,001	23.25	4,564	33.25	7,623
3.50	274	13.50	2,057	23.50	4,635	33.50	7,704
3.75	304	13.75	2,113	23.75	4,706	33.75	7,785
4.00	335	14.00	2,170	24.00	4,778	34.00	7,867
4.25	367	14.25	2,228	24.25	4,851	34.25	7,949
4.50	400	14.50	2,286	24.50	4,923	34.50	8,031
4.75	434	14.75	2,344	24.75	4,996	34.75	8,113
5.00	468	15.00	2,403	25.00	5,069	35.00	8,195
5.25	504	15.25	2,462	25.25	5,142	35.25	8,278
5.50	540	15.50	2,522	25.50	5,216	35.50	8,360
5.75	577	15.75	2,582	25.75	5,290	35.75	8,443
6.00	615	16.00	2,643	26.00	5,364	36.00	8,526
6.25	654	16.25	2,704	26.25	5,439	36.25	8,610
6.50	693	16.50	2,765	26.50	5,513	36.50	8,693
6.75	733	16.75	2,827	26.75	5,588	36.75	8,777
7.00	774	17.00	2,889	27.00	5,664	37.00	8,860
7.25	816	17.25	2,952	27.25	5,739	37.25	8,944
7.50	858	17.50	3,015	27.50	5,815	37.50	9,028
7.75	902	17.75	3,078	27.75	5,891	37.75	9,112
8.00	945	18.00	3,142	28.00	5,967	38.00	9,197
8.25	990	18.25	3,206	28.25	6,044	38.25	9,281
8.50	1,035	18.50	3,271	28.50	6,120	38.50	9,366
8.75	1,080	18.75	3,335	28.75	6,197	38.75	9,451
9.00	1,127	19.00	3,401	29.00	6,275	39.00	9,536
9.25	1,174	19.25	3,466	29.25	6,352	39.25	9,621
9.50	1,221	19.50	3,532	29.50	6,430	39.50	9,706
9.75	1,269	19.75	3,599	29.75	6,508	39.75	9,792

**OFOX 34719****Gage Table Information**Reporting Marks: **OFOX 34719**

Trinity File Number: 9654

Capacity: 33,673 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 28

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,963	50.25	13,485	60.25	17,109	70.25	20,726
40.50	10,049	50.50	13,574	60.50	17,200	70.50	20,815
40.75	10,135	50.75	13,664	60.75	17,291	70.75	20,904
41.00	10,221	51.00	13,754	61.00	17,382	71.00	20,994
41.25	10,307	51.25	13,844	61.25	17,473	71.25	21,083
41.50	10,394	51.50	13,934	61.50	17,564	71.50	21,172
41.75	10,480	51.75	14,024	61.75	17,655	71.75	21,261
42.00	10,567	52.00	14,115	62.00	17,746	72.00	21,350
42.25	10,653	52.25	14,205	62.25	17,837	72.25	21,438
42.50	10,740	52.50	14,295	62.50	17,928	72.50	21,527
42.75	10,827	52.75	14,386	62.75	18,019	72.75	21,616
43.00	10,915	53.00	14,476	63.00	18,109	73.00	21,704
43.25	11,002	53.25	14,566	63.25	18,200	73.25	21,793
43.50	11,089	53.50	14,657	63.50	18,291	73.50	21,881
43.75	11,177	53.75	14,747	63.75	18,382	73.75	21,969
44.00	11,264	54.00	14,838	64.00	18,472	74.00	22,057
44.25	11,352	54.25	14,928	64.25	18,563	74.25	22,145
44.50	11,440	54.50	15,019	64.50	18,654	74.50	22,233
44.75	11,528	54.75	15,110	64.75	18,744	74.75	22,321
45.00	11,616	55.00	15,200	65.00	18,835	75.00	22,409
45.25	11,704	55.25	15,291	65.25	18,925	75.25	22,496
45.50	11,792	55.50	15,382	65.50	19,016	75.50	22,584
45.75	11,880	55.75	15,473	65.75	19,106	75.75	22,671
46.00	11,969	56.00	15,563	66.00	19,197	76.00	22,758
46.25	12,057	56.25	15,654	66.25	19,287	76.25	22,845
46.50	12,146	56.50	15,745	66.50	19,378	76.50	22,932
46.75	12,234	56.75	15,836	66.75	19,468	76.75	23,019
47.00	12,323	57.00	15,927	67.00	19,558	77.00	23,106
47.25	12,412	57.25	16,018	67.25	19,648	77.25	23,193
47.50	12,501	57.50	16,109	67.50	19,738	77.50	23,279
47.75	12,590	57.75	16,200	67.75	19,829	77.75	23,366
48.00	12,679	58.00	16,291	68.00	19,919	78.00	23,452
48.25	12,768	58.25	16,382	68.25	20,008	78.25	23,538
48.50	12,858	58.50	16,472	68.50	20,098	78.50	23,624
48.75	12,947	58.75	16,563	68.75	20,188	78.75	23,710
49.00	13,036	59.00	16,654	69.00	20,278	79.00	23,796
49.25	13,126	59.25	16,745	69.25	20,368	79.25	23,881
49.50	13,215	59.50	16,836	69.50	20,457	79.50	23,967
49.75	13,305	59.75	16,927	69.75	20,547	79.75	24,052
50.00	13,395	60.00	17,018	70.00	20,636	80.00	24,137

**OFOX 34719****Gage Table Information**Reporting Marks: **OFOX 34719**

Trinity File Number: 9654

Capacity: 33,673 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 28

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,222	90.25	27,475	100.25	30,337	110.25	32,592
80.50	24,307	90.50	27,552	100.50	30,402	110.50	32,638
80.75	24,391	90.75	27,629	100.75	30,467	110.75	32,683
81.00	24,476	91.00	27,706	101.00	30,531	111.00	32,728
81.25	24,560	91.25	27,782	101.25	30,595	111.25	32,771
81.50	24,645	91.50	27,858	101.50	30,658	111.50	32,814
81.75	24,729	91.75	27,934	101.75	30,721	111.75	32,857
82.00	24,813	92.00	28,009	102.00	30,784	112.00	32,898
82.25	24,896	92.25	28,085	102.25	30,846	112.25	32,939
82.50	24,980	92.50	28,160	102.50	30,908	112.50	32,980
82.75	25,063	92.75	28,234	102.75	30,969	112.75	33,019
83.00	25,146	93.00	28,309	103.00	31,030	113.00	33,058
83.25	25,229	93.25	28,383	103.25	31,091	113.25	33,096
83.50	25,312	93.50	28,457	103.50	31,151	113.50	33,133
83.75	25,395	93.75	28,530	103.75	31,211	113.75	33,169
84.00	25,478	94.00	28,604	104.00	31,270	114.00	33,205
84.25	25,560	94.25	28,677	104.25	31,329	114.25	33,239
84.50	25,642	94.50	28,750	104.50	31,387	114.50	33,273
84.75	25,724	94.75	28,822	104.75	31,445	114.75	33,306
85.00	25,806	95.00	28,894	105.00	31,502	115.00	33,338
85.25	25,887	95.25	28,966	105.25	31,559	115.25	33,369
85.50	25,969	95.50	29,038	105.50	31,616	115.50	33,399
85.75	26,050	95.75	29,109	105.75	31,672	115.75	33,427
86.00	26,131	96.00	29,180	106.00	31,728	116.00	33,455
86.25	26,212	96.25	29,251	106.25	31,783	116.25	33,482
86.50	26,292	96.50	29,321	106.50	31,837	116.50	33,507
86.75	26,373	96.75	29,391	106.75	31,892	116.75	33,532
87.00	26,453	97.00	29,461	107.00	31,945	117.00	33,555
87.25	26,533	97.25	29,531	107.25	31,998	117.25	33,576
87.50	26,613	97.50	29,600	107.50	32,051	117.50	33,596
87.75	26,692	97.75	29,668	107.75	32,103	117.75	33,615
88.00	26,772	98.00	29,737	108.00	32,154	118.00	33,631
88.25	26,851	98.25	29,805	108.25	32,205	118.25	33,646
88.50	26,930	98.50	29,873	108.50	32,256	118.50	33,658
88.75	27,008	98.75	29,940	108.75	32,306	118.75	33,668
89.00	27,087	99.00	30,007	109.00	32,355	119.00	33,673
89.25	27,165	99.25	30,074	109.25	32,404		
89.50	27,243	99.50	30,140	109.50	32,452		
89.75	27,321	99.75	30,206	109.75	32,499		
90.00	27,398	100.00	30,272	110.00	32,546		

