

**OFOX 34720****Gage Table Information**Reporting Marks: **OFOX 34720**

Trinity File Number: 9654

Capacity: 33,651 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 29

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,730	30.25	6,660
0.50	15	10.50	1,416	20.50	3,798	30.50	6,739
0.75	27	10.75	1,467	20.75	3,865	30.75	6,818
1.00	42	11.00	1,518	21.00	3,933	31.00	6,897
1.25	58	11.25	1,569	21.25	4,002	31.25	6,976
1.50	77	11.50	1,621	21.50	4,071	31.50	7,056
1.75	97	11.75	1,674	21.75	4,140	31.75	7,135
2.00	118	12.00	1,727	22.00	4,209	32.00	7,215
2.25	141	12.25	1,780	22.25	4,279	32.25	7,295
2.50	165	12.50	1,834	22.50	4,349	32.50	7,376
2.75	191	12.75	1,889	22.75	4,419	32.75	7,456
3.00	218	13.00	1,944	23.00	4,490	33.00	7,537
3.25	245	13.25	1,999	23.25	4,561	33.25	7,618
3.50	274	13.50	2,055	23.50	4,632	33.50	7,699
3.75	304	13.75	2,112	23.75	4,703	33.75	7,780
4.00	335	14.00	2,169	24.00	4,775	34.00	7,862
4.25	367	14.25	2,226	24.25	4,847	34.25	7,944
4.50	400	14.50	2,284	24.50	4,920	34.50	8,026
4.75	433	14.75	2,343	24.75	4,993	34.75	8,108
5.00	468	15.00	2,401	25.00	5,066	35.00	8,190
5.25	503	15.25	2,461	25.25	5,139	35.25	8,272
5.50	540	15.50	2,520	25.50	5,213	35.50	8,355
5.75	577	15.75	2,580	25.75	5,286	35.75	8,438
6.00	615	16.00	2,641	26.00	5,361	36.00	8,521
6.25	653	16.25	2,702	26.25	5,435	36.25	8,604
6.50	693	16.50	2,763	26.50	5,510	36.50	8,687
6.75	733	16.75	2,825	26.75	5,585	36.75	8,771
7.00	774	17.00	2,887	27.00	5,660	37.00	8,855
7.25	816	17.25	2,950	27.25	5,735	37.25	8,938
7.50	858	17.50	3,013	27.50	5,811	37.50	9,022
7.75	901	17.75	3,076	27.75	5,887	37.75	9,107
8.00	945	18.00	3,140	28.00	5,963	38.00	9,191
8.25	989	18.25	3,204	28.25	6,040	38.25	9,275
8.50	1,034	18.50	3,268	28.50	6,116	38.50	9,360
8.75	1,080	18.75	3,333	28.75	6,193	38.75	9,445
9.00	1,126	19.00	3,399	29.00	6,271	39.00	9,530
9.25	1,173	19.25	3,464	29.25	6,348	39.25	9,615
9.50	1,220	19.50	3,530	29.50	6,426	39.50	9,700
9.75	1,268	19.75	3,596	29.75	6,504	39.75	9,785

**OFOX 34720****Gage Table Information**Reporting Marks: **OFOX 34720**

Trinity File Number: 9654

Capacity: 33,651 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 29

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,957	50.25	13,476	60.25	17,098	70.25	20,712
40.50	10,042	50.50	13,566	60.50	17,189	70.50	20,802
40.75	10,128	50.75	13,655	60.75	17,280	70.75	20,891
41.00	10,214	51.00	13,745	61.00	17,371	71.00	20,980
41.25	10,301	51.25	13,835	61.25	17,462	71.25	21,069
41.50	10,387	51.50	13,925	61.50	17,553	71.50	21,158
41.75	10,473	51.75	14,015	61.75	17,644	71.75	21,247
42.00	10,560	52.00	14,106	62.00	17,734	72.00	21,336
42.25	10,647	52.25	14,196	62.25	17,825	72.25	21,424
42.50	10,733	52.50	14,286	62.50	17,916	72.50	21,513
42.75	10,820	52.75	14,376	62.75	18,007	72.75	21,602
43.00	10,907	53.00	14,466	63.00	18,098	73.00	21,690
43.25	10,995	53.25	14,557	63.25	18,188	73.25	21,778
43.50	11,082	53.50	14,647	63.50	18,279	73.50	21,867
43.75	11,169	53.75	14,738	63.75	18,370	73.75	21,955
44.00	11,257	54.00	14,828	64.00	18,460	74.00	22,043
44.25	11,345	54.25	14,919	64.25	18,551	74.25	22,131
44.50	11,432	54.50	15,009	64.50	18,642	74.50	22,219
44.75	11,520	54.75	15,100	64.75	18,732	74.75	22,306
45.00	11,608	55.00	15,191	65.00	18,823	75.00	22,394
45.25	11,696	55.25	15,281	65.25	18,913	75.25	22,482
45.50	11,784	55.50	15,372	65.50	19,004	75.50	22,569
45.75	11,873	55.75	15,463	65.75	19,094	75.75	22,656
46.00	11,961	56.00	15,553	66.00	19,184	76.00	22,743
46.25	12,049	56.25	15,644	66.25	19,275	76.25	22,831
46.50	12,138	56.50	15,735	66.50	19,365	76.50	22,917
46.75	12,226	56.75	15,826	66.75	19,455	76.75	23,004
47.00	12,315	57.00	15,917	67.00	19,545	77.00	23,091
47.25	12,404	57.25	16,007	67.25	19,636	77.25	23,178
47.50	12,493	57.50	16,098	67.50	19,726	77.50	23,264
47.75	12,582	57.75	16,189	67.75	19,816	77.75	23,350
48.00	12,671	58.00	16,280	68.00	19,906	78.00	23,437
48.25	12,760	58.25	16,371	68.25	19,995	78.25	23,523
48.50	12,849	58.50	16,462	68.50	20,085	78.50	23,609
48.75	12,939	58.75	16,553	68.75	20,175	78.75	23,694
49.00	13,028	59.00	16,644	69.00	20,265	79.00	23,780
49.25	13,117	59.25	16,735	69.25	20,354	79.25	23,866
49.50	13,207	59.50	16,825	69.50	20,444	79.50	23,951
49.75	13,296	59.75	16,916	69.75	20,534	79.75	24,036
50.00	13,386	60.00	17,007	70.00	20,623	80.00	24,121

**OFOX 34720****Gage Table Information**Reporting Marks: **OFOX 34720**

Trinity File Number: 9654

Capacity: 33,651 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: 263000 lb.

Tank Number: 29

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,206	90.25	27,457	100.25	30,318	110.25	32,571
80.50	24,291	90.50	27,534	100.50	30,382	110.50	32,617
80.75	24,376	90.75	27,611	100.75	30,447	110.75	32,662
81.00	24,460	91.00	27,688	101.00	30,511	111.00	32,706
81.25	24,544	91.25	27,764	101.25	30,575	111.25	32,750
81.50	24,629	91.50	27,840	101.50	30,638	111.50	32,793
81.75	24,713	91.75	27,916	101.75	30,701	111.75	32,835
82.00	24,796	92.00	27,991	102.00	30,764	112.00	32,877
82.25	24,880	92.25	28,066	102.25	30,826	112.25	32,918
82.50	24,964	92.50	28,141	102.50	30,888	112.50	32,958
82.75	25,047	92.75	28,216	102.75	30,949	112.75	32,997
83.00	25,130	93.00	28,290	103.00	31,010	113.00	33,036
83.25	25,213	93.25	28,364	103.25	31,070	113.25	33,074
83.50	25,296	93.50	28,438	103.50	31,131	113.50	33,111
83.75	25,379	93.75	28,512	103.75	31,190	113.75	33,148
84.00	25,461	94.00	28,585	104.00	31,249	114.00	33,183
84.25	25,543	94.25	28,658	104.25	31,308	114.25	33,218
84.50	25,625	94.50	28,731	104.50	31,367	114.50	33,251
84.75	25,707	94.75	28,803	104.75	31,424	114.75	33,284
85.00	25,789	95.00	28,876	105.00	31,482	115.00	33,316
85.25	25,871	95.25	28,947	105.25	31,539	115.25	33,347
85.50	25,952	95.50	29,019	105.50	31,595	115.50	33,377
85.75	26,033	95.75	29,090	105.75	31,651	115.75	33,406
86.00	26,114	96.00	29,161	106.00	31,707	116.00	33,433
86.25	26,195	96.25	29,232	106.25	31,762	116.25	33,460
86.50	26,275	96.50	29,302	106.50	31,817	116.50	33,485
86.75	26,356	96.75	29,372	106.75	31,871	116.75	33,510
87.00	26,436	97.00	29,442	107.00	31,924	117.00	33,533
87.25	26,516	97.25	29,511	107.25	31,977	117.25	33,554
87.50	26,595	97.50	29,580	107.50	32,030	117.50	33,574
87.75	26,675	97.75	29,649	107.75	32,082	117.75	33,593
88.00	26,754	98.00	29,718	108.00	32,133	118.00	33,609
88.25	26,833	98.25	29,786	108.25	32,184	118.25	33,624
88.50	26,912	98.50	29,853	108.50	32,235	118.50	33,636
88.75	26,991	98.75	29,921	108.75	32,285	118.75	33,646
89.00	27,069	99.00	29,988	109.00	32,334	119.00	33,651
89.25	27,147	99.25	30,054	109.25	32,382		
89.50	27,225	99.50	30,121	109.50	32,431		
89.75	27,303	99.75	30,187	109.75	32,478		
90.00	27,380	100.00	30,252	110.00	32,525		

