

**OFOX 34721****Gage Table Information**Reporting Marks: **OFOX 34721**

Trinity File Number: 9654

Capacity: 33,659 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 30

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,731	30.25	6,662
0.50	14	10.50	1,416	20.50	3,798	30.50	6,740
0.75	27	10.75	1,467	20.75	3,866	30.75	6,819
1.00	41	11.00	1,518	21.00	3,934	31.00	6,898
1.25	58	11.25	1,569	21.25	4,002	31.25	6,978
1.50	76	11.50	1,621	21.50	4,071	31.50	7,057
1.75	97	11.75	1,674	21.75	4,140	31.75	7,137
2.00	118	12.00	1,727	22.00	4,210	32.00	7,217
2.25	141	12.25	1,780	22.25	4,279	32.25	7,297
2.50	165	12.50	1,834	22.50	4,349	32.50	7,377
2.75	191	12.75	1,889	22.75	4,420	32.75	7,458
3.00	217	13.00	1,944	23.00	4,490	33.00	7,539
3.25	245	13.25	2,000	23.25	4,561	33.25	7,619
3.50	274	13.50	2,056	23.50	4,633	33.50	7,701
3.75	304	13.75	2,112	23.75	4,704	33.75	7,782
4.00	335	14.00	2,169	24.00	4,776	34.00	7,864
4.25	367	14.25	2,227	24.25	4,848	34.25	7,945
4.50	399	14.50	2,285	24.50	4,921	34.50	8,027
4.75	433	14.75	2,343	24.75	4,994	34.75	8,109
5.00	468	15.00	2,402	25.00	5,067	35.00	8,192
5.25	503	15.25	2,461	25.25	5,140	35.25	8,274
5.50	540	15.50	2,521	25.50	5,214	35.50	8,357
5.75	577	15.75	2,581	25.75	5,287	35.75	8,440
6.00	615	16.00	2,641	26.00	5,362	36.00	8,523
6.25	653	16.25	2,702	26.25	5,436	36.25	8,606
6.50	693	16.50	2,764	26.50	5,511	36.50	8,689
6.75	733	16.75	2,825	26.75	5,586	36.75	8,773
7.00	774	17.00	2,888	27.00	5,661	37.00	8,856
7.25	816	17.25	2,950	27.25	5,736	37.25	8,940
7.50	858	17.50	3,013	27.50	5,812	37.50	9,024
7.75	901	17.75	3,077	27.75	5,888	37.75	9,108
8.00	945	18.00	3,140	28.00	5,964	38.00	9,193
8.25	989	18.25	3,204	28.25	6,041	38.25	9,277
8.50	1,034	18.50	3,269	28.50	6,118	38.50	9,362
8.75	1,080	18.75	3,334	28.75	6,195	38.75	9,447
9.00	1,126	19.00	3,399	29.00	6,272	39.00	9,532
9.25	1,173	19.25	3,465	29.25	6,349	39.25	9,617
9.50	1,220	19.50	3,531	29.50	6,427	39.50	9,702
9.75	1,268	19.75	3,597	29.75	6,505	39.75	9,787

**OFOX 34721****Gage Table Information**Reporting Marks: **OFOX 34721**

Trinity File Number: 9654

Capacity: 33,659 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 30

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,959	50.25	13,479	60.25	17,102	70.25	20,717
40.50	10,044	50.50	13,569	60.50	17,193	70.50	20,806
40.75	10,130	50.75	13,658	60.75	17,284	70.75	20,896
41.00	10,217	51.00	13,748	61.00	17,375	71.00	20,985
41.25	10,303	51.25	13,838	61.25	17,466	71.25	21,074
41.50	10,389	51.50	13,928	61.50	17,557	71.50	21,163
41.75	10,476	51.75	14,019	61.75	17,648	71.75	21,252
42.00	10,562	52.00	14,109	62.00	17,738	72.00	21,341
42.25	10,649	52.25	14,199	62.25	17,829	72.25	21,429
42.50	10,736	52.50	14,289	62.50	17,920	72.50	21,518
42.75	10,823	52.75	14,379	62.75	18,011	72.75	21,607
43.00	10,910	53.00	14,470	63.00	18,102	73.00	21,695
43.25	10,997	53.25	14,560	63.25	18,193	73.25	21,783
43.50	11,084	53.50	14,651	63.50	18,283	73.50	21,872
43.75	11,172	53.75	14,741	63.75	18,374	73.75	21,960
44.00	11,259	54.00	14,832	64.00	18,465	74.00	22,048
44.25	11,347	54.25	14,922	64.25	18,555	74.25	22,136
44.50	11,435	54.50	15,013	64.50	18,646	74.50	22,224
44.75	11,523	54.75	15,103	64.75	18,736	74.75	22,312
45.00	11,611	55.00	15,194	65.00	18,827	75.00	22,399
45.25	11,699	55.25	15,285	65.25	18,918	75.25	22,487
45.50	11,787	55.50	15,375	65.50	19,008	75.50	22,574
45.75	11,875	55.75	15,466	65.75	19,098	75.75	22,662
46.00	11,964	56.00	15,557	66.00	19,189	76.00	22,749
46.25	12,052	56.25	15,648	66.25	19,279	76.25	22,836
46.50	12,141	56.50	15,738	66.50	19,369	76.50	22,923
46.75	12,229	56.75	15,829	66.75	19,460	76.75	23,010
47.00	12,318	57.00	15,920	67.00	19,550	77.00	23,096
47.25	12,407	57.25	16,011	67.25	19,640	77.25	23,183
47.50	12,496	57.50	16,102	67.50	19,730	77.50	23,269
47.75	12,585	57.75	16,193	67.75	19,820	77.75	23,356
48.00	12,674	58.00	16,284	68.00	19,910	78.00	23,442
48.25	12,763	58.25	16,375	68.25	20,000	78.25	23,528
48.50	12,852	58.50	16,466	68.50	20,090	78.50	23,614
48.75	12,941	58.75	16,556	68.75	20,180	78.75	23,700
49.00	13,031	59.00	16,647	69.00	20,269	79.00	23,786
49.25	13,120	59.25	16,738	69.25	20,359	79.25	23,871
49.50	13,210	59.50	16,829	69.50	20,449	79.50	23,957
49.75	13,299	59.75	16,920	69.75	20,538	79.75	24,042
50.00	13,389	60.00	17,011	70.00	20,628	80.00	24,127

**OFOX 34721****Gage Table Information**Reporting Marks: **OFOX 34721**

Trinity File Number: 9654

Capacity: 33,659 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 30

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,212	90.25	27,464	100.25	30,325	110.25	32,579
80.50	24,297	90.50	27,541	100.50	30,390	110.50	32,625
80.75	24,381	90.75	27,618	100.75	30,454	110.75	32,670
81.00	24,466	91.00	27,694	101.00	30,518	111.00	32,714
81.25	24,550	91.25	27,770	101.25	30,582	111.25	32,758
81.50	24,634	91.50	27,846	101.50	30,645	111.50	32,801
81.75	24,718	91.75	27,922	101.75	30,708	111.75	32,843
82.00	24,802	92.00	27,998	102.00	30,771	112.00	32,885
82.25	24,886	92.25	28,073	102.25	30,833	112.25	32,926
82.50	24,969	92.50	28,148	102.50	30,895	112.50	32,966
82.75	25,053	92.75	28,223	102.75	30,956	112.75	33,005
83.00	25,136	93.00	28,297	103.00	31,017	113.00	33,044
83.25	25,219	93.25	28,371	103.25	31,078	113.25	33,082
83.50	25,302	93.50	28,445	103.50	31,138	113.50	33,119
83.75	25,384	93.75	28,519	103.75	31,198	113.75	33,155
84.00	25,467	94.00	28,592	104.00	31,257	114.00	33,191
84.25	25,549	94.25	28,665	104.25	31,316	114.25	33,225
84.50	25,631	94.50	28,738	104.50	31,374	114.50	33,259
84.75	25,713	94.75	28,810	104.75	31,432	114.75	33,292
85.00	25,795	95.00	28,882	105.00	31,489	115.00	33,324
85.25	25,877	95.25	28,954	105.25	31,546	115.25	33,355
85.50	25,958	95.50	29,026	105.50	31,603	115.50	33,385
85.75	26,039	95.75	29,097	105.75	31,659	115.75	33,414
86.00	26,120	96.00	29,168	106.00	31,715	116.00	33,441
86.25	26,201	96.25	29,239	106.25	31,770	116.25	33,468
86.50	26,281	96.50	29,309	106.50	31,824	116.50	33,493
86.75	26,362	96.75	29,379	106.75	31,878	116.75	33,518
87.00	26,442	97.00	29,449	107.00	31,932	117.00	33,541
87.25	26,522	97.25	29,518	107.25	31,985	117.25	33,562
87.50	26,602	97.50	29,587	107.50	32,037	117.50	33,582
87.75	26,681	97.75	29,656	107.75	32,090	117.75	33,601
88.00	26,760	98.00	29,725	108.00	32,141	118.00	33,617
88.25	26,839	98.25	29,793	108.25	32,192	118.25	33,632
88.50	26,918	98.50	29,860	108.50	32,242	118.50	33,644
88.75	26,997	98.75	29,928	108.75	32,292	118.75	33,654
89.00	27,075	99.00	29,995	109.00	32,341	119.00	33,659
89.25	27,154	99.25	30,062	109.25	32,390		
89.50	27,231	99.50	30,128	109.50	32,438		
89.75	27,309	99.75	30,194	109.75	32,486		
90.00	27,387	100.00	30,259	110.00	32,533		

