

**OFOX 34725****Gage Table Information**Reporting Marks: **OFOX 34725**

Trinity File Number: 9654

Capacity: 33,647 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 36

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,730	30.25	6,660
0.50	15	10.50	1,416	20.50	3,797	30.50	6,738
0.75	27	10.75	1,467	20.75	3,865	30.75	6,817
1.00	42	11.00	1,518	21.00	3,933	31.00	6,896
1.25	59	11.25	1,569	21.25	4,001	31.25	6,975
1.50	77	11.50	1,621	21.50	4,070	31.50	7,055
1.75	97	11.75	1,674	21.75	4,139	31.75	7,135
2.00	119	12.00	1,727	22.00	4,209	32.00	7,215
2.25	141	12.25	1,780	22.25	4,278	32.25	7,295
2.50	166	12.50	1,834	22.50	4,348	32.50	7,375
2.75	191	12.75	1,889	22.75	4,419	32.75	7,456
3.00	218	13.00	1,944	23.00	4,489	33.00	7,536
3.25	246	13.25	1,999	23.25	4,560	33.25	7,617
3.50	274	13.50	2,055	23.50	4,632	33.50	7,698
3.75	304	13.75	2,112	23.75	4,703	33.75	7,780
4.00	335	14.00	2,169	24.00	4,775	34.00	7,861
4.25	367	14.25	2,226	24.25	4,847	34.25	7,943
4.50	400	14.50	2,284	24.50	4,920	34.50	8,025
4.75	434	14.75	2,343	24.75	4,992	34.75	8,107
5.00	468	15.00	2,401	25.00	5,065	35.00	8,189
5.25	504	15.25	2,461	25.25	5,139	35.25	8,272
5.50	540	15.50	2,520	25.50	5,212	35.50	8,354
5.75	577	15.75	2,580	25.75	5,286	35.75	8,437
6.00	615	16.00	2,641	26.00	5,360	36.00	8,520
6.25	654	16.25	2,702	26.25	5,435	36.25	8,603
6.50	693	16.50	2,763	26.50	5,509	36.50	8,686
6.75	733	16.75	2,825	26.75	5,584	36.75	8,770
7.00	774	17.00	2,887	27.00	5,659	37.00	8,854
7.25	816	17.25	2,950	27.25	5,735	37.25	8,937
7.50	858	17.50	3,013	27.50	5,811	37.50	9,021
7.75	901	17.75	3,076	27.75	5,887	37.75	9,106
8.00	945	18.00	3,140	28.00	5,963	38.00	9,190
8.25	989	18.25	3,204	28.25	6,039	38.25	9,274
8.50	1,034	18.50	3,268	28.50	6,116	38.50	9,359
8.75	1,080	18.75	3,333	28.75	6,193	38.75	9,444
9.00	1,126	19.00	3,398	29.00	6,270	39.00	9,529
9.25	1,173	19.25	3,464	29.25	6,348	39.25	9,614
9.50	1,220	19.50	3,530	29.50	6,425	39.50	9,699
9.75	1,269	19.75	3,596	29.75	6,503	39.75	9,784

**OFOX 34725****Gage Table Information**Reporting Marks: **OFOX 34725**

Trinity File Number: 9654

Capacity: 33,647 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 36

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,955	50.25	13,474	60.25	17,096	70.25	20,710
40.50	10,041	50.50	13,564	60.50	17,187	70.50	20,799
40.75	10,127	50.75	13,654	60.75	17,278	70.75	20,888
41.00	10,213	51.00	13,744	61.00	17,369	71.00	20,978
41.25	10,299	51.25	13,834	61.25	17,460	71.25	21,067
41.50	10,386	51.50	13,924	61.50	17,551	71.50	21,156
41.75	10,472	51.75	14,014	61.75	17,642	71.75	21,244
42.00	10,559	52.00	14,104	62.00	17,732	72.00	21,333
42.25	10,645	52.25	14,194	62.25	17,823	72.25	21,422
42.50	10,732	52.50	14,284	62.50	17,914	72.50	21,511
42.75	10,819	52.75	14,375	62.75	18,005	72.75	21,599
43.00	10,906	53.00	14,465	63.00	18,096	73.00	21,688
43.25	10,993	53.25	14,555	63.25	18,186	73.25	21,776
43.50	11,081	53.50	14,646	63.50	18,277	73.50	21,864
43.75	11,168	53.75	14,736	63.75	18,368	73.75	21,952
44.00	11,256	54.00	14,827	64.00	18,458	74.00	22,040
44.25	11,343	54.25	14,917	64.25	18,549	74.25	22,128
44.50	11,431	54.50	15,008	64.50	18,640	74.50	22,216
44.75	11,519	54.75	15,098	64.75	18,730	74.75	22,304
45.00	11,607	55.00	15,189	65.00	18,821	75.00	22,391
45.25	11,695	55.25	15,279	65.25	18,911	75.25	22,479
45.50	11,783	55.50	15,370	65.50	19,001	75.50	22,566
45.75	11,871	55.75	15,461	65.75	19,092	75.75	22,654
46.00	11,960	56.00	15,552	66.00	19,182	76.00	22,741
46.25	12,048	56.25	15,642	66.25	19,273	76.25	22,828
46.50	12,137	56.50	15,733	66.50	19,363	76.50	22,915
46.75	12,225	56.75	15,824	66.75	19,453	76.75	23,002
47.00	12,314	57.00	15,915	67.00	19,543	77.00	23,088
47.25	12,403	57.25	16,006	67.25	19,633	77.25	23,175
47.50	12,492	57.50	16,096	67.50	19,723	77.50	23,261
47.75	12,581	57.75	16,187	67.75	19,813	77.75	23,348
48.00	12,670	58.00	16,278	68.00	19,903	78.00	23,434
48.25	12,759	58.25	16,369	68.25	19,993	78.25	23,520
48.50	12,848	58.50	16,460	68.50	20,083	78.50	23,606
48.75	12,937	58.75	16,551	68.75	20,173	78.75	23,692
49.00	13,027	59.00	16,642	69.00	20,262	79.00	23,777
49.25	13,116	59.25	16,733	69.25	20,352	79.25	23,863
49.50	13,205	59.50	16,824	69.50	20,442	79.50	23,948
49.75	13,295	59.75	16,914	69.75	20,531	79.75	24,033
50.00	13,385	60.00	17,005	70.00	20,621	80.00	24,118

**OFOX 34725****Gage Table Information**Reporting Marks: **OFOX 34725**

Trinity File Number: 9654

Capacity: 33,647 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 36

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,203	90.25	27,454	100.25	30,314	110.25	32,567
80.50	24,288	90.50	27,531	100.50	30,379	110.50	32,613
80.75	24,373	90.75	27,608	100.75	30,443	110.75	32,658
81.00	24,457	91.00	27,684	101.00	30,508	111.00	32,702
81.25	24,542	91.25	27,761	101.25	30,571	111.25	32,746
81.50	24,626	91.50	27,837	101.50	30,635	111.50	32,789
81.75	24,710	91.75	27,912	101.75	30,698	111.75	32,831
82.00	24,794	92.00	27,988	102.00	30,760	112.00	32,873
82.25	24,877	92.25	28,063	102.25	30,822	112.25	32,914
82.50	24,961	92.50	28,138	102.50	30,884	112.50	32,954
82.75	25,044	92.75	28,213	102.75	30,945	112.75	32,994
83.00	25,127	93.00	28,287	103.00	31,006	113.00	33,032
83.25	25,210	93.25	28,361	103.25	31,067	113.25	33,070
83.50	25,293	93.50	28,435	103.50	31,127	113.50	33,107
83.75	25,376	93.75	28,509	103.75	31,187	113.75	33,144
84.00	25,458	94.00	28,582	104.00	31,246	114.00	33,179
84.25	25,540	94.25	28,655	104.25	31,305	114.25	33,214
84.50	25,622	94.50	28,728	104.50	31,363	114.50	33,247
84.75	25,704	94.75	28,800	104.75	31,421	114.75	33,280
85.00	25,786	95.00	28,872	105.00	31,478	115.00	33,312
85.25	25,868	95.25	28,944	105.25	31,535	115.25	33,343
85.50	25,949	95.50	29,016	105.50	31,592	115.50	33,373
85.75	26,030	95.75	29,087	105.75	31,648	115.75	33,402
86.00	26,111	96.00	29,158	106.00	31,703	116.00	33,429
86.25	26,192	96.25	29,228	106.25	31,758	116.25	33,456
86.50	26,272	96.50	29,299	106.50	31,813	116.50	33,481
86.75	26,352	96.75	29,369	106.75	31,867	116.75	33,506
87.00	26,433	97.00	29,439	107.00	31,921	117.00	33,529
87.25	26,513	97.25	29,508	107.25	31,974	117.25	33,550
87.50	26,592	97.50	29,577	107.50	32,026	117.50	33,570
87.75	26,672	97.75	29,646	107.75	32,078	117.75	33,589
88.00	26,751	98.00	29,714	108.00	32,130	118.00	33,605
88.25	26,830	98.25	29,782	108.25	32,180	118.25	33,620
88.50	26,909	98.50	29,850	108.50	32,231	118.50	33,632
88.75	26,987	98.75	29,917	108.75	32,281	118.75	33,642
89.00	27,066	99.00	29,984	109.00	32,330	119.00	33,647
89.25	27,144	99.25	30,051	109.25	32,379		
89.50	27,222	99.50	30,117	109.50	32,427		
89.75	27,300	99.75	30,183	109.75	32,474		
90.00	27,377	100.00	30,249	110.00	32,521		

