

**OFOX 34728****Gage Table Information**Reporting Marks: **OFOX 34728**

Trinity File Number: 9654

Capacity: 33,657 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 40

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,367	20.25	3,731	30.25	6,662
0.50	15	10.50	1,417	20.50	3,799	30.50	6,741
0.75	28	10.75	1,467	20.75	3,866	30.75	6,819
1.00	42	11.00	1,518	21.00	3,935	31.00	6,898
1.25	59	11.25	1,570	21.25	4,003	31.25	6,978
1.50	77	11.50	1,622	21.50	4,072	31.50	7,057
1.75	97	11.75	1,674	21.75	4,141	31.75	7,137
2.00	119	12.00	1,727	22.00	4,210	32.00	7,217
2.25	142	12.25	1,781	22.25	4,280	32.25	7,297
2.50	166	12.50	1,835	22.50	4,350	32.50	7,377
2.75	191	12.75	1,890	22.75	4,420	32.75	7,458
3.00	218	13.00	1,945	23.00	4,491	33.00	7,539
3.25	246	13.25	2,000	23.25	4,562	33.25	7,620
3.50	275	13.50	2,056	23.50	4,633	33.50	7,701
3.75	305	13.75	2,113	23.75	4,705	33.75	7,782
4.00	336	14.00	2,170	24.00	4,777	34.00	7,864
4.25	367	14.25	2,227	24.25	4,849	34.25	7,945
4.50	400	14.50	2,285	24.50	4,921	34.50	8,027
4.75	434	14.75	2,344	24.75	4,994	34.75	8,110
5.00	469	15.00	2,402	25.00	5,067	35.00	8,192
5.25	504	15.25	2,462	25.25	5,140	35.25	8,274
5.50	540	15.50	2,521	25.50	5,214	35.50	8,357
5.75	577	15.75	2,581	25.75	5,288	35.75	8,440
6.00	615	16.00	2,642	26.00	5,362	36.00	8,523
6.25	654	16.25	2,703	26.25	5,436	36.25	8,606
6.50	694	16.50	2,764	26.50	5,511	36.50	8,689
6.75	734	16.75	2,826	26.75	5,586	36.75	8,773
7.00	775	17.00	2,888	27.00	5,661	37.00	8,857
7.25	816	17.25	2,951	27.25	5,737	37.25	8,940
7.50	859	17.50	3,014	27.50	5,813	37.50	9,024
7.75	902	17.75	3,077	27.75	5,889	37.75	9,109
8.00	945	18.00	3,141	28.00	5,965	38.00	9,193
8.25	990	18.25	3,205	28.25	6,041	38.25	9,277
8.50	1,035	18.50	3,270	28.50	6,118	38.50	9,362
8.75	1,080	18.75	3,334	28.75	6,195	38.75	9,447
9.00	1,127	19.00	3,400	29.00	6,272	39.00	9,532
9.25	1,174	19.25	3,465	29.25	6,350	39.25	9,617
9.50	1,221	19.50	3,531	29.50	6,427	39.50	9,702
9.75	1,269	19.75	3,598	29.75	6,505	39.75	9,787

**OFOX 34728****Gage Table Information**Reporting Marks: **OFOX 34728**

Trinity File Number: 9654

Capacity: 33,657 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 40

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,959	50.25	13,479	60.25	17,102	70.25	20,716
40.50	10,044	50.50	13,568	60.50	17,192	70.50	20,806
40.75	10,130	50.75	13,658	60.75	17,283	70.75	20,895
41.00	10,217	51.00	13,748	61.00	17,374	71.00	20,984
41.25	10,303	51.25	13,838	61.25	17,465	71.25	21,073
41.50	10,389	51.50	13,928	61.50	17,556	71.50	21,162
41.75	10,476	51.75	14,018	61.75	17,647	71.75	21,251
42.00	10,562	52.00	14,108	62.00	17,738	72.00	21,340
42.25	10,649	52.25	14,199	62.25	17,829	72.25	21,428
42.50	10,736	52.50	14,289	62.50	17,919	72.50	21,517
42.75	10,823	52.75	14,379	62.75	18,010	72.75	21,606
43.00	10,910	53.00	14,469	63.00	18,101	73.00	21,694
43.25	10,997	53.25	14,560	63.25	18,192	73.25	21,782
43.50	11,084	53.50	14,650	63.50	18,283	73.50	21,871
43.75	11,172	53.75	14,741	63.75	18,373	73.75	21,959
44.00	11,259	54.00	14,831	64.00	18,464	74.00	22,047
44.25	11,347	54.25	14,922	64.25	18,555	74.25	22,135
44.50	11,435	54.50	15,012	64.50	18,645	74.50	22,223
44.75	11,523	54.75	15,103	64.75	18,736	74.75	22,311
45.00	11,610	55.00	15,194	65.00	18,826	75.00	22,398
45.25	11,699	55.25	15,284	65.25	18,917	75.25	22,486
45.50	11,787	55.50	15,375	65.50	19,007	75.50	22,573
45.75	11,875	55.75	15,466	65.75	19,098	75.75	22,660
46.00	11,963	56.00	15,556	66.00	19,188	76.00	22,748
46.25	12,052	56.25	15,647	66.25	19,278	76.25	22,835
46.50	12,140	56.50	15,738	66.50	19,369	76.50	22,922
46.75	12,229	56.75	15,829	66.75	19,459	76.75	23,009
47.00	12,318	57.00	15,920	67.00	19,549	77.00	23,095
47.25	12,407	57.25	16,011	67.25	19,639	77.25	23,182
47.50	12,495	57.50	16,101	67.50	19,729	77.50	23,268
47.75	12,584	57.75	16,192	67.75	19,819	77.75	23,355
48.00	12,674	58.00	16,283	68.00	19,909	78.00	23,441
48.25	12,763	58.25	16,374	68.25	19,999	78.25	23,527
48.50	12,852	58.50	16,465	68.50	20,089	78.50	23,613
48.75	12,941	58.75	16,556	68.75	20,179	78.75	23,699
49.00	13,031	59.00	16,647	69.00	20,269	79.00	23,784
49.25	13,120	59.25	16,738	69.25	20,358	79.25	23,870
49.50	13,210	59.50	16,829	69.50	20,448	79.50	23,955
49.75	13,299	59.75	16,920	69.75	20,537	79.75	24,041
50.00	13,389	60.00	17,011	70.00	20,627	80.00	24,126

**OFOX 34728****Gage Table Information**Reporting Marks: **OFOX 34728**

Trinity File Number: 9654

Capacity: 33,657 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 40

Table Created: 12/6/2001

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,211	90.25	27,462	100.25	30,323	110.25	32,577
80.50	24,295	90.50	27,539	100.50	30,388	110.50	32,623
80.75	24,380	90.75	27,616	100.75	30,452	110.75	32,668
81.00	24,465	91.00	27,693	101.00	30,517	111.00	32,712
81.25	24,549	91.25	27,769	101.25	30,580	111.25	32,756
81.50	24,633	91.50	27,845	101.50	30,644	111.50	32,799
81.75	24,717	91.75	27,921	101.75	30,707	111.75	32,841
82.00	24,801	92.00	27,996	102.00	30,769	112.00	32,883
82.25	24,885	92.25	28,071	102.25	30,831	112.25	32,924
82.50	24,968	92.50	28,146	102.50	30,893	112.50	32,964
82.75	25,052	92.75	28,221	102.75	30,955	112.75	33,003
83.00	25,135	93.00	28,295	103.00	31,016	113.00	33,042
83.25	25,218	93.25	28,370	103.25	31,076	113.25	33,080
83.50	25,301	93.50	28,443	103.50	31,136	113.50	33,117
83.75	25,383	93.75	28,517	103.75	31,196	113.75	33,153
84.00	25,466	94.00	28,590	104.00	31,255	114.00	33,189
84.25	25,548	94.25	28,663	104.25	31,314	114.25	33,223
84.50	25,630	94.50	28,736	104.50	31,372	114.50	33,257
84.75	25,712	94.75	28,809	104.75	31,430	114.75	33,290
85.00	25,794	95.00	28,881	105.00	31,488	115.00	33,322
85.25	25,875	95.25	28,953	105.25	31,545	115.25	33,353
85.50	25,957	95.50	29,024	105.50	31,601	115.50	33,383
85.75	26,038	95.75	29,096	105.75	31,657	115.75	33,412
86.00	26,119	96.00	29,167	106.00	31,713	116.00	33,439
86.25	26,199	96.25	29,237	106.25	31,768	116.25	33,466
86.50	26,280	96.50	29,308	106.50	31,822	116.50	33,491
86.75	26,360	96.75	29,378	106.75	31,876	116.75	33,516
87.00	26,441	97.00	29,447	107.00	31,930	117.00	33,539
87.25	26,520	97.25	29,517	107.25	31,983	117.25	33,560
87.50	26,600	97.50	29,586	107.50	32,036	117.50	33,580
87.75	26,680	97.75	29,654	107.75	32,088	117.75	33,599
88.00	26,759	98.00	29,723	108.00	32,139	118.00	33,615
88.25	26,838	98.25	29,791	108.25	32,190	118.25	33,630
88.50	26,917	98.50	29,859	108.50	32,240	118.50	33,642
88.75	26,996	98.75	29,926	108.75	32,290	118.75	33,652
89.00	27,074	99.00	29,993	109.00	32,340	119.00	33,657
89.25	27,152	99.25	30,060	109.25	32,388		
89.50	27,230	99.50	30,126	109.50	32,436		
89.75	27,308	99.75	30,192	109.75	32,484		
90.00	27,385	100.00	30,258	110.00	32,531		

