

**OFOX 34729****Gage Table Information**Reporting Marks: **OFOX 34729**

Trinity File Number: 9156

Capacity: 33,737 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 126

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,740	30.25	6,677
0.50	14	10.50	1,420	20.50	3,807	30.50	6,756
0.75	27	10.75	1,470	20.75	3,875	30.75	6,835
1.00	42	11.00	1,521	21.00	3,943	31.00	6,914
1.25	58	11.25	1,573	21.25	4,012	31.25	6,994
1.50	77	11.50	1,625	21.50	4,081	31.50	7,074
1.75	97	11.75	1,678	21.75	4,150	31.75	7,154
2.00	118	12.00	1,731	22.00	4,220	32.00	7,234
2.25	141	12.25	1,785	22.25	4,290	32.25	7,314
2.50	166	12.50	1,839	22.50	4,360	32.50	7,395
2.75	191	12.75	1,894	22.75	4,430	32.75	7,475
3.00	218	13.00	1,949	23.00	4,501	33.00	7,556
3.25	246	13.25	2,004	23.25	4,572	33.25	7,637
3.50	275	13.50	2,061	23.50	4,644	33.50	7,719
3.75	305	13.75	2,117	23.75	4,715	33.75	7,800
4.00	336	14.00	2,174	24.00	4,788	34.00	7,882
4.25	368	14.25	2,232	24.25	4,860	34.25	7,964
4.50	400	14.50	2,290	24.50	4,933	34.50	8,046
4.75	434	14.75	2,349	24.75	5,005	34.75	8,128
5.00	469	15.00	2,408	25.00	5,079	35.00	8,211
5.25	505	15.25	2,467	25.25	5,152	35.25	8,294
5.50	541	15.50	2,527	25.50	5,226	35.50	8,376
5.75	578	15.75	2,587	25.75	5,300	35.75	8,459
6.00	616	16.00	2,648	26.00	5,374	36.00	8,543
6.25	655	16.25	2,709	26.25	5,449	36.25	8,626
6.50	695	16.50	2,770	26.50	5,524	36.50	8,710
6.75	735	16.75	2,832	26.75	5,599	36.75	8,793
7.00	776	17.00	2,895	27.00	5,674	37.00	8,877
7.25	818	17.25	2,957	27.25	5,750	37.25	8,961
7.50	860	17.50	3,020	27.50	5,826	37.50	9,045
7.75	903	17.75	3,084	27.75	5,902	37.75	9,130
8.00	947	18.00	3,148	28.00	5,979	38.00	9,214
8.25	991	18.25	3,212	28.25	6,055	38.25	9,299
8.50	1,037	18.50	3,277	28.50	6,132	38.50	9,384
8.75	1,082	18.75	3,342	28.75	6,209	38.75	9,469
9.00	1,129	19.00	3,407	29.00	6,287	39.00	9,554
9.25	1,176	19.25	3,473	29.25	6,364	39.25	9,639
9.50	1,223	19.50	3,539	29.50	6,442	39.50	9,725
9.75	1,272	19.75	3,606	29.75	6,520	39.75	9,810

**OFOX 34729****Gage Table Information**Reporting Marks: **OFOX 34729**

Trinity File Number: 9156

Capacity: 33,737 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 126

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,982	50.25	13,510	60.25	17,142	70.25	20,765
40.50	10,068	50.50	13,600	60.50	17,233	70.50	20,855
40.75	10,154	50.75	13,690	60.75	17,324	70.75	20,944
41.00	10,240	51.00	13,780	61.00	17,415	71.00	21,033
41.25	10,327	51.25	13,871	61.25	17,506	71.25	21,123
41.50	10,413	51.50	13,961	61.50	17,597	71.50	21,212
41.75	10,500	51.75	14,051	61.75	17,689	71.75	21,301
42.00	10,587	52.00	14,141	62.00	17,780	72.00	21,390
42.25	10,674	52.25	14,232	62.25	17,871	72.25	21,479
42.50	10,761	52.50	14,322	62.50	17,962	72.50	21,568
42.75	10,848	52.75	14,413	62.75	18,053	72.75	21,657
43.00	10,935	53.00	14,503	63.00	18,144	73.00	21,745
43.25	11,023	53.25	14,594	63.25	18,235	73.25	21,834
43.50	11,110	53.50	14,685	63.50	18,326	73.50	21,922
43.75	11,198	53.75	14,775	63.75	18,417	73.75	22,011
44.00	11,286	54.00	14,866	64.00	18,507	74.00	22,099
44.25	11,373	54.25	14,957	64.25	18,598	74.25	22,187
44.50	11,461	54.50	15,048	64.50	18,689	74.50	22,275
44.75	11,550	54.75	15,138	64.75	18,780	74.75	22,363
45.00	11,638	55.00	15,229	65.00	18,871	75.00	22,451
45.25	11,726	55.25	15,320	65.25	18,961	75.25	22,539
45.50	11,814	55.50	15,411	65.50	19,052	75.50	22,626
45.75	11,903	55.75	15,502	65.75	19,143	75.75	22,714
46.00	11,991	56.00	15,593	66.00	19,233	76.00	22,801
46.25	12,080	56.25	15,684	66.25	19,324	76.25	22,889
46.50	12,169	56.50	15,775	66.50	19,414	76.50	22,976
46.75	12,258	56.75	15,866	66.75	19,505	76.75	23,063
47.00	12,347	57.00	15,957	67.00	19,595	77.00	23,150
47.25	12,436	57.25	16,048	67.25	19,686	77.25	23,237
47.50	12,525	57.50	16,139	67.50	19,776	77.50	23,323
47.75	12,614	57.75	16,230	67.75	19,866	77.75	23,410
48.00	12,703	58.00	16,321	68.00	19,956	78.00	23,496
48.25	12,793	58.25	16,413	68.25	20,046	78.25	23,583
48.50	12,882	58.50	16,504	68.50	20,136	78.50	23,669
48.75	12,972	58.75	16,595	68.75	20,226	78.75	23,755
49.00	13,061	59.00	16,686	69.00	20,316	79.00	23,841
49.25	13,151	59.25	16,777	69.25	20,406	79.25	23,926
49.50	13,241	59.50	16,868	69.50	20,496	79.50	24,012
49.75	13,330	59.75	16,959	69.75	20,586	79.75	24,097
50.00	13,420	60.00	17,051	70.00	20,675	80.00	24,183

**OFOX 34729****Gage Table Information**Reporting Marks: **OFOX 34729**

Trinity File Number: 9156

Capacity: 33,737 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 126

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,268	90.25	27,527	100.25	30,395	110.25	32,654
80.50	24,353	90.50	27,605	100.50	30,460	110.50	32,700
80.75	24,438	90.75	27,681	100.75	30,525	110.75	32,745
81.00	24,522	91.00	27,758	101.00	30,589	111.00	32,790
81.25	24,607	91.25	27,835	101.25	30,653	111.25	32,833
81.50	24,691	91.50	27,911	101.50	30,716	111.50	32,877
81.75	24,775	91.75	27,987	101.75	30,779	111.75	32,919
82.00	24,860	92.00	28,062	102.00	30,842	112.00	32,961
82.25	24,943	92.25	28,138	102.25	30,904	112.25	33,002
82.50	25,027	92.50	28,213	102.50	30,966	112.50	33,042
82.75	25,111	92.75	28,288	102.75	31,028	112.75	33,082
83.00	25,194	93.00	28,362	103.00	31,089	113.00	33,121
83.25	25,277	93.25	28,437	103.25	31,150	113.25	33,159
83.50	25,360	93.50	28,511	103.50	31,210	113.50	33,196
83.75	25,443	93.75	28,585	103.75	31,270	113.75	33,232
84.00	25,526	94.00	28,658	104.00	31,329	114.00	33,268
84.25	25,608	94.25	28,731	104.25	31,388	114.25	33,302
84.50	25,691	94.50	28,804	104.50	31,447	114.50	33,336
84.75	25,773	94.75	28,877	104.75	31,505	114.75	33,369
85.00	25,855	95.00	28,949	105.00	31,562	115.00	33,401
85.25	25,936	95.25	29,021	105.25	31,619	115.25	33,432
85.50	26,018	95.50	29,093	105.50	31,676	115.50	33,462
85.75	26,099	95.75	29,164	105.75	31,732	115.75	33,491
86.00	26,180	96.00	29,236	106.00	31,788	116.00	33,519
86.25	26,261	96.25	29,306	106.25	31,843	116.25	33,545
86.50	26,342	96.50	29,377	106.50	31,898	116.50	33,571
86.75	26,423	96.75	29,447	106.75	31,952	116.75	33,595
87.00	26,503	97.00	29,517	107.00	32,006	117.00	33,618
87.25	26,583	97.25	29,587	107.25	32,059	117.25	33,640
87.50	26,663	97.50	29,656	107.50	32,112	117.50	33,660
87.75	26,743	97.75	29,725	107.75	32,164	117.75	33,678
88.00	26,822	98.00	29,793	108.00	32,215	118.00	33,695
88.25	26,901	98.25	29,862	108.25	32,266	118.25	33,710
88.50	26,981	98.50	29,929	108.50	32,317	118.50	33,722
88.75	27,059	98.75	29,997	108.75	32,367	118.75	33,732
89.00	27,138	99.00	30,064	109.00	32,416	119.00	33,737
89.25	27,216	99.25	30,131	109.25	32,465		
89.50	27,294	99.50	30,198	109.50	32,513		
89.75	27,372	99.75	30,264	109.75	32,561		
90.00	27,450	100.00	30,329	110.00	32,608		

