

**OFOX 34731****Gage Table Information**Reporting Marks: **OFOX 34731**

Trinity File Number: 9156

Capacity: 33,720 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 128

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,674
0.50	15	10.50	1,419	20.50	3,806	30.50	6,753
0.75	27	10.75	1,470	20.75	3,873	30.75	6,832
1.00	42	11.00	1,521	21.00	3,942	31.00	6,911
1.25	59	11.25	1,572	21.25	4,010	31.25	6,991
1.50	77	11.50	1,624	21.50	4,079	31.50	7,070
1.75	97	11.75	1,677	21.75	4,148	31.75	7,150
2.00	119	12.00	1,730	22.00	4,218	32.00	7,230
2.25	142	12.25	1,784	22.25	4,288	32.25	7,310
2.50	166	12.50	1,838	22.50	4,358	32.50	7,391
2.75	191	12.75	1,893	22.75	4,428	32.75	7,472
3.00	218	13.00	1,948	23.00	4,499	33.00	7,553
3.25	246	13.25	2,004	23.25	4,570	33.25	7,634
3.50	275	13.50	2,060	23.50	4,642	33.50	7,715
3.75	305	13.75	2,116	23.75	4,713	33.75	7,797
4.00	336	14.00	2,174	24.00	4,785	34.00	7,878
4.25	368	14.25	2,231	24.25	4,858	34.25	7,960
4.50	401	14.50	2,289	24.50	4,930	34.50	8,042
4.75	434	14.75	2,348	24.75	5,003	34.75	8,124
5.00	469	15.00	2,407	25.00	5,076	35.00	8,207
5.25	505	15.25	2,466	25.25	5,150	35.25	8,290
5.50	541	15.50	2,526	25.50	5,223	35.50	8,372
5.75	578	15.75	2,586	25.75	5,297	35.75	8,455
6.00	616	16.00	2,647	26.00	5,372	36.00	8,538
6.25	655	16.25	2,708	26.25	5,446	36.25	8,622
6.50	694	16.50	2,769	26.50	5,521	36.50	8,705
6.75	735	16.75	2,831	26.75	5,596	36.75	8,789
7.00	776	17.00	2,893	27.00	5,672	37.00	8,873
7.25	817	17.25	2,956	27.25	5,747	37.25	8,957
7.50	860	17.50	3,019	27.50	5,823	37.50	9,041
7.75	903	17.75	3,083	27.75	5,899	37.75	9,125
8.00	947	18.00	3,146	28.00	5,976	38.00	9,210
8.25	991	18.25	3,211	28.25	6,052	38.25	9,294
8.50	1,036	18.50	3,275	28.50	6,129	38.50	9,379
8.75	1,082	18.75	3,340	28.75	6,206	38.75	9,464
9.00	1,128	19.00	3,406	29.00	6,284	39.00	9,549
9.25	1,175	19.25	3,471	29.25	6,361	39.25	9,635
9.50	1,223	19.50	3,538	29.50	6,439	39.50	9,720
9.75	1,271	19.75	3,604	29.75	6,517	39.75	9,806

**OFOX 34731****Gage Table Information**Reporting Marks: **OFOX 34731**

Trinity File Number: 9156

Capacity: 33,720 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 128

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,977	50.25	13,504	60.25	17,133	70.25	20,755
40.50	10,063	50.50	13,594	60.50	17,224	70.50	20,844
40.75	10,149	50.75	13,684	60.75	17,315	70.75	20,934
41.00	10,235	51.00	13,774	61.00	17,407	71.00	21,023
41.25	10,322	51.25	13,864	61.25	17,498	71.25	21,112
41.50	10,408	51.50	13,954	61.50	17,589	71.50	21,201
41.75	10,495	51.75	14,044	61.75	17,680	71.75	21,290
42.00	10,582	52.00	14,135	62.00	17,771	72.00	21,379
42.25	10,669	52.25	14,225	62.25	17,862	72.25	21,468
42.50	10,756	52.50	14,315	62.50	17,953	72.50	21,557
42.75	10,843	52.75	14,406	62.75	18,044	72.75	21,646
43.00	10,930	53.00	14,496	63.00	18,135	73.00	21,734
43.25	11,017	53.25	14,587	63.25	18,226	73.25	21,823
43.50	11,105	53.50	14,677	63.50	18,317	73.50	21,911
43.75	11,192	53.75	14,768	63.75	18,407	73.75	22,000
44.00	11,280	54.00	14,859	64.00	18,498	74.00	22,088
44.25	11,368	54.25	14,949	64.25	18,589	74.25	22,176
44.50	11,456	54.50	15,040	64.50	18,680	74.50	22,264
44.75	11,544	54.75	15,131	64.75	18,771	74.75	22,352
45.00	11,632	55.00	15,222	65.00	18,861	75.00	22,440
45.25	11,720	55.25	15,313	65.25	18,952	75.25	22,528
45.50	11,809	55.50	15,403	65.50	19,043	75.50	22,615
45.75	11,897	55.75	15,494	65.75	19,133	75.75	22,703
46.00	11,986	56.00	15,585	66.00	19,224	76.00	22,790
46.25	12,074	56.25	15,676	66.25	19,314	76.25	22,877
46.50	12,163	56.50	15,767	66.50	19,405	76.50	22,964
46.75	12,252	56.75	15,858	66.75	19,495	76.75	23,051
47.00	12,341	57.00	15,949	67.00	19,585	77.00	23,138
47.25	12,430	57.25	16,040	67.25	19,676	77.25	23,225
47.50	12,519	57.50	16,131	67.50	19,766	77.50	23,312
47.75	12,608	57.75	16,222	67.75	19,856	77.75	23,398
48.00	12,697	58.00	16,313	68.00	19,946	78.00	23,485
48.25	12,786	58.25	16,404	68.25	20,036	78.25	23,571
48.50	12,876	58.50	16,496	68.50	20,126	78.50	23,657
48.75	12,965	58.75	16,587	68.75	20,216	78.75	23,743
49.00	13,055	59.00	16,678	69.00	20,306	79.00	23,829
49.25	13,144	59.25	16,769	69.25	20,396	79.25	23,914
49.50	13,234	59.50	16,860	69.50	20,486	79.50	24,000
49.75	13,324	59.75	16,951	69.75	20,576	79.75	24,085
50.00	13,414	60.00	17,042	70.00	20,665	80.00	24,171

**OFOX 34731****Gage Table Information**Reporting Marks: **OFOX 34731**

Trinity File Number: 9156

Capacity: 33,720 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 128

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,256	90.25	27,514	100.25	30,380	110.25	32,638
80.50	24,341	90.50	27,591	100.50	30,445	110.50	32,684
80.75	24,425	90.75	27,668	100.75	30,509	110.75	32,729
81.00	24,510	91.00	27,744	101.00	30,574	111.00	32,773
81.25	24,595	91.25	27,821	101.25	30,637	111.25	32,817
81.50	24,679	91.50	27,897	101.50	30,701	111.50	32,860
81.75	24,763	91.75	27,973	101.75	30,764	111.75	32,903
82.00	24,847	92.00	28,048	102.00	30,827	112.00	32,944
82.25	24,931	92.25	28,124	102.25	30,889	112.25	32,985
82.50	25,015	92.50	28,199	102.50	30,951	112.50	33,026
82.75	25,098	92.75	28,274	102.75	31,012	112.75	33,065
83.00	25,181	93.00	28,348	103.00	31,073	113.00	33,104
83.25	25,265	93.25	28,422	103.25	31,134	113.25	33,142
83.50	25,348	93.50	28,496	103.50	31,194	113.50	33,179
83.75	25,430	93.75	28,570	103.75	31,254	113.75	33,215
84.00	25,513	94.00	28,644	104.00	31,313	114.00	33,251
84.25	25,596	94.25	28,717	104.25	31,372	114.25	33,286
84.50	25,678	94.50	28,790	104.50	31,431	114.50	33,319
84.75	25,760	94.75	28,862	104.75	31,489	114.75	33,352
85.00	25,842	95.00	28,935	105.00	31,546	115.00	33,384
85.25	25,923	95.25	29,007	105.25	31,603	115.25	33,415
85.50	26,005	95.50	29,078	105.50	31,660	115.50	33,445
85.75	26,086	95.75	29,150	105.75	31,716	115.75	33,474
86.00	26,167	96.00	29,221	106.00	31,772	116.00	33,502
86.25	26,248	96.25	29,292	106.25	31,827	116.25	33,529
86.50	26,329	96.50	29,362	106.50	31,882	116.50	33,554
86.75	26,409	96.75	29,432	106.75	31,936	116.75	33,578
87.00	26,490	97.00	29,502	107.00	31,990	117.00	33,601
87.25	26,570	97.25	29,572	107.25	32,043	117.25	33,623
87.50	26,650	97.50	29,641	107.50	32,095	117.50	33,643
87.75	26,729	97.75	29,710	107.75	32,148	117.75	33,661
88.00	26,809	98.00	29,778	108.00	32,199	118.00	33,678
88.25	26,888	98.25	29,847	108.25	32,250	118.25	33,693
88.50	26,967	98.50	29,914	108.50	32,301	118.50	33,705
88.75	27,046	98.75	29,982	108.75	32,351	118.75	33,715
89.00	27,124	99.00	30,049	109.00	32,400	119.00	33,720
89.25	27,203	99.25	30,116	109.25	32,449		
89.50	27,281	99.50	30,182	109.50	32,497		
89.75	27,359	99.75	30,249	109.75	32,545		
90.00	27,436	100.00	30,314	110.00	32,592		

