

**OFOX 34733****Gage Table Information**Reporting Marks: **OFOX 34733**

Trinity File Number: 9156

Capacity: 33,697 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 130

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,735	30.25	6,670
0.50	15	10.50	1,418	20.50	3,803	30.50	6,748
0.75	27	10.75	1,469	20.75	3,871	30.75	6,827
1.00	42	11.00	1,520	21.00	3,939	31.00	6,906
1.25	59	11.25	1,571	21.25	4,007	31.25	6,986
1.50	77	11.50	1,623	21.50	4,076	31.50	7,065
1.75	97	11.75	1,676	21.75	4,145	31.75	7,145
2.00	119	12.00	1,729	22.00	4,215	32.00	7,225
2.25	142	12.25	1,783	22.25	4,285	32.25	7,306
2.50	166	12.50	1,837	22.50	4,355	32.50	7,386
2.75	191	12.75	1,892	22.75	4,425	32.75	7,467
3.00	218	13.00	1,947	23.00	4,496	33.00	7,547
3.25	246	13.25	2,002	23.25	4,567	33.25	7,629
3.50	275	13.50	2,058	23.50	4,638	33.50	7,710
3.75	305	13.75	2,115	23.75	4,710	33.75	7,791
4.00	336	14.00	2,172	24.00	4,782	34.00	7,873
4.25	367	14.25	2,230	24.25	4,854	34.25	7,955
4.50	400	14.50	2,288	24.50	4,927	34.50	8,037
4.75	434	14.75	2,346	24.75	5,000	34.75	8,119
5.00	469	15.00	2,405	25.00	5,073	35.00	8,201
5.25	504	15.25	2,464	25.25	5,146	35.25	8,284
5.50	541	15.50	2,524	25.50	5,220	35.50	8,367
5.75	578	15.75	2,584	25.75	5,294	35.75	8,450
6.00	616	16.00	2,645	26.00	5,368	36.00	8,533
6.25	654	16.25	2,706	26.25	5,443	36.25	8,616
6.50	694	16.50	2,767	26.50	5,517	36.50	8,699
6.75	734	16.75	2,829	26.75	5,592	36.75	8,783
7.00	775	17.00	2,891	27.00	5,668	37.00	8,867
7.25	817	17.25	2,954	27.25	5,743	37.25	8,951
7.50	859	17.50	3,017	27.50	5,819	37.50	9,035
7.75	902	17.75	3,080	27.75	5,895	37.75	9,119
8.00	946	18.00	3,144	28.00	5,972	38.00	9,204
8.25	991	18.25	3,209	28.25	6,048	38.25	9,288
8.50	1,036	18.50	3,273	28.50	6,125	38.50	9,373
8.75	1,081	18.75	3,338	28.75	6,202	38.75	9,458
9.00	1,128	19.00	3,403	29.00	6,279	39.00	9,543
9.25	1,175	19.25	3,469	29.25	6,357	39.25	9,628
9.50	1,222	19.50	3,535	29.50	6,435	39.50	9,713
9.75	1,270	19.75	3,602	29.75	6,513	39.75	9,799

**OFOX 34733****Gage Table Information**Reporting Marks: **OFOX 34733**

Trinity File Number: 9156

Capacity: 33,697 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 130

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,970	50.25	13,494	60.25	17,122	70.25	20,741
40.50	10,056	50.50	13,584	60.50	17,213	70.50	20,830
40.75	10,142	50.75	13,674	60.75	17,304	70.75	20,919
41.00	10,228	51.00	13,764	61.00	17,395	71.00	21,009
41.25	10,315	51.25	13,854	61.25	17,486	71.25	21,098
41.50	10,401	51.50	13,944	61.50	17,577	71.50	21,187
41.75	10,488	51.75	14,035	61.75	17,668	71.75	21,276
42.00	10,574	52.00	14,125	62.00	17,759	72.00	21,365
42.25	10,661	52.25	14,215	62.25	17,850	72.25	21,454
42.50	10,748	52.50	14,306	62.50	17,941	72.50	21,542
42.75	10,835	52.75	14,396	62.75	18,031	72.75	21,631
43.00	10,923	53.00	14,486	63.00	18,122	73.00	21,720
43.25	11,010	53.25	14,577	63.25	18,213	73.25	21,808
43.50	11,097	53.50	14,667	63.50	18,304	73.50	21,897
43.75	11,185	53.75	14,758	63.75	18,395	73.75	21,985
44.00	11,272	54.00	14,849	64.00	18,486	74.00	22,073
44.25	11,360	54.25	14,939	64.25	18,576	74.25	22,161
44.50	11,448	54.50	15,030	64.50	18,667	74.50	22,249
44.75	11,536	54.75	15,121	64.75	18,758	74.75	22,337
45.00	11,624	55.00	15,211	65.00	18,848	75.00	22,425
45.25	11,712	55.25	15,302	65.25	18,939	75.25	22,512
45.50	11,801	55.50	15,393	65.50	19,030	75.50	22,600
45.75	11,889	55.75	15,484	65.75	19,120	75.75	22,687
46.00	11,977	56.00	15,575	66.00	19,211	76.00	22,775
46.25	12,066	56.25	15,666	66.25	19,301	76.25	22,862
46.50	12,155	56.50	15,756	66.50	19,391	76.50	22,949
46.75	12,243	56.75	15,847	66.75	19,482	76.75	23,036
47.00	12,332	57.00	15,938	67.00	19,572	77.00	23,123
47.25	12,421	57.25	16,029	67.25	19,662	77.25	23,209
47.50	12,510	57.50	16,120	67.50	19,753	77.50	23,296
47.75	12,599	57.75	16,211	67.75	19,843	77.75	23,382
48.00	12,688	58.00	16,302	68.00	19,933	78.00	23,469
48.25	12,778	58.25	16,393	68.25	20,023	78.25	23,555
48.50	12,867	58.50	16,484	68.50	20,113	78.50	23,641
48.75	12,956	58.75	16,575	68.75	20,203	78.75	23,727
49.00	13,046	59.00	16,666	69.00	20,293	79.00	23,813
49.25	13,135	59.25	16,757	69.25	20,382	79.25	23,898
49.50	13,225	59.50	16,849	69.50	20,472	79.50	23,984
49.75	13,315	59.75	16,940	69.75	20,562	79.75	24,069
50.00	13,405	60.00	17,031	70.00	20,651	80.00	24,154

**OFOX 34733****Gage Table Information**Reporting Marks: **OFOX 34733**

Trinity File Number: 9156

Capacity: 33,697 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 130

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,239	90.25	27,495	100.25	30,359	110.25	32,616
80.50	24,324	90.50	27,572	100.50	30,424	110.50	32,661
80.75	24,409	90.75	27,649	100.75	30,489	110.75	32,706
81.00	24,493	91.00	27,725	101.00	30,553	111.00	32,751
81.25	24,578	91.25	27,802	101.25	30,617	111.25	32,795
81.50	24,662	91.50	27,878	101.50	30,680	111.50	32,838
81.75	24,746	91.75	27,954	101.75	30,743	111.75	32,880
82.00	24,830	92.00	28,029	102.00	30,806	112.00	32,922
82.25	24,914	92.25	28,105	102.25	30,868	112.25	32,963
82.50	24,998	92.50	28,180	102.50	30,930	112.50	33,003
82.75	25,081	92.75	28,254	102.75	30,991	112.75	33,043
83.00	25,164	93.00	28,329	103.00	31,052	113.00	33,081
83.25	25,247	93.25	28,403	103.25	31,113	113.25	33,119
83.50	25,330	93.50	28,477	103.50	31,173	113.50	33,156
83.75	25,413	93.75	28,551	103.75	31,233	113.75	33,193
84.00	25,496	94.00	28,624	104.00	31,292	114.00	33,228
84.25	25,578	94.25	28,697	104.25	31,351	114.25	33,263
84.50	25,660	94.50	28,770	104.50	31,409	114.50	33,297
84.75	25,742	94.75	28,843	104.75	31,467	114.75	33,330
85.00	25,824	95.00	28,915	105.00	31,525	115.00	33,361
85.25	25,906	95.25	28,987	105.25	31,582	115.25	33,392
85.50	25,987	95.50	29,059	105.50	31,639	115.50	33,422
85.75	26,069	95.75	29,130	105.75	31,695	115.75	33,451
86.00	26,150	96.00	29,201	106.00	31,750	116.00	33,479
86.25	26,230	96.25	29,272	106.25	31,805	116.25	33,506
86.50	26,311	96.50	29,342	106.50	31,860	116.50	33,531
86.75	26,392	96.75	29,412	106.75	31,914	116.75	33,555
87.00	26,472	97.00	29,482	107.00	31,968	117.00	33,578
87.25	26,552	97.25	29,552	107.25	32,021	117.25	33,600
87.50	26,632	97.50	29,621	107.50	32,074	117.50	33,620
87.75	26,711	97.75	29,690	107.75	32,126	117.75	33,638
88.00	26,791	98.00	29,758	108.00	32,177	118.00	33,655
88.25	26,870	98.25	29,826	108.25	32,228	118.25	33,670
88.50	26,949	98.50	29,894	108.50	32,279	118.50	33,682
88.75	27,027	98.75	29,962	108.75	32,329	118.75	33,692
89.00	27,106	99.00	30,029	109.00	32,378	119.00	33,697
89.25	27,184	99.25	30,095	109.25	32,427		
89.50	27,262	99.50	30,162	109.50	32,475		
89.75	27,340	99.75	30,228	109.75	32,522		
90.00	27,418	100.00	30,294	110.00	32,569		

