

**OFOX 34735****Gage Table Information**Reporting Marks: **OFOX 34735**

Trinity File Number: 9156

Capacity: 33,744 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 132

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,740	30.25	6,679
0.50	14	10.50	1,420	20.50	3,808	30.50	6,757
0.75	27	10.75	1,470	20.75	3,876	30.75	6,837
1.00	41	11.00	1,522	21.00	3,944	31.00	6,916
1.25	58	11.25	1,573	21.25	4,013	31.25	6,995
1.50	77	11.50	1,625	21.50	4,082	31.50	7,075
1.75	97	11.75	1,678	21.75	4,151	31.75	7,155
2.00	118	12.00	1,731	22.00	4,220	32.00	7,235
2.25	141	12.25	1,785	22.25	4,290	32.25	7,315
2.50	166	12.50	1,839	22.50	4,361	32.50	7,396
2.75	191	12.75	1,894	22.75	4,431	32.75	7,477
3.00	218	13.00	1,949	23.00	4,502	33.00	7,558
3.25	246	13.25	2,005	23.25	4,573	33.25	7,639
3.50	275	13.50	2,061	23.50	4,645	33.50	7,720
3.75	305	13.75	2,118	23.75	4,716	33.75	7,802
4.00	336	14.00	2,175	24.00	4,788	34.00	7,884
4.25	368	14.25	2,232	24.25	4,861	34.25	7,966
4.50	400	14.50	2,290	24.50	4,933	34.50	8,048
4.75	434	14.75	2,349	24.75	5,006	34.75	8,130
5.00	469	15.00	2,408	25.00	5,080	35.00	8,212
5.25	505	15.25	2,467	25.25	5,153	35.25	8,295
5.50	541	15.50	2,527	25.50	5,227	35.50	8,378
5.75	578	15.75	2,587	25.75	5,301	35.75	8,461
6.00	616	16.00	2,648	26.00	5,375	36.00	8,544
6.25	655	16.25	2,709	26.25	5,450	36.25	8,628
6.50	695	16.50	2,771	26.50	5,525	36.50	8,711
6.75	735	16.75	2,833	26.75	5,600	36.75	8,795
7.00	776	17.00	2,895	27.00	5,675	37.00	8,879
7.25	818	17.25	2,958	27.25	5,751	37.25	8,963
7.50	860	17.50	3,021	27.50	5,827	37.50	9,047
7.75	903	17.75	3,084	27.75	5,903	37.75	9,132
8.00	947	18.00	3,148	28.00	5,980	38.00	9,216
8.25	992	18.25	3,213	28.25	6,056	38.25	9,301
8.50	1,037	18.50	3,277	28.50	6,133	38.50	9,386
8.75	1,082	18.75	3,342	28.75	6,211	38.75	9,471
9.00	1,129	19.00	3,408	29.00	6,288	39.00	9,556
9.25	1,176	19.25	3,474	29.25	6,366	39.25	9,641
9.50	1,224	19.50	3,540	29.50	6,444	39.50	9,727
9.75	1,272	19.75	3,606	29.75	6,522	39.75	9,812

**OFOX 34735****Gage Table Information**Reporting Marks: **OFOX 34735**

Trinity File Number: 9156

Capacity: 33,744 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 132

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,984	50.25	13,513	60.25	17,145	70.25	20,769
40.50	10,070	50.50	13,603	60.50	17,236	70.50	20,859
40.75	10,156	50.75	13,693	60.75	17,328	70.75	20,948
41.00	10,242	51.00	13,783	61.00	17,419	71.00	21,038
41.25	10,329	51.25	13,873	61.25	17,510	71.25	21,127
41.50	10,415	51.50	13,964	61.50	17,601	71.50	21,216
41.75	10,502	51.75	14,054	61.75	17,692	71.75	21,305
42.00	10,589	52.00	14,144	62.00	17,783	72.00	21,394
42.25	10,676	52.25	14,235	62.25	17,874	72.25	21,483
42.50	10,763	52.50	14,325	62.50	17,965	72.50	21,572
42.75	10,850	52.75	14,416	62.75	18,056	72.75	21,661
43.00	10,938	53.00	14,506	63.00	18,147	73.00	21,750
43.25	11,025	53.25	14,597	63.25	18,238	73.25	21,838
43.50	11,112	53.50	14,688	63.50	18,329	73.50	21,927
43.75	11,200	53.75	14,778	63.75	18,420	73.75	22,015
44.00	11,288	54.00	14,869	64.00	18,511	74.00	22,104
44.25	11,376	54.25	14,960	64.25	18,602	74.25	22,192
44.50	11,464	54.50	15,051	64.50	18,693	74.50	22,280
44.75	11,552	54.75	15,141	64.75	18,784	74.75	22,368
45.00	11,640	55.00	15,232	65.00	18,875	75.00	22,456
45.25	11,728	55.25	15,323	65.25	18,965	75.25	22,543
45.50	11,817	55.50	15,414	65.50	19,056	75.50	22,631
45.75	11,905	55.75	15,505	65.75	19,147	75.75	22,719
46.00	11,994	56.00	15,596	66.00	19,237	76.00	22,806
46.25	12,083	56.25	15,687	66.25	19,328	76.25	22,893
46.50	12,171	56.50	15,778	66.50	19,418	76.50	22,981
46.75	12,260	56.75	15,869	66.75	19,509	76.75	23,068
47.00	12,349	57.00	15,960	67.00	19,599	77.00	23,155
47.25	12,438	57.25	16,051	67.25	19,690	77.25	23,241
47.50	12,527	57.50	16,143	67.50	19,780	77.50	23,328
47.75	12,617	57.75	16,234	67.75	19,870	77.75	23,415
48.00	12,706	58.00	16,325	68.00	19,960	78.00	23,501
48.25	12,795	58.25	16,416	68.25	20,051	78.25	23,587
48.50	12,885	58.50	16,507	68.50	20,141	78.50	23,674
48.75	12,974	58.75	16,598	68.75	20,231	78.75	23,760
49.00	13,064	59.00	16,689	69.00	20,321	79.00	23,845
49.25	13,154	59.25	16,781	69.25	20,410	79.25	23,931
49.50	13,243	59.50	16,872	69.50	20,500	79.50	24,017
49.75	13,333	59.75	16,963	69.75	20,590	79.75	24,102
50.00	13,423	60.00	17,054	70.00	20,680	80.00	24,188

**OFOX 34735****Gage Table Information**Reporting Marks: **OFOX 34735**

Trinity File Number: 9156

Capacity: 33,744 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 132

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,273	90.25	27,533	100.25	30,401	110.25	32,661
80.50	24,358	90.50	27,610	100.50	30,466	110.50	32,707
80.75	24,443	90.75	27,687	100.75	30,531	110.75	32,752
81.00	24,527	91.00	27,764	101.00	30,595	111.00	32,796
81.25	24,612	91.25	27,840	101.25	30,659	111.25	32,840
81.50	24,696	91.50	27,917	101.50	30,723	111.50	32,883
81.75	24,781	91.75	27,992	101.75	30,786	111.75	32,926
82.00	24,865	92.00	28,068	102.00	30,849	112.00	32,968
82.25	24,949	92.25	28,144	102.25	30,911	112.25	33,009
82.50	25,032	92.50	28,219	102.50	30,973	112.50	33,049
82.75	25,116	92.75	28,294	102.75	31,034	112.75	33,089
83.00	25,199	93.00	28,368	103.00	31,095	113.00	33,127
83.25	25,282	93.25	28,443	103.25	31,156	113.25	33,165
83.50	25,366	93.50	28,517	103.50	31,216	113.50	33,203
83.75	25,448	93.75	28,590	103.75	31,276	113.75	33,239
84.00	25,531	94.00	28,664	104.00	31,336	114.00	33,275
84.25	25,614	94.25	28,737	104.25	31,395	114.25	33,309
84.50	25,696	94.50	28,810	104.50	31,453	114.50	33,343
84.75	25,778	94.75	28,883	104.75	31,511	114.75	33,376
85.00	25,860	95.00	28,955	105.00	31,569	115.00	33,408
85.25	25,942	95.25	29,027	105.25	31,626	115.25	33,439
85.50	26,023	95.50	29,099	105.50	31,683	115.50	33,469
85.75	26,105	95.75	29,170	105.75	31,739	115.75	33,498
86.00	26,186	96.00	29,242	106.00	31,794	116.00	33,526
86.25	26,267	96.25	29,312	106.25	31,850	116.25	33,552
86.50	26,348	96.50	29,383	106.50	31,904	116.50	33,578
86.75	26,428	96.75	29,453	106.75	31,959	116.75	33,602
87.00	26,508	97.00	29,523	107.00	32,012	117.00	33,625
87.25	26,589	97.25	29,593	107.25	32,066	117.25	33,647
87.50	26,669	97.50	29,662	107.50	32,118	117.50	33,667
87.75	26,748	97.75	29,731	107.75	32,170	117.75	33,685
88.00	26,828	98.00	29,799	108.00	32,222	118.00	33,702
88.25	26,907	98.25	29,868	108.25	32,273	118.25	33,717
88.50	26,986	98.50	29,936	108.50	32,324	118.50	33,729
88.75	27,065	98.75	30,003	108.75	32,374	118.75	33,739
89.00	27,144	99.00	30,070	109.00	32,423	119.00	33,744
89.25	27,222	99.25	30,137	109.25	32,472		
89.50	27,300	99.50	30,204	109.50	32,520		
89.75	27,378	99.75	30,270	109.75	32,568		
90.00	27,456	100.00	30,336	110.00	32,615		

