

**OFOX 34736****Gage Table Information**Reporting Marks: **OFOX 34736**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 133

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 0.25   | 5       | 10.25  | 1,369   | 20.25  | 3,738   | 30.25  | 6,673   |
| 0.50   | 15      | 10.50  | 1,419   | 20.50  | 3,805   | 30.50  | 6,752   |
| 0.75   | 27      | 10.75  | 1,470   | 20.75  | 3,873   | 30.75  | 6,831   |
| 1.00   | 42      | 11.00  | 1,521   | 21.00  | 3,941   | 31.00  | 6,910   |
| 1.25   | 59      | 11.25  | 1,572   | 21.25  | 4,010   | 31.25  | 6,989   |
| 1.50   | 77      | 11.50  | 1,624   | 21.50  | 4,078   | 31.50  | 7,069   |
| 1.75   | 97      | 11.75  | 1,677   | 21.75  | 4,148   | 31.75  | 7,149   |
| 2.00   | 119     | 12.00  | 1,730   | 22.00  | 4,217   | 32.00  | 7,229   |
| 2.25   | 142     | 12.25  | 1,784   | 22.25  | 4,287   | 32.25  | 7,309   |
| 2.50   | 166     | 12.50  | 1,838   | 22.50  | 4,357   | 32.50  | 7,390   |
| 2.75   | 192     | 12.75  | 1,893   | 22.75  | 4,428   | 32.75  | 7,471   |
| 3.00   | 218     | 13.00  | 1,948   | 23.00  | 4,498   | 33.00  | 7,551   |
| 3.25   | 246     | 13.25  | 2,004   | 23.25  | 4,570   | 33.25  | 7,632   |
| 3.50   | 275     | 13.50  | 2,060   | 23.50  | 4,641   | 33.50  | 7,714   |
| 3.75   | 305     | 13.75  | 2,116   | 23.75  | 4,713   | 33.75  | 7,795   |
| 4.00   | 336     | 14.00  | 2,173   | 24.00  | 4,785   | 34.00  | 7,877   |
| 4.25   | 368     | 14.25  | 2,231   | 24.25  | 4,857   | 34.25  | 7,959   |
| 4.50   | 401     | 14.50  | 2,289   | 24.50  | 4,929   | 34.50  | 8,041   |
| 4.75   | 434     | 14.75  | 2,347   | 24.75  | 5,002   | 34.75  | 8,123   |
| 5.00   | 469     | 15.00  | 2,406   | 25.00  | 5,076   | 35.00  | 8,206   |
| 5.25   | 505     | 15.25  | 2,466   | 25.25  | 5,149   | 35.25  | 8,288   |
| 5.50   | 541     | 15.50  | 2,525   | 25.50  | 5,223   | 35.50  | 8,371   |
| 5.75   | 578     | 15.75  | 2,586   | 25.75  | 5,297   | 35.75  | 8,454   |
| 6.00   | 616     | 16.00  | 2,646   | 26.00  | 5,371   | 36.00  | 8,537   |
| 6.25   | 655     | 16.25  | 2,707   | 26.25  | 5,446   | 36.25  | 8,620   |
| 6.50   | 694     | 16.50  | 2,769   | 26.50  | 5,520   | 36.50  | 8,704   |
| 6.75   | 735     | 16.75  | 2,831   | 26.75  | 5,595   | 36.75  | 8,788   |
| 7.00   | 776     | 17.00  | 2,893   | 27.00  | 5,671   | 37.00  | 8,871   |
| 7.25   | 817     | 17.25  | 2,956   | 27.25  | 5,746   | 37.25  | 8,955   |
| 7.50   | 860     | 17.50  | 3,019   | 27.50  | 5,822   | 37.50  | 9,040   |
| 7.75   | 903     | 17.75  | 3,082   | 27.75  | 5,898   | 37.75  | 9,124   |
| 8.00   | 947     | 18.00  | 3,146   | 28.00  | 5,975   | 38.00  | 9,208   |
| 8.25   | 991     | 18.25  | 3,210   | 28.25  | 6,051   | 38.25  | 9,293   |
| 8.50   | 1,036   | 18.50  | 3,275   | 28.50  | 6,128   | 38.50  | 9,378   |
| 8.75   | 1,082   | 18.75  | 3,340   | 28.75  | 6,205   | 38.75  | 9,463   |
| 9.00   | 1,128   | 19.00  | 3,405   | 29.00  | 6,283   | 39.00  | 9,548   |
| 9.25   | 1,175   | 19.25  | 3,471   | 29.25  | 6,360   | 39.25  | 9,633   |
| 9.50   | 1,223   | 19.50  | 3,537   | 29.50  | 6,438   | 39.50  | 9,718   |
| 9.75   | 1,271   | 19.75  | 3,604   | 29.75  | 6,516   | 39.75  | 9,804   |



**OFOX 34736****Gage Table Information**Reporting Marks: **OFOX 34736**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 133

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 40.25  | 9,975   | 50.25  | 13,501  | 60.25  | 17,130  | 70.25  | 20,751  |
| 40.50  | 10,061  | 50.50  | 13,591  | 60.50  | 17,221  | 70.50  | 20,841  |
| 40.75  | 10,147  | 50.75  | 13,681  | 60.75  | 17,312  | 70.75  | 20,930  |
| 41.00  | 10,234  | 51.00  | 13,771  | 61.00  | 17,404  | 71.00  | 21,019  |
| 41.25  | 10,320  | 51.25  | 13,861  | 61.25  | 17,495  | 71.25  | 21,108  |
| 41.50  | 10,407  | 51.50  | 13,952  | 61.50  | 17,586  | 71.50  | 21,198  |
| 41.75  | 10,493  | 51.75  | 14,042  | 61.75  | 17,677  | 71.75  | 21,287  |
| 42.00  | 10,580  | 52.00  | 14,132  | 62.00  | 17,768  | 72.00  | 21,376  |
| 42.25  | 10,667  | 52.25  | 14,222  | 62.25  | 17,859  | 72.25  | 21,465  |
| 42.50  | 10,754  | 52.50  | 14,313  | 62.50  | 17,950  | 72.50  | 21,553  |
| 42.75  | 10,841  | 52.75  | 14,403  | 62.75  | 18,041  | 72.75  | 21,642  |
| 43.00  | 10,928  | 53.00  | 14,494  | 63.00  | 18,132  | 73.00  | 21,731  |
| 43.25  | 11,015  | 53.25  | 14,584  | 63.25  | 18,222  | 73.25  | 21,819  |
| 43.50  | 11,103  | 53.50  | 14,675  | 63.50  | 18,313  | 73.50  | 21,908  |
| 43.75  | 11,191  | 53.75  | 14,765  | 63.75  | 18,404  | 73.75  | 21,996  |
| 44.00  | 11,278  | 54.00  | 14,856  | 64.00  | 18,495  | 74.00  | 22,084  |
| 44.25  | 11,366  | 54.25  | 14,947  | 64.25  | 18,586  | 74.25  | 22,172  |
| 44.50  | 11,454  | 54.50  | 15,038  | 64.50  | 18,677  | 74.50  | 22,260  |
| 44.75  | 11,542  | 54.75  | 15,128  | 64.75  | 18,767  | 74.75  | 22,348  |
| 45.00  | 11,630  | 55.00  | 15,219  | 65.00  | 18,858  | 75.00  | 22,436  |
| 45.25  | 11,718  | 55.25  | 15,310  | 65.25  | 18,949  | 75.25  | 22,524  |
| 45.50  | 11,807  | 55.50  | 15,401  | 65.50  | 19,039  | 75.50  | 22,611  |
| 45.75  | 11,895  | 55.75  | 15,492  | 65.75  | 19,130  | 75.75  | 22,699  |
| 46.00  | 11,984  | 56.00  | 15,583  | 66.00  | 19,220  | 76.00  | 22,786  |
| 46.25  | 12,072  | 56.25  | 15,674  | 66.25  | 19,311  | 76.25  | 22,873  |
| 46.50  | 12,161  | 56.50  | 15,764  | 66.50  | 19,401  | 76.50  | 22,960  |
| 46.75  | 12,250  | 56.75  | 15,855  | 66.75  | 19,492  | 76.75  | 23,047  |
| 47.00  | 12,338  | 57.00  | 15,946  | 67.00  | 19,582  | 77.00  | 23,134  |
| 47.25  | 12,427  | 57.25  | 16,037  | 67.25  | 19,672  | 77.25  | 23,221  |
| 47.50  | 12,517  | 57.50  | 16,128  | 67.50  | 19,763  | 77.50  | 23,308  |
| 47.75  | 12,606  | 57.75  | 16,220  | 67.75  | 19,853  | 77.75  | 23,394  |
| 48.00  | 12,695  | 58.00  | 16,311  | 68.00  | 19,943  | 78.00  | 23,480  |
| 48.25  | 12,784  | 58.25  | 16,402  | 68.25  | 20,033  | 78.25  | 23,567  |
| 48.50  | 12,874  | 58.50  | 16,493  | 68.50  | 20,123  | 78.50  | 23,653  |
| 48.75  | 12,963  | 58.75  | 16,584  | 68.75  | 20,213  | 78.75  | 23,739  |
| 49.00  | 13,053  | 59.00  | 16,675  | 69.00  | 20,303  | 79.00  | 23,825  |
| 49.25  | 13,142  | 59.25  | 16,766  | 69.25  | 20,393  | 79.25  | 23,910  |
| 49.50  | 13,232  | 59.50  | 16,857  | 69.50  | 20,482  | 79.50  | 23,996  |
| 49.75  | 13,322  | 59.75  | 16,948  | 69.75  | 20,572  | 79.75  | 24,081  |
| 50.00  | 13,411  | 60.00  | 17,039  | 70.00  | 20,662  | 80.00  | 24,166  |



**OFOX 34736****Gage Table Information**Reporting Marks: **OFOX 34736**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 133

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

**DISCLAIMER:** Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

| Inches | Gallons | Inches | Gallons | Inches | Gallons | Inches | Gallons |
|--------|---------|--------|---------|--------|---------|--------|---------|
| 80.25  | 24,251  | 90.25  | 27,509  | 100.25 | 30,374  | 110.25 | 32,632  |
| 80.50  | 24,336  | 90.50  | 27,586  | 100.50 | 30,439  | 110.50 | 32,678  |
| 80.75  | 24,421  | 90.75  | 27,663  | 100.75 | 30,504  | 110.75 | 32,723  |
| 81.00  | 24,506  | 91.00  | 27,739  | 101.00 | 30,568  | 111.00 | 32,767  |
| 81.25  | 24,590  | 91.25  | 27,816  | 101.25 | 30,632  | 111.25 | 32,811  |
| 81.50  | 24,675  | 91.50  | 27,892  | 101.50 | 30,695  | 111.50 | 32,854  |
| 81.75  | 24,759  | 91.75  | 27,968  | 101.75 | 30,759  | 111.75 | 32,897  |
| 82.00  | 24,843  | 92.00  | 28,043  | 102.00 | 30,821  | 112.00 | 32,938  |
| 82.25  | 24,927  | 92.25  | 28,119  | 102.25 | 30,884  | 112.25 | 32,979  |
| 82.50  | 25,010  | 92.50  | 28,194  | 102.50 | 30,945  | 112.50 | 33,020  |
| 82.75  | 25,094  | 92.75  | 28,269  | 102.75 | 31,007  | 112.75 | 33,059  |
| 83.00  | 25,177  | 93.00  | 28,343  | 103.00 | 31,068  | 113.00 | 33,098  |
| 83.25  | 25,260  | 93.25  | 28,417  | 103.25 | 31,129  | 113.25 | 33,136  |
| 83.50  | 25,343  | 93.50  | 28,491  | 103.50 | 31,189  | 113.50 | 33,173  |
| 83.75  | 25,426  | 93.75  | 28,565  | 103.75 | 31,249  | 113.75 | 33,210  |
| 84.00  | 25,509  | 94.00  | 28,639  | 104.00 | 31,308  | 114.00 | 33,245  |
| 84.25  | 25,591  | 94.25  | 28,712  | 104.25 | 31,367  | 114.25 | 33,280  |
| 84.50  | 25,673  | 94.50  | 28,785  | 104.50 | 31,425  | 114.50 | 33,314  |
| 84.75  | 25,755  | 94.75  | 28,857  | 104.75 | 31,483  | 114.75 | 33,346  |
| 85.00  | 25,837  | 95.00  | 28,930  | 105.00 | 31,541  | 115.00 | 33,378  |
| 85.25  | 25,919  | 95.25  | 29,002  | 105.25 | 31,598  | 115.25 | 33,409  |
| 85.50  | 26,000  | 95.50  | 29,073  | 105.50 | 31,654  | 115.50 | 33,439  |
| 85.75  | 26,082  | 95.75  | 29,145  | 105.75 | 31,711  | 115.75 | 33,468  |
| 86.00  | 26,163  | 96.00  | 29,216  | 106.00 | 31,766  | 116.00 | 33,496  |
| 86.25  | 26,244  | 96.25  | 29,287  | 106.25 | 31,821  | 116.25 | 33,523  |
| 86.50  | 26,324  | 96.50  | 29,357  | 106.50 | 31,876  | 116.50 | 33,548  |
| 86.75  | 26,405  | 96.75  | 29,427  | 106.75 | 31,930  | 116.75 | 33,572  |
| 87.00  | 26,485  | 97.00  | 29,497  | 107.00 | 31,984  | 117.00 | 33,595  |
| 87.25  | 26,565  | 97.25  | 29,566  | 107.25 | 32,037  | 117.25 | 33,617  |
| 87.50  | 26,645  | 97.50  | 29,636  | 107.50 | 32,090  | 117.50 | 33,637  |
| 87.75  | 26,725  | 97.75  | 29,705  | 107.75 | 32,142  | 117.75 | 33,655  |
| 88.00  | 26,804  | 98.00  | 29,773  | 108.00 | 32,193  | 118.00 | 33,672  |
| 88.25  | 26,883  | 98.25  | 29,841  | 108.25 | 32,244  | 118.25 | 33,687  |
| 88.50  | 26,962  | 98.50  | 29,909  | 108.50 | 32,295  | 118.50 | 33,699  |
| 88.75  | 27,041  | 98.75  | 29,977  | 108.75 | 32,345  | 118.75 | 33,709  |
| 89.00  | 27,120  | 99.00  | 30,044  | 109.00 | 32,394  | 119.00 | 33,714  |
| 89.25  | 27,198  | 99.25  | 30,111  | 109.25 | 32,443  |        |         |
| 89.50  | 27,276  | 99.50  | 30,177  | 109.50 | 32,491  |        |         |
| 89.75  | 27,354  | 99.75  | 30,243  | 109.75 | 32,539  |        |         |
| 90.00  | 27,431  | 100.00 | 30,309  | 110.00 | 32,586  |        |         |



