

**OFOX 34741****Gage Table Information**Reporting Marks: **OFOX 34741**

Trinity File Number: 9156

Capacity: 33,676 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 138

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,368	20.25	3,733	30.25	6,666
0.50	15	10.50	1,418	20.50	3,801	30.50	6,744
0.75	28	10.75	1,468	20.75	3,869	30.75	6,823
1.00	42	11.00	1,519	21.00	3,937	31.00	6,902
1.25	59	11.25	1,571	21.25	4,005	31.25	6,982
1.50	77	11.50	1,623	21.50	4,074	31.50	7,061
1.75	97	11.75	1,675	21.75	4,143	31.75	7,141
2.00	119	12.00	1,728	22.00	4,213	32.00	7,221
2.25	142	12.25	1,782	22.25	4,282	32.25	7,301
2.50	166	12.50	1,836	22.50	4,352	32.50	7,382
2.75	192	12.75	1,891	22.75	4,423	32.75	7,462
3.00	218	13.00	1,946	23.00	4,494	33.00	7,543
3.25	246	13.25	2,001	23.25	4,565	33.25	7,624
3.50	275	13.50	2,058	23.50	4,636	33.50	7,705
3.75	305	13.75	2,114	23.75	4,707	33.75	7,787
4.00	336	14.00	2,171	24.00	4,779	34.00	7,868
4.25	368	14.25	2,229	24.25	4,852	34.25	7,950
4.50	400	14.50	2,287	24.50	4,924	34.50	8,032
4.75	434	14.75	2,345	24.75	4,997	34.75	8,114
5.00	469	15.00	2,404	25.00	5,070	35.00	8,196
5.25	504	15.25	2,463	25.25	5,143	35.25	8,279
5.50	541	15.50	2,523	25.50	5,217	35.50	8,362
5.75	578	15.75	2,583	25.75	5,291	35.75	8,445
6.00	616	16.00	2,643	26.00	5,365	36.00	8,528
6.25	654	16.25	2,704	26.25	5,440	36.25	8,611
6.50	694	16.50	2,766	26.50	5,514	36.50	8,694
6.75	734	16.75	2,828	26.75	5,589	36.75	8,778
7.00	775	17.00	2,890	27.00	5,665	37.00	8,862
7.25	817	17.25	2,952	27.25	5,740	37.25	8,945
7.50	859	17.50	3,015	27.50	5,816	37.50	9,029
7.75	902	17.75	3,079	27.75	5,892	37.75	9,114
8.00	946	18.00	3,143	28.00	5,968	38.00	9,198
8.25	990	18.25	3,207	28.25	6,045	38.25	9,283
8.50	1,035	18.50	3,271	28.50	6,122	38.50	9,367
8.75	1,081	18.75	3,336	28.75	6,199	38.75	9,452
9.00	1,127	19.00	3,402	29.00	6,276	39.00	9,537
9.25	1,174	19.25	3,467	29.25	6,353	39.25	9,622
9.50	1,222	19.50	3,533	29.50	6,431	39.50	9,708
9.75	1,270	19.75	3,600	29.75	6,509	39.75	9,793

**OFOX 34741****Gage Table Information**Reporting Marks: **OFOX 34741**

Trinity File Number: 9156

Capacity: 33,676 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 138

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,964	50.25	13,486	60.25	17,111	70.25	20,728
40.50	10,050	50.50	13,576	60.50	17,202	70.50	20,817
40.75	10,136	50.75	13,666	60.75	17,293	70.75	20,907
41.00	10,222	51.00	13,756	61.00	17,384	71.00	20,996
41.25	10,309	51.25	13,846	61.25	17,475	71.25	21,085
41.50	10,395	51.50	13,936	61.50	17,566	71.50	21,174
41.75	10,481	51.75	14,026	61.75	17,657	71.75	21,263
42.00	10,568	52.00	14,116	62.00	17,748	72.00	21,352
42.25	10,655	52.25	14,207	62.25	17,839	72.25	21,441
42.50	10,742	52.50	14,297	62.50	17,930	72.50	21,529
42.75	10,829	52.75	14,387	62.75	18,020	72.75	21,618
43.00	10,916	53.00	14,478	63.00	18,111	73.00	21,706
43.25	11,003	53.25	14,568	63.25	18,202	73.25	21,795
43.50	11,091	53.50	14,658	63.50	18,293	73.50	21,883
43.75	11,178	53.75	14,749	63.75	18,384	73.75	21,971
44.00	11,266	54.00	14,840	64.00	18,474	74.00	22,059
44.25	11,353	54.25	14,930	64.25	18,565	74.25	22,147
44.50	11,441	54.50	15,021	64.50	18,656	74.50	22,235
44.75	11,529	54.75	15,111	64.75	18,746	74.75	22,323
45.00	11,617	55.00	15,202	65.00	18,837	75.00	22,411
45.25	11,705	55.25	15,293	65.25	18,927	75.25	22,498
45.50	11,793	55.50	15,384	65.50	19,018	75.50	22,586
45.75	11,882	55.75	15,474	65.75	19,108	75.75	22,673
46.00	11,970	56.00	15,565	66.00	19,199	76.00	22,760
46.25	12,059	56.25	15,656	66.25	19,289	76.25	22,848
46.50	12,147	56.50	15,747	66.50	19,380	76.50	22,935
46.75	12,236	56.75	15,838	66.75	19,470	76.75	23,022
47.00	12,325	57.00	15,929	67.00	19,560	77.00	23,108
47.25	12,414	57.25	16,020	67.25	19,650	77.25	23,195
47.50	12,503	57.50	16,110	67.50	19,740	77.50	23,281
47.75	12,592	57.75	16,201	67.75	19,831	77.75	23,368
48.00	12,681	58.00	16,292	68.00	19,921	78.00	23,454
48.25	12,770	58.25	16,383	68.25	20,011	78.25	23,540
48.50	12,859	58.50	16,474	68.50	20,100	78.50	23,626
48.75	12,949	58.75	16,565	68.75	20,190	78.75	23,712
49.00	13,038	59.00	16,656	69.00	20,280	79.00	23,798
49.25	13,127	59.25	16,747	69.25	20,370	79.25	23,883
49.50	13,217	59.50	16,838	69.50	20,459	79.50	23,969
49.75	13,307	59.75	16,929	69.75	20,549	79.75	24,054
50.00	13,396	60.00	17,020	70.00	20,638	80.00	24,139

**OFOX 34741****Gage Table Information**Reporting Marks: **OFOX 34741**

Trinity File Number: 9156

Capacity: 33,676 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 138

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,224	90.25	27,478	100.25	30,340	110.25	32,595
80.50	24,309	90.50	27,555	100.50	30,405	110.50	32,641
80.75	24,394	90.75	27,632	100.75	30,470	110.75	32,686
81.00	24,478	91.00	27,708	101.00	30,534	111.00	32,730
81.25	24,563	91.25	27,785	101.25	30,598	111.25	32,774
81.50	24,647	91.50	27,861	101.50	30,661	111.50	32,817
81.75	24,731	91.75	27,936	101.75	30,724	111.75	32,860
82.00	24,815	92.00	28,012	102.00	30,787	112.00	32,901
82.25	24,899	92.25	28,087	102.25	30,849	112.25	32,942
82.50	24,982	92.50	28,162	102.50	30,911	112.50	32,982
82.75	25,066	92.75	28,237	102.75	30,972	112.75	33,022
83.00	25,149	93.00	28,311	103.00	31,033	113.00	33,061
83.25	25,232	93.25	28,386	103.25	31,094	113.25	33,099
83.50	25,315	93.50	28,459	103.50	31,154	113.50	33,136
83.75	25,397	93.75	28,533	103.75	31,213	113.75	33,172
84.00	25,480	94.00	28,606	104.00	31,273	114.00	33,208
84.25	25,562	94.25	28,680	104.25	31,332	114.25	33,242
84.50	25,644	94.50	28,752	104.50	31,390	114.50	33,276
84.75	25,726	94.75	28,825	104.75	31,448	114.75	33,309
85.00	25,808	95.00	28,897	105.00	31,505	115.00	33,341
85.25	25,890	95.25	28,969	105.25	31,562	115.25	33,372
85.50	25,971	95.50	29,041	105.50	31,619	115.50	33,402
85.75	26,052	95.75	29,112	105.75	31,675	115.75	33,430
86.00	26,133	96.00	29,183	106.00	31,731	116.00	33,458
86.25	26,214	96.25	29,254	106.25	31,786	116.25	33,485
86.50	26,295	96.50	29,324	106.50	31,840	116.50	33,510
86.75	26,375	96.75	29,394	106.75	31,894	116.75	33,535
87.00	26,455	97.00	29,464	107.00	31,948	117.00	33,557
87.25	26,535	97.25	29,533	107.25	32,001	117.25	33,579
87.50	26,615	97.50	29,602	107.50	32,054	117.50	33,599
87.75	26,695	97.75	29,671	107.75	32,106	117.75	33,617
88.00	26,774	98.00	29,740	108.00	32,157	118.00	33,634
88.25	26,853	98.25	29,808	108.25	32,208	118.25	33,649
88.50	26,932	98.50	29,876	108.50	32,259	118.50	33,661
88.75	27,011	98.75	29,943	108.75	32,308	118.75	33,671
89.00	27,089	99.00	30,010	109.00	32,358	119.00	33,676
89.25	27,167	99.25	30,077	109.25	32,406		
89.50	27,245	99.50	30,143	109.50	32,455		
89.75	27,323	99.75	30,209	109.75	32,502		
90.00	27,401	100.00	30,275	110.00	32,549		

