

**OFOX 34742****Gage Table Information**Reporting Marks: **OFOX 34742**

Trinity File Number: 9156

Capacity: 33,738 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 139

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,740	30.25	6,678
0.50	15	10.50	1,420	20.50	3,808	30.50	6,757
0.75	27	10.75	1,471	20.75	3,876	30.75	6,836
1.00	42	11.00	1,522	21.00	3,944	31.00	6,915
1.25	59	11.25	1,573	21.25	4,012	31.25	6,994
1.50	77	11.50	1,625	21.50	4,081	31.50	7,074
1.75	97	11.75	1,678	21.75	4,151	31.75	7,154
2.00	119	12.00	1,731	22.00	4,220	32.00	7,234
2.25	142	12.25	1,785	22.25	4,290	32.25	7,314
2.50	166	12.50	1,839	22.50	4,360	32.50	7,395
2.75	192	12.75	1,894	22.75	4,431	32.75	7,476
3.00	218	13.00	1,949	23.00	4,502	33.00	7,557
3.25	246	13.25	2,005	23.25	4,573	33.25	7,638
3.50	275	13.50	2,061	23.50	4,644	33.50	7,719
3.75	305	13.75	2,118	23.75	4,716	33.75	7,801
4.00	336	14.00	2,175	24.00	4,788	34.00	7,882
4.25	368	14.25	2,232	24.25	4,860	34.25	7,964
4.50	401	14.50	2,290	24.50	4,933	34.50	8,047
4.75	435	14.75	2,349	24.75	5,006	34.75	8,129
5.00	469	15.00	2,408	25.00	5,079	35.00	8,211
5.25	505	15.25	2,467	25.25	5,153	35.25	8,294
5.50	541	15.50	2,527	25.50	5,226	35.50	8,377
5.75	578	15.75	2,587	25.75	5,300	35.75	8,460
6.00	616	16.00	2,648	26.00	5,375	36.00	8,543
6.25	655	16.25	2,709	26.25	5,449	36.25	8,626
6.50	695	16.50	2,771	26.50	5,524	36.50	8,710
6.75	735	16.75	2,833	26.75	5,599	36.75	8,794
7.00	776	17.00	2,895	27.00	5,675	37.00	8,878
7.25	818	17.25	2,958	27.25	5,750	37.25	8,962
7.50	860	17.50	3,021	27.50	5,826	37.50	9,046
7.75	904	17.75	3,084	27.75	5,903	37.75	9,130
8.00	947	18.00	3,148	28.00	5,979	38.00	9,215
8.25	992	18.25	3,212	28.25	6,056	38.25	9,300
8.50	1,037	18.50	3,277	28.50	6,133	38.50	9,384
8.75	1,083	18.75	3,342	28.75	6,210	38.75	9,469
9.00	1,129	19.00	3,408	29.00	6,287	39.00	9,555
9.25	1,176	19.25	3,473	29.25	6,365	39.25	9,640
9.50	1,224	19.50	3,540	29.50	6,443	39.50	9,725
9.75	1,272	19.75	3,606	29.75	6,521	39.75	9,811

**OFOX 34742****Gage Table Information**Reporting Marks: **OFOX 34742**

Trinity File Number: 9156

Capacity: 33,738 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 139

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,982	50.25	13,511	60.25	17,142	70.25	20,766
40.50	10,068	50.50	13,601	60.50	17,234	70.50	20,855
40.75	10,155	50.75	13,691	60.75	17,325	70.75	20,945
41.00	10,241	51.00	13,781	61.00	17,416	71.00	21,034
41.25	10,327	51.25	13,871	61.25	17,507	71.25	21,123
41.50	10,414	51.50	13,961	61.50	17,598	71.50	21,213
41.75	10,501	51.75	14,052	61.75	17,689	71.75	21,302
42.00	10,587	52.00	14,142	62.00	17,780	72.00	21,391
42.25	10,674	52.25	14,232	62.25	17,871	72.25	21,480
42.50	10,761	52.50	14,323	62.50	17,962	72.50	21,569
42.75	10,849	52.75	14,413	62.75	18,053	72.75	21,657
43.00	10,936	53.00	14,504	63.00	18,144	73.00	21,746
43.25	11,023	53.25	14,595	63.25	18,235	73.25	21,835
43.50	11,111	53.50	14,685	63.50	18,326	73.50	21,923
43.75	11,198	53.75	14,776	63.75	18,417	73.75	22,011
44.00	11,286	54.00	14,867	64.00	18,508	74.00	22,100
44.25	11,374	54.25	14,957	64.25	18,599	74.25	22,188
44.50	11,462	54.50	15,048	64.50	18,690	74.50	22,276
44.75	11,550	54.75	15,139	64.75	18,781	74.75	22,364
45.00	11,638	55.00	15,230	65.00	18,871	75.00	22,452
45.25	11,727	55.25	15,321	65.25	18,962	75.25	22,540
45.50	11,815	55.50	15,412	65.50	19,053	75.50	22,627
45.75	11,903	55.75	15,503	65.75	19,143	75.75	22,715
46.00	11,992	56.00	15,594	66.00	19,234	76.00	22,802
46.25	12,081	56.25	15,685	66.25	19,325	76.25	22,889
46.50	12,169	56.50	15,776	66.50	19,415	76.50	22,977
46.75	12,258	56.75	15,867	66.75	19,506	76.75	23,064
47.00	12,347	57.00	15,958	67.00	19,596	77.00	23,151
47.25	12,436	57.25	16,049	67.25	19,686	77.25	23,237
47.50	12,525	57.50	16,140	67.50	19,777	77.50	23,324
47.75	12,615	57.75	16,231	67.75	19,867	77.75	23,411
48.00	12,704	58.00	16,322	68.00	19,957	78.00	23,497
48.25	12,793	58.25	16,413	68.25	20,047	78.25	23,583
48.50	12,883	58.50	16,504	68.50	20,137	78.50	23,670
48.75	12,972	58.75	16,596	68.75	20,227	78.75	23,756
49.00	13,062	59.00	16,687	69.00	20,317	79.00	23,841
49.25	13,151	59.25	16,778	69.25	20,407	79.25	23,927
49.50	13,241	59.50	16,869	69.50	20,497	79.50	24,013
49.75	13,331	59.75	16,960	69.75	20,587	79.75	24,098
50.00	13,421	60.00	17,051	70.00	20,676	80.00	24,183

**OFOX 34742****Gage Table Information**Reporting Marks: **OFOX 34742**

Trinity File Number: 9156

Capacity: 33,738 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 139

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,269	90.25	27,528	100.25	30,396	110.25	32,655
80.50	24,354	90.50	27,605	100.50	30,461	110.50	32,701
80.75	24,438	90.75	27,682	100.75	30,526	110.75	32,746
81.00	24,523	91.00	27,759	101.00	30,590	111.00	32,791
81.25	24,608	91.25	27,835	101.25	30,654	111.25	32,834
81.50	24,692	91.50	27,912	101.50	30,717	111.50	32,878
81.75	24,776	91.75	27,988	101.75	30,780	111.75	32,920
82.00	24,860	92.00	28,063	102.00	30,843	112.00	32,962
82.25	24,944	92.25	28,139	102.25	30,905	112.25	33,003
82.50	25,028	92.50	28,214	102.50	30,967	112.50	33,043
82.75	25,112	92.75	28,289	102.75	31,029	112.75	33,083
83.00	25,195	93.00	28,363	103.00	31,090	113.00	33,122
83.25	25,278	93.25	28,438	103.25	31,151	113.25	33,160
83.50	25,361	93.50	28,512	103.50	31,211	113.50	33,197
83.75	25,444	93.75	28,585	103.75	31,271	113.75	33,233
84.00	25,527	94.00	28,659	104.00	31,330	114.00	33,269
84.25	25,609	94.25	28,732	104.25	31,389	114.25	33,303
84.50	25,691	94.50	28,805	104.50	31,448	114.50	33,337
84.75	25,774	94.75	28,878	104.75	31,506	114.75	33,370
85.00	25,856	95.00	28,950	105.00	31,563	115.00	33,402
85.25	25,937	95.25	29,022	105.25	31,620	115.25	33,433
85.50	26,019	95.50	29,094	105.50	31,677	115.50	33,463
85.75	26,100	95.75	29,165	105.75	31,733	115.75	33,492
86.00	26,181	96.00	29,236	106.00	31,789	116.00	33,520
86.25	26,262	96.25	29,307	106.25	31,844	116.25	33,546
86.50	26,343	96.50	29,378	106.50	31,899	116.50	33,572
86.75	26,424	96.75	29,448	106.75	31,953	116.75	33,596
87.00	26,504	97.00	29,518	107.00	32,007	117.00	33,619
87.25	26,584	97.25	29,587	107.25	32,060	117.25	33,641
87.50	26,664	97.50	29,657	107.50	32,113	117.50	33,661
87.75	26,744	97.75	29,726	107.75	32,165	117.75	33,679
88.00	26,823	98.00	29,794	108.00	32,216	118.00	33,696
88.25	26,902	98.25	29,862	108.25	32,267	118.25	33,711
88.50	26,981	98.50	29,930	108.50	32,318	118.50	33,723
88.75	27,060	98.75	29,998	108.75	32,368	118.75	33,733
89.00	27,139	99.00	30,065	109.00	32,417	119.00	33,738
89.25	27,217	99.25	30,132	109.25	32,466		
89.50	27,295	99.50	30,198	109.50	32,514		
89.75	27,373	99.75	30,265	109.75	32,562		
90.00	27,451	100.00	30,330	110.00	32,609		

