

**OFOX 34743****Gage Table Information**Reporting Marks: **OFOX 34743**

Trinity File Number: 9156

Capacity: 33,699 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 140

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,369	20.25	3,736	30.25	6,670
0.50	15	10.50	1,419	20.50	3,804	30.50	6,749
0.75	28	10.75	1,469	20.75	3,871	30.75	6,828
1.00	42	11.00	1,520	21.00	3,939	31.00	6,907
1.25	59	11.25	1,572	21.25	4,008	31.25	6,987
1.50	77	11.50	1,624	21.50	4,077	31.50	7,066
1.75	97	11.75	1,676	21.75	4,146	31.75	7,146
2.00	119	12.00	1,730	22.00	4,215	32.00	7,226
2.25	142	12.25	1,783	22.25	4,285	32.25	7,306
2.50	166	12.50	1,837	22.50	4,355	32.50	7,387
2.75	192	12.75	1,892	22.75	4,426	32.75	7,467
3.00	218	13.00	1,947	23.00	4,497	33.00	7,548
3.25	246	13.25	2,003	23.25	4,568	33.25	7,629
3.50	275	13.50	2,059	23.50	4,639	33.50	7,710
3.75	305	13.75	2,116	23.75	4,711	33.75	7,792
4.00	336	14.00	2,173	24.00	4,783	34.00	7,874
4.25	368	14.25	2,230	24.25	4,855	34.25	7,955
4.50	401	14.50	2,288	24.50	4,927	34.50	8,037
4.75	434	14.75	2,347	24.75	5,000	34.75	8,120
5.00	469	15.00	2,405	25.00	5,073	35.00	8,202
5.25	505	15.25	2,465	25.25	5,147	35.25	8,285
5.50	541	15.50	2,524	25.50	5,221	35.50	8,367
5.75	578	15.75	2,585	25.75	5,294	35.75	8,450
6.00	616	16.00	2,645	26.00	5,369	36.00	8,533
6.25	655	16.25	2,706	26.25	5,443	36.25	8,617
6.50	694	16.50	2,768	26.50	5,518	36.50	8,700
6.75	735	16.75	2,830	26.75	5,593	36.75	8,784
7.00	776	17.00	2,892	27.00	5,668	37.00	8,868
7.25	817	17.25	2,954	27.25	5,744	37.25	8,952
7.50	860	17.50	3,018	27.50	5,820	37.50	9,036
7.75	903	17.75	3,081	27.75	5,896	37.75	9,120
8.00	947	18.00	3,145	28.00	5,972	38.00	9,204
8.25	991	18.25	3,209	28.25	6,049	38.25	9,289
8.50	1,036	18.50	3,274	28.50	6,126	38.50	9,374
8.75	1,082	18.75	3,339	28.75	6,203	38.75	9,459
9.00	1,128	19.00	3,404	29.00	6,280	39.00	9,544
9.25	1,175	19.25	3,470	29.25	6,358	39.25	9,629
9.50	1,223	19.50	3,536	29.50	6,435	39.50	9,714
9.75	1,271	19.75	3,602	29.75	6,514	39.75	9,800

**OFOX 34743****Gage Table Information**Reporting Marks: **OFOX 34743**

Trinity File Number: 9156

Capacity: 33,699 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 140

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,971	50.25	13,495	60.25	17,123	70.25	20,742
40.50	10,057	50.50	13,585	60.50	17,214	70.50	20,831
40.75	10,143	50.75	13,675	60.75	17,305	70.75	20,921
41.00	10,229	51.00	13,765	61.00	17,396	71.00	21,010
41.25	10,316	51.25	13,855	61.25	17,487	71.25	21,099
41.50	10,402	51.50	13,945	61.50	17,578	71.50	21,188
41.75	10,489	51.75	14,036	61.75	17,669	71.75	21,277
42.00	10,575	52.00	14,126	62.00	17,760	72.00	21,366
42.25	10,662	52.25	14,216	62.25	17,851	72.25	21,455
42.50	10,749	52.50	14,307	62.50	17,942	72.50	21,544
42.75	10,836	52.75	14,397	62.75	18,033	72.75	21,633
43.00	10,923	53.00	14,487	63.00	18,124	73.00	21,721
43.25	11,011	53.25	14,578	63.25	18,214	73.25	21,810
43.50	11,098	53.50	14,668	63.50	18,305	73.50	21,898
43.75	11,186	53.75	14,759	63.75	18,396	73.75	21,986
44.00	11,273	54.00	14,850	64.00	18,487	74.00	22,074
44.25	11,361	54.25	14,940	64.25	18,578	74.25	22,162
44.50	11,449	54.50	15,031	64.50	18,668	74.50	22,250
44.75	11,537	54.75	15,122	64.75	18,759	74.75	22,338
45.00	11,625	55.00	15,212	65.00	18,850	75.00	22,426
45.25	11,713	55.25	15,303	65.25	18,940	75.25	22,514
45.50	11,801	55.50	15,394	65.50	19,031	75.50	22,601
45.75	11,890	55.75	15,485	65.75	19,121	75.75	22,689
46.00	11,978	56.00	15,576	66.00	19,212	76.00	22,776
46.25	12,067	56.25	15,667	66.25	19,302	76.25	22,863
46.50	12,156	56.50	15,758	66.50	19,393	76.50	22,950
46.75	12,244	56.75	15,849	66.75	19,483	76.75	23,037
47.00	12,333	57.00	15,939	67.00	19,573	77.00	23,124
47.25	12,422	57.25	16,030	67.25	19,664	77.25	23,211
47.50	12,511	57.50	16,121	67.50	19,754	77.50	23,297
47.75	12,600	57.75	16,212	67.75	19,844	77.75	23,384
48.00	12,689	58.00	16,303	68.00	19,934	78.00	23,470
48.25	12,779	58.25	16,394	68.25	20,024	78.25	23,556
48.50	12,868	58.50	16,486	68.50	20,114	78.50	23,642
48.75	12,957	58.75	16,577	68.75	20,204	78.75	23,728
49.00	13,047	59.00	16,668	69.00	20,294	79.00	23,814
49.25	13,136	59.25	16,759	69.25	20,384	79.25	23,900
49.50	13,226	59.50	16,850	69.50	20,473	79.50	23,985
49.75	13,316	59.75	16,941	69.75	20,563	79.75	24,070
50.00	13,406	60.00	17,032	70.00	20,653	80.00	24,156

**OFOX 34743****Gage Table Information**Reporting Marks: **OFOX 34743**

Trinity File Number: 9156

Capacity: 33,699 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 140

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,241	90.25	27,497	100.25	30,361	110.25	32,618
80.50	24,326	90.50	27,574	100.50	30,426	110.50	32,663
80.75	24,410	90.75	27,651	100.75	30,490	110.75	32,708
81.00	24,495	91.00	27,727	101.00	30,555	111.00	32,753
81.25	24,579	91.25	27,803	101.25	30,618	111.25	32,797
81.50	24,664	91.50	27,880	101.50	30,682	111.50	32,840
81.75	24,748	91.75	27,955	101.75	30,745	111.75	32,882
82.00	24,832	92.00	28,031	102.00	30,808	112.00	32,924
82.25	24,916	92.25	28,106	102.25	30,870	112.25	32,965
82.50	24,999	92.50	28,181	102.50	30,932	112.50	33,005
82.75	25,083	92.75	28,256	102.75	30,993	112.75	33,045
83.00	25,166	93.00	28,331	103.00	31,054	113.00	33,083
83.25	25,249	93.25	28,405	103.25	31,115	113.25	33,121
83.50	25,332	93.50	28,479	103.50	31,175	113.50	33,158
83.75	25,415	93.75	28,553	103.75	31,235	113.75	33,195
84.00	25,497	94.00	28,626	104.00	31,294	114.00	33,230
84.25	25,580	94.25	28,699	104.25	31,353	114.25	33,265
84.50	25,662	94.50	28,772	104.50	31,411	114.50	33,299
84.75	25,744	94.75	28,844	104.75	31,469	114.75	33,332
85.00	25,826	95.00	28,917	105.00	31,527	115.00	33,363
85.25	25,907	95.25	28,989	105.25	31,584	115.25	33,394
85.50	25,989	95.50	29,060	105.50	31,640	115.50	33,424
85.75	26,070	95.75	29,132	105.75	31,697	115.75	33,453
86.00	26,151	96.00	29,203	106.00	31,752	116.00	33,481
86.25	26,232	96.25	29,274	106.25	31,807	116.25	33,508
86.50	26,313	96.50	29,344	106.50	31,862	116.50	33,533
86.75	26,393	96.75	29,414	106.75	31,916	116.75	33,557
87.00	26,473	97.00	29,484	107.00	31,970	117.00	33,580
87.25	26,553	97.25	29,553	107.25	32,023	117.25	33,602
87.50	26,633	97.50	29,623	107.50	32,076	117.50	33,622
87.75	26,713	97.75	29,691	107.75	32,128	117.75	33,640
88.00	26,792	98.00	29,760	108.00	32,179	118.00	33,657
88.25	26,871	98.25	29,828	108.25	32,230	118.25	33,672
88.50	26,950	98.50	29,896	108.50	32,281	118.50	33,684
88.75	27,029	98.75	29,963	108.75	32,331	118.75	33,694
89.00	27,108	99.00	30,030	109.00	32,380	119.00	33,699
89.25	27,186	99.25	30,097	109.25	32,429		
89.50	27,264	99.50	30,164	109.50	32,477		
89.75	27,342	99.75	30,230	109.75	32,524		
90.00	27,419	100.00	30,295	110.00	32,571		

