

**OFOX 34745****Gage Table Information**Reporting Marks: **OFOX 34745**

Trinity File Number: 9156

Capacity: 33,740 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 142

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,371	20.25	3,741	30.25	6,679
0.50	15	10.50	1,421	20.50	3,808	30.50	6,757
0.75	28	10.75	1,471	20.75	3,876	30.75	6,836
1.00	42	11.00	1,522	21.00	3,944	31.00	6,916
1.25	59	11.25	1,574	21.25	4,013	31.25	6,995
1.50	77	11.50	1,626	21.50	4,082	31.50	7,075
1.75	98	11.75	1,679	21.75	4,151	31.75	7,155
2.00	119	12.00	1,732	22.00	4,221	32.00	7,235
2.25	142	12.25	1,785	22.25	4,291	32.25	7,315
2.50	166	12.50	1,840	22.50	4,361	32.50	7,396
2.75	192	12.75	1,894	22.75	4,431	32.75	7,477
3.00	219	13.00	1,950	23.00	4,502	33.00	7,557
3.25	246	13.25	2,005	23.25	4,573	33.25	7,639
3.50	275	13.50	2,062	23.50	4,645	33.50	7,720
3.75	305	13.75	2,118	23.75	4,716	33.75	7,802
4.00	336	14.00	2,175	24.00	4,789	34.00	7,883
4.25	368	14.25	2,233	24.25	4,861	34.25	7,965
4.50	401	14.50	2,291	24.50	4,934	34.50	8,047
4.75	435	14.75	2,349	24.75	5,006	34.75	8,130
5.00	470	15.00	2,408	25.00	5,080	35.00	8,212
5.25	505	15.25	2,468	25.25	5,153	35.25	8,295
5.50	542	15.50	2,528	25.50	5,227	35.50	8,378
5.75	579	15.75	2,588	25.75	5,301	35.75	8,461
6.00	617	16.00	2,649	26.00	5,375	36.00	8,544
6.25	656	16.25	2,710	26.25	5,450	36.25	8,627
6.50	695	16.50	2,771	26.50	5,525	36.50	8,711
6.75	736	16.75	2,833	26.75	5,600	36.75	8,795
7.00	777	17.00	2,895	27.00	5,675	37.00	8,878
7.25	818	17.25	2,958	27.25	5,751	37.25	8,963
7.50	861	17.50	3,021	27.50	5,827	37.50	9,047
7.75	904	17.75	3,085	27.75	5,903	37.75	9,131
8.00	948	18.00	3,149	28.00	5,980	38.00	9,216
8.25	992	18.25	3,213	28.25	6,056	38.25	9,300
8.50	1,037	18.50	3,278	28.50	6,133	38.50	9,385
8.75	1,083	18.75	3,343	28.75	6,210	38.75	9,470
9.00	1,130	19.00	3,408	29.00	6,288	39.00	9,555
9.25	1,177	19.25	3,474	29.25	6,366	39.25	9,641
9.50	1,224	19.50	3,540	29.50	6,443	39.50	9,726
9.75	1,272	19.75	3,607	29.75	6,522	39.75	9,812

**OFOX 34745****Gage Table Information**Reporting Marks: **OFOX 34745**

Trinity File Number: 9156

Capacity: 33,740 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 142

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,983	50.25	13,512	60.25	17,144	70.25	20,767
40.50	10,069	50.50	13,602	60.50	17,235	70.50	20,857
40.75	10,156	50.75	13,692	60.75	17,326	70.75	20,946
41.00	10,242	51.00	13,782	61.00	17,417	71.00	21,036
41.25	10,328	51.25	13,872	61.25	17,508	71.25	21,125
41.50	10,415	51.50	13,962	61.50	17,599	71.50	21,214
41.75	10,501	51.75	14,053	61.75	17,690	71.75	21,303
42.00	10,588	52.00	14,143	62.00	17,782	72.00	21,392
42.25	10,675	52.25	14,234	62.25	17,873	72.25	21,481
42.50	10,762	52.50	14,324	62.50	17,964	72.50	21,570
42.75	10,849	52.75	14,415	62.75	18,055	72.75	21,659
43.00	10,937	53.00	14,505	63.00	18,146	73.00	21,747
43.25	11,024	53.25	14,596	63.25	18,237	73.25	21,836
43.50	11,112	53.50	14,686	63.50	18,328	73.50	21,925
43.75	11,199	53.75	14,777	63.75	18,418	73.75	22,013
44.00	11,287	54.00	14,868	64.00	18,509	74.00	22,101
44.25	11,375	54.25	14,958	64.25	18,600	74.25	22,189
44.50	11,463	54.50	15,049	64.50	18,691	74.50	22,277
44.75	11,551	54.75	15,140	64.75	18,782	74.75	22,365
45.00	11,639	55.00	15,231	65.00	18,873	75.00	22,453
45.25	11,727	55.25	15,322	65.25	18,963	75.25	22,541
45.50	11,816	55.50	15,413	65.50	19,054	75.50	22,629
45.75	11,904	55.75	15,504	65.75	19,145	75.75	22,716
46.00	11,993	56.00	15,595	66.00	19,235	76.00	22,804
46.25	12,082	56.25	15,686	66.25	19,326	76.25	22,891
46.50	12,170	56.50	15,777	66.50	19,416	76.50	22,978
46.75	12,259	56.75	15,868	66.75	19,507	76.75	23,065
47.00	12,348	57.00	15,959	67.00	19,597	77.00	23,152
47.25	12,437	57.25	16,050	67.25	19,688	77.25	23,239
47.50	12,526	57.50	16,141	67.50	19,778	77.50	23,326
47.75	12,616	57.75	16,232	67.75	19,868	77.75	23,412
48.00	12,705	58.00	16,323	68.00	19,958	78.00	23,499
48.25	12,794	58.25	16,414	68.25	20,048	78.25	23,585
48.50	12,884	58.50	16,506	68.50	20,139	78.50	23,671
48.75	12,973	58.75	16,597	68.75	20,229	78.75	23,757
49.00	13,063	59.00	16,688	69.00	20,318	79.00	23,843
49.25	13,152	59.25	16,779	69.25	20,408	79.25	23,929
49.50	13,242	59.50	16,870	69.50	20,498	79.50	24,014
49.75	13,332	59.75	16,961	69.75	20,588	79.75	24,100
50.00	13,422	60.00	17,053	70.00	20,678	80.00	24,185

**OFOX 34745****Gage Table Information**Reporting Marks: **OFOX 34745**

Trinity File Number: 9156

Capacity: 33,740 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 142

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,270	90.25	27,530	100.25	30,398	110.25	32,657
80.50	24,355	90.50	27,607	100.50	30,463	110.50	32,703
80.75	24,440	90.75	27,684	100.75	30,527	110.75	32,748
81.00	24,525	91.00	27,761	101.00	30,592	111.00	32,793
81.25	24,609	91.25	27,837	101.25	30,656	111.25	32,836
81.50	24,694	91.50	27,913	101.50	30,719	111.50	32,880
81.75	24,778	91.75	27,989	101.75	30,782	111.75	32,922
82.00	24,862	92.00	28,065	102.00	30,845	112.00	32,964
82.25	24,946	92.25	28,140	102.25	30,907	112.25	33,005
82.50	25,030	92.50	28,216	102.50	30,969	112.50	33,045
82.75	25,113	92.75	28,290	102.75	31,031	112.75	33,085
83.00	25,196	93.00	28,365	103.00	31,092	113.00	33,123
83.25	25,280	93.25	28,439	103.25	31,153	113.25	33,162
83.50	25,363	93.50	28,513	103.50	31,213	113.50	33,199
83.75	25,446	93.75	28,587	103.75	31,273	113.75	33,235
84.00	25,528	94.00	28,661	104.00	31,332	114.00	33,271
84.25	25,611	94.25	28,734	104.25	31,391	114.25	33,305
84.50	25,693	94.50	28,807	104.50	31,449	114.50	33,339
84.75	25,775	94.75	28,879	104.75	31,507	114.75	33,372
85.00	25,857	95.00	28,952	105.00	31,565	115.00	33,404
85.25	25,939	95.25	29,024	105.25	31,622	115.25	33,435
85.50	26,020	95.50	29,096	105.50	31,679	115.50	33,465
85.75	26,102	95.75	29,167	105.75	31,735	115.75	33,494
86.00	26,183	96.00	29,238	106.00	31,791	116.00	33,522
86.25	26,264	96.25	29,309	106.25	31,846	116.25	33,548
86.50	26,345	96.50	29,380	106.50	31,901	116.50	33,574
86.75	26,425	96.75	29,450	106.75	31,955	116.75	33,598
87.00	26,506	97.00	29,520	107.00	32,009	117.00	33,621
87.25	26,586	97.25	29,589	107.25	32,062	117.25	33,643
87.50	26,666	97.50	29,659	107.50	32,115	117.50	33,663
87.75	26,745	97.75	29,727	107.75	32,167	117.75	33,681
88.00	26,825	98.00	29,796	108.00	32,218	118.00	33,698
88.25	26,904	98.25	29,864	108.25	32,269	118.25	33,713
88.50	26,983	98.50	29,932	108.50	32,320	118.50	33,725
88.75	27,062	98.75	30,000	108.75	32,370	118.75	33,735
89.00	27,140	99.00	30,067	109.00	32,419	119.00	33,740
89.25	27,219	99.25	30,134	109.25	32,468		
89.50	27,297	99.50	30,200	109.50	32,516		
89.75	27,375	99.75	30,266	109.75	32,564		
90.00	27,453	100.00	30,332	110.00	32,611		

