

**OFOX 34746****Gage Table Information**Reporting Marks: **OFOX 34746**

Trinity File Number: 9156

Capacity: 33,698 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 143

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,736	30.25	6,670
0.50	15	10.50	1,418	20.50	3,803	30.50	6,749
0.75	27	10.75	1,469	20.75	3,871	30.75	6,828
1.00	42	11.00	1,520	21.00	3,939	31.00	6,907
1.25	59	11.25	1,571	21.25	4,008	31.25	6,986
1.50	77	11.50	1,624	21.50	4,076	31.50	7,066
1.75	97	11.75	1,676	21.75	4,146	31.75	7,146
2.00	119	12.00	1,729	22.00	4,215	32.00	7,226
2.25	142	12.25	1,783	22.25	4,285	32.25	7,306
2.50	166	12.50	1,837	22.50	4,355	32.50	7,386
2.75	191	12.75	1,892	22.75	4,425	32.75	7,467
3.00	218	13.00	1,947	23.00	4,496	33.00	7,548
3.25	246	13.25	2,003	23.25	4,567	33.25	7,629
3.50	275	13.50	2,059	23.50	4,639	33.50	7,710
3.75	305	13.75	2,115	23.75	4,710	33.75	7,792
4.00	336	14.00	2,172	24.00	4,782	34.00	7,873
4.25	368	14.25	2,230	24.25	4,855	34.25	7,955
4.50	400	14.50	2,288	24.50	4,927	34.50	8,037
4.75	434	14.75	2,346	24.75	5,000	34.75	8,119
5.00	469	15.00	2,405	25.00	5,073	35.00	8,202
5.25	504	15.25	2,464	25.25	5,146	35.25	8,284
5.50	541	15.50	2,524	25.50	5,220	35.50	8,367
5.75	578	15.75	2,584	25.75	5,294	35.75	8,450
6.00	616	16.00	2,645	26.00	5,368	36.00	8,533
6.25	655	16.25	2,706	26.25	5,443	36.25	8,616
6.50	694	16.50	2,767	26.50	5,518	36.50	8,700
6.75	734	16.75	2,829	26.75	5,593	36.75	8,783
7.00	775	17.00	2,891	27.00	5,668	37.00	8,867
7.25	817	17.25	2,954	27.25	5,744	37.25	8,951
7.50	859	17.50	3,017	27.50	5,819	37.50	9,035
7.75	903	17.75	3,081	27.75	5,896	37.75	9,119
8.00	946	18.00	3,144	28.00	5,972	38.00	9,204
8.25	991	18.25	3,209	28.25	6,048	38.25	9,289
8.50	1,036	18.50	3,273	28.50	6,125	38.50	9,373
8.75	1,082	18.75	3,338	28.75	6,202	38.75	9,458
9.00	1,128	19.00	3,404	29.00	6,280	39.00	9,543
9.25	1,175	19.25	3,469	29.25	6,357	39.25	9,628
9.50	1,222	19.50	3,535	29.50	6,435	39.50	9,714
9.75	1,271	19.75	3,602	29.75	6,513	39.75	9,799

**OFOX 34746****Gage Table Information**Reporting Marks: **OFOX 34746**

Trinity File Number: 9156

Capacity: 33,698 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 143

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,971	50.25	13,495	60.25	17,122	70.25	20,741
40.50	10,057	50.50	13,585	60.50	17,213	70.50	20,831
40.75	10,143	50.75	13,675	60.75	17,304	70.75	20,920
41.00	10,229	51.00	13,765	61.00	17,395	71.00	21,009
41.25	10,315	51.25	13,855	61.25	17,486	71.25	21,098
41.50	10,402	51.50	13,945	61.50	17,577	71.50	21,188
41.75	10,488	51.75	14,035	61.75	17,668	71.75	21,277
42.00	10,575	52.00	14,125	62.00	17,759	72.00	21,366
42.25	10,662	52.25	14,216	62.25	17,850	72.25	21,454
42.50	10,749	52.50	14,306	62.50	17,941	72.50	21,543
42.75	10,836	52.75	14,396	62.75	18,032	72.75	21,632
43.00	10,923	53.00	14,487	63.00	18,123	73.00	21,720
43.25	11,010	53.25	14,577	63.25	18,214	73.25	21,809
43.50	11,098	53.50	14,668	63.50	18,305	73.50	21,897
43.75	11,185	53.75	14,758	63.75	18,395	73.75	21,985
44.00	11,273	54.00	14,849	64.00	18,486	74.00	22,074
44.25	11,361	54.25	14,940	64.25	18,577	74.25	22,162
44.50	11,448	54.50	15,030	64.50	18,668	74.50	22,250
44.75	11,536	54.75	15,121	64.75	18,758	74.75	22,338
45.00	11,624	55.00	15,212	65.00	18,849	75.00	22,425
45.25	11,713	55.25	15,303	65.25	18,940	75.25	22,513
45.50	11,801	55.50	15,393	65.50	19,030	75.50	22,601
45.75	11,889	55.75	15,484	65.75	19,121	75.75	22,688
46.00	11,978	56.00	15,575	66.00	19,211	76.00	22,775
46.25	12,066	56.25	15,666	66.25	19,302	76.25	22,862
46.50	12,155	56.50	15,757	66.50	19,392	76.50	22,949
46.75	12,244	56.75	15,848	66.75	19,482	76.75	23,036
47.00	12,333	57.00	15,939	67.00	19,573	77.00	23,123
47.25	12,422	57.25	16,030	67.25	19,663	77.25	23,210
47.50	12,511	57.50	16,121	67.50	19,753	77.50	23,297
47.75	12,600	57.75	16,212	67.75	19,843	77.75	23,383
48.00	12,689	58.00	16,303	68.00	19,933	78.00	23,469
48.25	12,778	58.25	16,394	68.25	20,023	78.25	23,555
48.50	12,867	58.50	16,485	68.50	20,113	78.50	23,642
48.75	12,957	58.75	16,576	68.75	20,203	78.75	23,727
49.00	13,046	59.00	16,667	69.00	20,293	79.00	23,813
49.25	13,136	59.25	16,758	69.25	20,383	79.25	23,899
49.50	13,226	59.50	16,849	69.50	20,473	79.50	23,984
49.75	13,315	59.75	16,940	69.75	20,562	79.75	24,070
50.00	13,405	60.00	17,031	70.00	20,652	80.00	24,155

**OFOX 34746****Gage Table Information**Reporting Marks: **OFOX 34746**

Trinity File Number: 9156

Capacity: 33,698 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 143

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,240	90.25	27,496	100.25	30,360	110.25	32,617
80.50	24,325	90.50	27,573	100.50	30,425	110.50	32,662
80.75	24,410	90.75	27,650	100.75	30,489	110.75	32,707
81.00	24,494	91.00	27,726	101.00	30,554	111.00	32,752
81.25	24,579	91.25	27,803	101.25	30,617	111.25	32,796
81.50	24,663	91.50	27,879	101.50	30,681	111.50	32,839
81.75	24,747	91.75	27,954	101.75	30,744	111.75	32,881
82.00	24,831	92.00	28,030	102.00	30,807	112.00	32,923
82.25	24,915	92.25	28,105	102.25	30,869	112.25	32,964
82.50	24,998	92.50	28,180	102.50	30,931	112.50	33,004
82.75	25,082	92.75	28,255	102.75	30,992	112.75	33,044
83.00	25,165	93.00	28,330	103.00	31,053	113.00	33,082
83.25	25,248	93.25	28,404	103.25	31,114	113.25	33,120
83.50	25,331	93.50	28,478	103.50	31,174	113.50	33,157
83.75	25,414	93.75	28,552	103.75	31,234	113.75	33,194
84.00	25,497	94.00	28,625	104.00	31,293	114.00	33,229
84.25	25,579	94.25	28,698	104.25	31,352	114.25	33,264
84.50	25,661	94.50	28,771	104.50	31,410	114.50	33,298
84.75	25,743	94.75	28,844	104.75	31,468	114.75	33,331
85.00	25,825	95.00	28,916	105.00	31,526	115.00	33,362
85.25	25,907	95.25	28,988	105.25	31,583	115.25	33,393
85.50	25,988	95.50	29,059	105.50	31,639	115.50	33,423
85.75	26,069	95.75	29,131	105.75	31,696	115.75	33,452
86.00	26,150	96.00	29,202	106.00	31,751	116.00	33,480
86.25	26,231	96.25	29,273	106.25	31,806	116.25	33,507
86.50	26,312	96.50	29,343	106.50	31,861	116.50	33,532
86.75	26,392	96.75	29,413	106.75	31,915	116.75	33,556
87.00	26,473	97.00	29,483	107.00	31,969	117.00	33,579
87.25	26,553	97.25	29,552	107.25	32,022	117.25	33,601
87.50	26,632	97.50	29,622	107.50	32,075	117.50	33,621
87.75	26,712	97.75	29,690	107.75	32,127	117.75	33,639
88.00	26,791	98.00	29,759	108.00	32,178	118.00	33,656
88.25	26,871	98.25	29,827	108.25	32,229	118.25	33,671
88.50	26,950	98.50	29,895	108.50	32,280	118.50	33,683
88.75	27,028	98.75	29,962	108.75	32,330	118.75	33,693
89.00	27,107	99.00	30,030	109.00	32,379	119.00	33,698
89.25	27,185	99.25	30,096	109.25	32,428		
89.50	27,263	99.50	30,163	109.50	32,476		
89.75	27,341	99.75	30,229	109.75	32,523		
90.00	27,418	100.00	30,295	110.00	32,570		

