

**OFOX 34747****Gage Table Information**Reporting Marks: **OFOX 34747**

Trinity File Number: 9156

Capacity: 33,745 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 144

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,741	30.25	6,679
0.50	15	10.50	1,420	20.50	3,808	30.50	6,758
0.75	27	10.75	1,471	20.75	3,876	30.75	6,837
1.00	42	11.00	1,522	21.00	3,944	31.00	6,916
1.25	58	11.25	1,573	21.25	4,013	31.25	6,996
1.50	77	11.50	1,626	21.50	4,082	31.50	7,075
1.75	97	11.75	1,678	21.75	4,151	31.75	7,155
2.00	119	12.00	1,731	22.00	4,221	32.00	7,236
2.25	142	12.25	1,785	22.25	4,291	32.25	7,316
2.50	166	12.50	1,839	22.50	4,361	32.50	7,396
2.75	191	12.75	1,894	22.75	4,431	32.75	7,477
3.00	218	13.00	1,949	23.00	4,502	33.00	7,558
3.25	246	13.25	2,005	23.25	4,573	33.25	7,639
3.50	275	13.50	2,061	23.50	4,645	33.50	7,721
3.75	305	13.75	2,118	23.75	4,717	33.75	7,802
4.00	336	14.00	2,175	24.00	4,789	34.00	7,884
4.25	368	14.25	2,233	24.25	4,861	34.25	7,966
4.50	401	14.50	2,291	24.50	4,934	34.50	8,048
4.75	435	14.75	2,349	24.75	5,007	34.75	8,130
5.00	469	15.00	2,408	25.00	5,080	35.00	8,213
5.25	505	15.25	2,468	25.25	5,154	35.25	8,296
5.50	541	15.50	2,527	25.50	5,227	35.50	8,378
5.75	578	15.75	2,588	25.75	5,301	35.75	8,462
6.00	616	16.00	2,648	26.00	5,376	36.00	8,545
6.25	655	16.25	2,710	26.25	5,450	36.25	8,628
6.50	695	16.50	2,771	26.50	5,525	36.50	8,712
6.75	735	16.75	2,833	26.75	5,600	36.75	8,795
7.00	776	17.00	2,895	27.00	5,676	37.00	8,879
7.25	818	17.25	2,958	27.25	5,752	37.25	8,963
7.50	860	17.50	3,021	27.50	5,827	37.50	9,048
7.75	904	17.75	3,085	27.75	5,904	37.75	9,132
8.00	947	18.00	3,149	28.00	5,980	38.00	9,217
8.25	992	18.25	3,213	28.25	6,057	38.25	9,301
8.50	1,037	18.50	3,278	28.50	6,134	38.50	9,386
8.75	1,083	18.75	3,343	28.75	6,211	38.75	9,471
9.00	1,129	19.00	3,408	29.00	6,288	39.00	9,556
9.25	1,176	19.25	3,474	29.25	6,366	39.25	9,642
9.50	1,224	19.50	3,540	29.50	6,444	39.50	9,727
9.75	1,272	19.75	3,607	29.75	6,522	39.75	9,813

**OFOX 34747****Gage Table Information**Reporting Marks: **OFOX 34747**

Trinity File Number: 9156

Capacity: 33,745 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 144

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,984	50.25	13,514	60.25	17,146	70.25	20,770
40.50	10,070	50.50	13,604	60.50	17,237	70.50	20,860
40.75	10,157	50.75	13,694	60.75	17,328	70.75	20,949
41.00	10,243	51.00	13,784	61.00	17,419	71.00	21,038
41.25	10,329	51.25	13,874	61.25	17,511	71.25	21,128
41.50	10,416	51.50	13,964	61.50	17,602	71.50	21,217
41.75	10,503	51.75	14,055	61.75	17,693	71.75	21,306
42.00	10,589	52.00	14,145	62.00	17,784	72.00	21,395
42.25	10,676	52.25	14,235	62.25	17,875	72.25	21,484
42.50	10,764	52.50	14,326	62.50	17,966	72.50	21,573
42.75	10,851	52.75	14,416	62.75	18,057	72.75	21,662
43.00	10,938	53.00	14,507	63.00	18,148	73.00	21,750
43.25	11,025	53.25	14,598	63.25	18,239	73.25	21,839
43.50	11,113	53.50	14,688	63.50	18,330	73.50	21,928
43.75	11,201	53.75	14,779	63.75	18,421	73.75	22,016
44.00	11,288	54.00	14,870	64.00	18,512	74.00	22,104
44.25	11,376	54.25	14,960	64.25	18,603	74.25	22,192
44.50	11,464	54.50	15,051	64.50	18,694	74.50	22,281
44.75	11,552	54.75	15,142	64.75	18,784	74.75	22,369
45.00	11,641	55.00	15,233	65.00	18,875	75.00	22,456
45.25	11,729	55.25	15,324	65.25	18,966	75.25	22,544
45.50	11,817	55.50	15,415	65.50	19,057	75.50	22,632
45.75	11,906	55.75	15,506	65.75	19,147	75.75	22,719
46.00	11,994	56.00	15,597	66.00	19,238	76.00	22,807
46.25	12,083	56.25	15,688	66.25	19,328	76.25	22,894
46.50	12,172	56.50	15,779	66.50	19,419	76.50	22,981
46.75	12,261	56.75	15,870	66.75	19,509	76.75	23,068
47.00	12,350	57.00	15,961	67.00	19,600	77.00	23,155
47.25	12,439	57.25	16,052	67.25	19,690	77.25	23,242
47.50	12,528	57.50	16,143	67.50	19,781	77.50	23,329
47.75	12,617	57.75	16,234	67.75	19,871	77.75	23,415
48.00	12,706	58.00	16,325	68.00	19,961	78.00	23,502
48.25	12,796	58.25	16,417	68.25	20,051	78.25	23,588
48.50	12,885	58.50	16,508	68.50	20,141	78.50	23,674
48.75	12,975	58.75	16,599	68.75	20,231	78.75	23,760
49.00	13,064	59.00	16,690	69.00	20,321	79.00	23,846
49.25	13,154	59.25	16,781	69.25	20,411	79.25	23,932
49.50	13,244	59.50	16,872	69.50	20,501	79.50	24,018
49.75	13,334	59.75	16,964	69.75	20,591	79.75	24,103
50.00	13,424	60.00	17,055	70.00	20,680	80.00	24,188

**OFOX 34747****Gage Table Information**Reporting Marks: **OFOX 34747**

Trinity File Number: 9156

Capacity: 33,745 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 144

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,274	90.25	27,534	100.25	30,402	110.25	32,662
80.50	24,359	90.50	27,611	100.50	30,467	110.50	32,708
80.75	24,443	90.75	27,688	100.75	30,532	110.75	32,753
81.00	24,528	91.00	27,765	101.00	30,596	111.00	32,797
81.25	24,613	91.25	27,841	101.25	30,660	111.25	32,841
81.50	24,697	91.50	27,917	101.50	30,724	111.50	32,884
81.75	24,781	91.75	27,993	101.75	30,787	111.75	32,927
82.00	24,865	92.00	28,069	102.00	30,849	112.00	32,969
82.25	24,949	92.25	28,144	102.25	30,912	112.25	33,010
82.50	25,033	92.50	28,220	102.50	30,974	112.50	33,050
82.75	25,117	92.75	28,294	102.75	31,035	112.75	33,090
83.00	25,200	93.00	28,369	103.00	31,096	113.00	33,128
83.25	25,283	93.25	28,443	103.25	31,157	113.25	33,166
83.50	25,366	93.50	28,518	103.50	31,217	113.50	33,204
83.75	25,449	93.75	28,591	103.75	31,277	113.75	33,240
84.00	25,532	94.00	28,665	104.00	31,337	114.00	33,276
84.25	25,614	94.25	28,738	104.25	31,396	114.25	33,310
84.50	25,697	94.50	28,811	104.50	31,454	114.50	33,344
84.75	25,779	94.75	28,884	104.75	31,512	114.75	33,377
85.00	25,861	95.00	28,956	105.00	31,570	115.00	33,409
85.25	25,943	95.25	29,028	105.25	31,627	115.25	33,440
85.50	26,024	95.50	29,100	105.50	31,684	115.50	33,470
85.75	26,106	95.75	29,171	105.75	31,740	115.75	33,499
86.00	26,187	96.00	29,242	106.00	31,795	116.00	33,527
86.25	26,268	96.25	29,313	106.25	31,851	116.25	33,553
86.50	26,348	96.50	29,384	106.50	31,905	116.50	33,579
86.75	26,429	96.75	29,454	106.75	31,960	116.75	33,603
87.00	26,509	97.00	29,524	107.00	32,013	117.00	33,626
87.25	26,589	97.25	29,594	107.25	32,067	117.25	33,648
87.50	26,669	97.50	29,663	107.50	32,119	117.50	33,668
87.75	26,749	97.75	29,732	107.75	32,171	117.75	33,686
88.00	26,829	98.00	29,800	108.00	32,223	118.00	33,703
88.25	26,908	98.25	29,869	108.25	32,274	118.25	33,718
88.50	26,987	98.50	29,937	108.50	32,325	118.50	33,730
88.75	27,066	98.75	30,004	108.75	32,375	118.75	33,740
89.00	27,144	99.00	30,071	109.00	32,424	119.00	33,745
89.25	27,223	99.25	30,138	109.25	32,473		
89.50	27,301	99.50	30,205	109.50	32,521		
89.75	27,379	99.75	30,271	109.75	32,569		
90.00	27,456	100.00	30,337	110.00	32,616		

