

**OFOX 34748****Gage Table Information**Reporting Marks: **OFOX 34748**

Trinity File Number: 9156

Capacity: 33,722 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 145

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,738	30.25	6,675
0.50	15	10.50	1,420	20.50	3,806	30.50	6,754
0.75	27	10.75	1,470	20.75	3,874	30.75	6,833
1.00	42	11.00	1,521	21.00	3,942	31.00	6,912
1.25	59	11.25	1,573	21.25	4,011	31.25	6,991
1.50	77	11.50	1,625	21.50	4,080	31.50	7,071
1.75	97	11.75	1,677	21.75	4,149	31.75	7,151
2.00	119	12.00	1,731	22.00	4,218	32.00	7,231
2.25	142	12.25	1,784	22.25	4,288	32.25	7,311
2.50	166	12.50	1,839	22.50	4,358	32.50	7,392
2.75	192	12.75	1,893	22.75	4,429	32.75	7,472
3.00	218	13.00	1,948	23.00	4,500	33.00	7,553
3.25	246	13.25	2,004	23.25	4,571	33.25	7,634
3.50	275	13.50	2,060	23.50	4,642	33.50	7,716
3.75	305	13.75	2,117	23.75	4,714	33.75	7,797
4.00	336	14.00	2,174	24.00	4,786	34.00	7,879
4.25	368	14.25	2,232	24.25	4,858	34.25	7,961
4.50	401	14.50	2,290	24.50	4,931	34.50	8,043
4.75	435	14.75	2,348	24.75	5,004	34.75	8,125
5.00	469	15.00	2,407	25.00	5,077	35.00	8,208
5.25	505	15.25	2,466	25.25	5,150	35.25	8,290
5.50	541	15.50	2,526	25.50	5,224	35.50	8,373
5.75	578	15.75	2,586	25.75	5,298	35.75	8,456
6.00	616	16.00	2,647	26.00	5,372	36.00	8,539
6.25	655	16.25	2,708	26.25	5,447	36.25	8,623
6.50	695	16.50	2,770	26.50	5,522	36.50	8,706
6.75	735	16.75	2,831	26.75	5,597	36.75	8,790
7.00	776	17.00	2,894	27.00	5,672	37.00	8,874
7.25	818	17.25	2,956	27.25	5,748	37.25	8,958
7.50	860	17.50	3,019	27.50	5,824	37.50	9,042
7.75	903	17.75	3,083	27.75	5,900	37.75	9,126
8.00	947	18.00	3,147	28.00	5,976	38.00	9,211
8.25	992	18.25	3,211	28.25	6,053	38.25	9,295
8.50	1,037	18.50	3,276	28.50	6,130	38.50	9,380
8.75	1,082	18.75	3,341	28.75	6,207	38.75	9,465
9.00	1,129	19.00	3,406	29.00	6,284	39.00	9,550
9.25	1,176	19.25	3,472	29.25	6,362	39.25	9,635
9.50	1,223	19.50	3,538	29.50	6,440	39.50	9,721
9.75	1,272	19.75	3,604	29.75	6,518	39.75	9,806

**OFOX 34748****Gage Table Information**Reporting Marks: **OFOX 34748**

Trinity File Number: 9156

Capacity: 33,722 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 145

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,978	50.25	13,505	60.25	17,134	70.25	20,756
40.50	10,064	50.50	13,594	60.50	17,226	70.50	20,846
40.75	10,150	50.75	13,684	60.75	17,317	70.75	20,935
41.00	10,236	51.00	13,775	61.00	17,408	71.00	21,024
41.25	10,323	51.25	13,865	61.25	17,499	71.25	21,114
41.50	10,409	51.50	13,955	61.50	17,590	71.50	21,203
41.75	10,496	51.75	14,045	61.75	17,681	71.75	21,292
42.00	10,582	52.00	14,136	62.00	17,772	72.00	21,381
42.25	10,669	52.25	14,226	62.25	17,863	72.25	21,470
42.50	10,756	52.50	14,316	62.50	17,954	72.50	21,558
42.75	10,844	52.75	14,407	62.75	18,045	72.75	21,647
43.00	10,931	53.00	14,497	63.00	18,136	73.00	21,736
43.25	11,018	53.25	14,588	63.25	18,227	73.25	21,824
43.50	11,106	53.50	14,678	63.50	18,318	73.50	21,913
43.75	11,193	53.75	14,769	63.75	18,409	73.75	22,001
44.00	11,281	54.00	14,860	64.00	18,499	74.00	22,089
44.25	11,369	54.25	14,950	64.25	18,590	74.25	22,178
44.50	11,457	54.50	15,041	64.50	18,681	74.50	22,266
44.75	11,545	54.75	15,132	64.75	18,772	74.75	22,353
45.00	11,633	55.00	15,223	65.00	18,863	75.00	22,441
45.25	11,721	55.25	15,314	65.25	18,953	75.25	22,529
45.50	11,809	55.50	15,404	65.50	19,044	75.50	22,617
45.75	11,898	55.75	15,495	65.75	19,134	75.75	22,704
46.00	11,986	56.00	15,586	66.00	19,225	76.00	22,791
46.25	12,075	56.25	15,677	66.25	19,315	76.25	22,879
46.50	12,164	56.50	15,768	66.50	19,406	76.50	22,966
46.75	12,253	56.75	15,859	66.75	19,496	76.75	23,053
47.00	12,341	57.00	15,950	67.00	19,587	77.00	23,140
47.25	12,430	57.25	16,041	67.25	19,677	77.25	23,226
47.50	12,520	57.50	16,132	67.50	19,767	77.50	23,313
47.75	12,609	57.75	16,223	67.75	19,857	77.75	23,400
48.00	12,698	58.00	16,315	68.00	19,948	78.00	23,486
48.25	12,787	58.25	16,406	68.25	20,038	78.25	23,572
48.50	12,877	58.50	16,497	68.50	20,128	78.50	23,658
48.75	12,966	58.75	16,588	68.75	20,218	78.75	23,744
49.00	13,056	59.00	16,679	69.00	20,308	79.00	23,830
49.25	13,145	59.25	16,770	69.25	20,397	79.25	23,916
49.50	13,235	59.50	16,861	69.50	20,487	79.50	24,001
49.75	13,325	59.75	16,952	69.75	20,577	79.75	24,087
50.00	13,415	60.00	17,043	70.00	20,667	80.00	24,172

**OFOX 34748****Gage Table Information**Reporting Marks: **OFOX 34748**

Trinity File Number: 9156

Capacity: 33,722 Gallons

Tare Weight: 100,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 145

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,257	90.25	27,515	100.25	30,381	110.25	32,640
80.50	24,342	90.50	27,592	100.50	30,446	110.50	32,686
80.75	24,427	90.75	27,669	100.75	30,511	110.75	32,731
81.00	24,512	91.00	27,746	101.00	30,575	111.00	32,775
81.25	24,596	91.25	27,822	101.25	30,639	111.25	32,819
81.50	24,680	91.50	27,898	101.50	30,703	111.50	32,862
81.75	24,765	91.75	27,974	101.75	30,766	111.75	32,904
82.00	24,849	92.00	28,050	102.00	30,829	112.00	32,946
82.25	24,933	92.25	28,125	102.25	30,891	112.25	32,987
82.50	25,016	92.50	28,200	102.50	30,953	112.50	33,028
82.75	25,100	92.75	28,275	102.75	31,014	112.75	33,067
83.00	25,183	93.00	28,350	103.00	31,075	113.00	33,106
83.25	25,266	93.25	28,424	103.25	31,136	113.25	33,144
83.50	25,349	93.50	28,498	103.50	31,196	113.50	33,181
83.75	25,432	93.75	28,572	103.75	31,256	113.75	33,217
84.00	25,515	94.00	28,645	104.00	31,315	114.00	33,253
84.25	25,597	94.25	28,719	104.25	31,374	114.25	33,288
84.50	25,679	94.50	28,791	104.50	31,433	114.50	33,321
84.75	25,761	94.75	28,864	104.75	31,491	114.75	33,354
85.00	25,843	95.00	28,936	105.00	31,548	115.00	33,386
85.25	25,925	95.25	29,008	105.25	31,605	115.25	33,417
85.50	26,007	95.50	29,080	105.50	31,662	115.50	33,447
85.75	26,088	95.75	29,152	105.75	31,718	115.75	33,476
86.00	26,169	96.00	29,223	106.00	31,774	116.00	33,504
86.25	26,250	96.25	29,293	106.25	31,829	116.25	33,531
86.50	26,331	96.50	29,364	106.50	31,884	116.50	33,556
86.75	26,411	96.75	29,434	106.75	31,938	116.75	33,580
87.00	26,491	97.00	29,504	107.00	31,992	117.00	33,603
87.25	26,571	97.25	29,574	107.25	32,045	117.25	33,625
87.50	26,651	97.50	29,643	107.50	32,097	117.50	33,645
87.75	26,731	97.75	29,712	107.75	32,150	117.75	33,663
88.00	26,810	98.00	29,780	108.00	32,201	118.00	33,680
88.25	26,890	98.25	29,848	108.25	32,252	118.25	33,695
88.50	26,969	98.50	29,916	108.50	32,303	118.50	33,707
88.75	27,047	98.75	29,984	108.75	32,353	118.75	33,717
89.00	27,126	99.00	30,051	109.00	32,402	119.00	33,722
89.25	27,204	99.25	30,118	109.25	32,451		
89.50	27,282	99.50	30,184	109.50	32,499		
89.75	27,360	99.75	30,250	109.75	32,546		
90.00	27,438	100.00	30,316	110.00	32,593		

