

**OFOX 34749****Gage Table Information**Reporting Marks: **OFOX 34749**

Trinity File Number: 9156

Capacity: 33,736 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 146

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,740	30.25	6,677
0.50	14	10.50	1,420	20.50	3,807	30.50	6,756
0.75	27	10.75	1,470	20.75	3,875	30.75	6,835
1.00	42	11.00	1,521	21.00	3,943	31.00	6,914
1.25	58	11.25	1,573	21.25	4,012	31.25	6,994
1.50	77	11.50	1,625	21.50	4,081	31.50	7,073
1.75	97	11.75	1,678	21.75	4,150	31.75	7,153
2.00	118	12.00	1,731	22.00	4,220	32.00	7,233
2.25	141	12.25	1,785	22.25	4,289	32.25	7,314
2.50	166	12.50	1,839	22.50	4,360	32.50	7,394
2.75	191	12.75	1,893	22.75	4,430	32.75	7,475
3.00	218	13.00	1,949	23.00	4,501	33.00	7,556
3.25	246	13.25	2,004	23.25	4,572	33.25	7,637
3.50	275	13.50	2,061	23.50	4,644	33.50	7,718
3.75	305	13.75	2,117	23.75	4,715	33.75	7,800
4.00	336	14.00	2,174	24.00	4,787	34.00	7,882
4.25	368	14.25	2,232	24.25	4,860	34.25	7,964
4.50	400	14.50	2,290	24.50	4,932	34.50	8,046
4.75	434	14.75	2,348	24.75	5,005	34.75	8,128
5.00	469	15.00	2,407	25.00	5,078	35.00	8,211
5.25	504	15.25	2,467	25.25	5,152	35.25	8,293
5.50	541	15.50	2,527	25.50	5,226	35.50	8,376
5.75	578	15.75	2,587	25.75	5,300	35.75	8,459
6.00	616	16.00	2,648	26.00	5,374	36.00	8,542
6.25	655	16.25	2,709	26.25	5,449	36.25	8,626
6.50	694	16.50	2,770	26.50	5,524	36.50	8,709
6.75	735	16.75	2,832	26.75	5,599	36.75	8,793
7.00	776	17.00	2,894	27.00	5,674	37.00	8,877
7.25	818	17.25	2,957	27.25	5,750	37.25	8,961
7.50	860	17.50	3,020	27.50	5,826	37.50	9,045
7.75	903	17.75	3,084	27.75	5,902	37.75	9,129
8.00	947	18.00	3,148	28.00	5,978	38.00	9,214
8.25	991	18.25	3,212	28.25	6,055	38.25	9,299
8.50	1,037	18.50	3,277	28.50	6,132	38.50	9,384
8.75	1,082	18.75	3,342	28.75	6,209	38.75	9,469
9.00	1,129	19.00	3,407	29.00	6,286	39.00	9,554
9.25	1,176	19.25	3,473	29.25	6,364	39.25	9,639
9.50	1,223	19.50	3,539	29.50	6,442	39.50	9,724
9.75	1,272	19.75	3,605	29.75	6,520	39.75	9,810

**OFOX 34749****Gage Table Information**Reporting Marks: **OFOX 34749**

Trinity File Number: 9156

Capacity: 33,736 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 146

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,982	50.25	13,510	60.25	17,141	70.25	20,764
40.50	10,068	50.50	13,600	60.50	17,232	70.50	20,854
40.75	10,154	50.75	13,690	60.75	17,324	70.75	20,943
41.00	10,240	51.00	13,780	61.00	17,415	71.00	21,033
41.25	10,326	51.25	13,870	61.25	17,506	71.25	21,122
41.50	10,413	51.50	13,960	61.50	17,597	71.50	21,211
41.75	10,500	51.75	14,051	61.75	17,688	71.75	21,300
42.00	10,587	52.00	14,141	62.00	17,779	72.00	21,389
42.25	10,673	52.25	14,231	62.25	17,870	72.25	21,478
42.50	10,760	52.50	14,322	62.50	17,961	72.50	21,567
42.75	10,848	52.75	14,412	62.75	18,052	72.75	21,656
43.00	10,935	53.00	14,503	63.00	18,143	73.00	21,745
43.25	11,022	53.25	14,594	63.25	18,234	73.25	21,833
43.50	11,110	53.50	14,684	63.50	18,325	73.50	21,922
43.75	11,198	53.75	14,775	63.75	18,416	73.75	22,010
44.00	11,285	54.00	14,866	64.00	18,507	74.00	22,098
44.25	11,373	54.25	14,956	64.25	18,598	74.25	22,186
44.50	11,461	54.50	15,047	64.50	18,689	74.50	22,275
44.75	11,549	54.75	15,138	64.75	18,779	74.75	22,363
45.00	11,637	55.00	15,229	65.00	18,870	75.00	22,450
45.25	11,726	55.25	15,320	65.25	18,961	75.25	22,538
45.50	11,814	55.50	15,411	65.50	19,051	75.50	22,626
45.75	11,902	55.75	15,502	65.75	19,142	75.75	22,713
46.00	11,991	56.00	15,592	66.00	19,233	76.00	22,801
46.25	12,080	56.25	15,683	66.25	19,323	76.25	22,888
46.50	12,168	56.50	15,774	66.50	19,414	76.50	22,975
46.75	12,257	56.75	15,866	66.75	19,504	76.75	23,062
47.00	12,346	57.00	15,957	67.00	19,595	77.00	23,149
47.25	12,435	57.25	16,048	67.25	19,685	77.25	23,236
47.50	12,524	57.50	16,139	67.50	19,775	77.50	23,323
47.75	12,614	57.75	16,230	67.75	19,865	77.75	23,409
48.00	12,703	58.00	16,321	68.00	19,956	78.00	23,496
48.25	12,792	58.25	16,412	68.25	20,046	78.25	23,582
48.50	12,882	58.50	16,503	68.50	20,136	78.50	23,668
48.75	12,971	58.75	16,594	68.75	20,226	78.75	23,754
49.00	13,061	59.00	16,686	69.00	20,316	79.00	23,840
49.25	13,150	59.25	16,777	69.25	20,406	79.25	23,926
49.50	13,240	59.50	16,868	69.50	20,495	79.50	24,011
49.75	13,330	59.75	16,959	69.75	20,585	79.75	24,097
50.00	13,420	60.00	17,050	70.00	20,675	80.00	24,182

**OFOX 34749****Gage Table Information**Reporting Marks: **OFOX 34749**

Trinity File Number: 9156

Capacity: 33,736 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 146

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,267	90.25	27,527	100.25	30,394	110.25	32,653
80.50	24,352	90.50	27,604	100.50	30,459	110.50	32,699
80.75	24,437	90.75	27,681	100.75	30,524	110.75	32,744
81.00	24,522	91.00	27,757	101.00	30,588	111.00	32,789
81.25	24,606	91.25	27,834	101.25	30,652	111.25	32,833
81.50	24,691	91.50	27,910	101.50	30,715	111.50	32,876
81.75	24,775	91.75	27,986	101.75	30,779	111.75	32,918
82.00	24,859	92.00	28,062	102.00	30,841	112.00	32,960
82.25	24,943	92.25	28,137	102.25	30,904	112.25	33,001
82.50	25,026	92.50	28,212	102.50	30,965	112.50	33,041
82.75	25,110	92.75	28,287	102.75	31,027	112.75	33,081
83.00	25,193	93.00	28,362	103.00	31,088	113.00	33,120
83.25	25,277	93.25	28,436	103.25	31,149	113.25	33,158
83.50	25,360	93.50	28,510	103.50	31,209	113.50	33,195
83.75	25,442	93.75	28,584	103.75	31,269	113.75	33,231
84.00	25,525	94.00	28,657	104.00	31,328	114.00	33,267
84.25	25,608	94.25	28,730	104.25	31,387	114.25	33,301
84.50	25,690	94.50	28,803	104.50	31,446	114.50	33,335
84.75	25,772	94.75	28,876	104.75	31,504	114.75	33,368
85.00	25,854	95.00	28,948	105.00	31,561	115.00	33,400
85.25	25,936	95.25	29,020	105.25	31,618	115.25	33,431
85.50	26,017	95.50	29,092	105.50	31,675	115.50	33,461
85.75	26,099	95.75	29,164	105.75	31,731	115.75	33,490
86.00	26,180	96.00	29,235	106.00	31,787	116.00	33,518
86.25	26,261	96.25	29,306	106.25	31,842	116.25	33,544
86.50	26,341	96.50	29,376	106.50	31,897	116.50	33,570
86.75	26,422	96.75	29,446	106.75	31,951	116.75	33,594
87.00	26,502	97.00	29,516	107.00	32,005	117.00	33,617
87.25	26,582	97.25	29,586	107.25	32,058	117.25	33,639
87.50	26,662	97.50	29,655	107.50	32,111	117.50	33,659
87.75	26,742	97.75	29,724	107.75	32,163	117.75	33,677
88.00	26,821	98.00	29,792	108.00	32,214	118.00	33,694
88.25	26,901	98.25	29,861	108.25	32,265	118.25	33,709
88.50	26,980	98.50	29,929	108.50	32,316	118.50	33,721
88.75	27,059	98.75	29,996	108.75	32,366	118.75	33,731
89.00	27,137	99.00	30,063	109.00	32,415	119.00	33,736
89.25	27,215	99.25	30,130	109.25	32,464		
89.50	27,294	99.50	30,197	109.50	32,512		
89.75	27,371	99.75	30,263	109.75	32,560		
90.00	27,449	100.00	30,329	110.00	32,607		

