

**OFOX 34750****Gage Table Information**Reporting Marks: **OFOX 34750**

Trinity File Number: 9156

Capacity: 33,710 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 147

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,737	30.25	6,672
0.50	15	10.50	1,419	20.50	3,804	30.50	6,751
0.75	27	10.75	1,469	20.75	3,872	30.75	6,830
1.00	42	11.00	1,520	21.00	3,940	31.00	6,909
1.25	59	11.25	1,572	21.25	4,009	31.25	6,989
1.50	77	11.50	1,624	21.50	4,078	31.50	7,068
1.75	97	11.75	1,677	21.75	4,147	31.75	7,148
2.00	119	12.00	1,730	22.00	4,217	32.00	7,228
2.25	142	12.25	1,783	22.25	4,286	32.25	7,308
2.50	166	12.50	1,838	22.50	4,357	32.50	7,389
2.75	191	12.75	1,892	22.75	4,427	32.75	7,470
3.00	218	13.00	1,948	23.00	4,498	33.00	7,550
3.25	246	13.25	2,003	23.25	4,569	33.25	7,631
3.50	275	13.50	2,059	23.50	4,640	33.50	7,713
3.75	305	13.75	2,116	23.75	4,712	33.75	7,794
4.00	336	14.00	2,173	24.00	4,784	34.00	7,876
4.25	368	14.25	2,231	24.25	4,856	34.25	7,958
4.50	400	14.50	2,289	24.50	4,929	34.50	8,040
4.75	434	14.75	2,347	24.75	5,002	34.75	8,122
5.00	469	15.00	2,406	25.00	5,075	35.00	8,204
5.25	504	15.25	2,465	25.25	5,148	35.25	8,287
5.50	541	15.50	2,525	25.50	5,222	35.50	8,370
5.75	578	15.75	2,585	25.75	5,296	35.75	8,453
6.00	616	16.00	2,646	26.00	5,370	36.00	8,536
6.25	655	16.25	2,707	26.25	5,445	36.25	8,619
6.50	694	16.50	2,768	26.50	5,520	36.50	8,703
6.75	735	16.75	2,830	26.75	5,595	36.75	8,786
7.00	776	17.00	2,892	27.00	5,670	37.00	8,870
7.25	817	17.25	2,955	27.25	5,746	37.25	8,954
7.50	860	17.50	3,018	27.50	5,821	37.50	9,038
7.75	903	17.75	3,082	27.75	5,898	37.75	9,123
8.00	947	18.00	3,146	28.00	5,974	38.00	9,207
8.25	991	18.25	3,210	28.25	6,051	38.25	9,292
8.50	1,036	18.50	3,274	28.50	6,127	38.50	9,377
8.75	1,082	18.75	3,339	28.75	6,205	38.75	9,461
9.00	1,128	19.00	3,405	29.00	6,282	39.00	9,547
9.25	1,175	19.25	3,470	29.25	6,360	39.25	9,632
9.50	1,223	19.50	3,537	29.50	6,437	39.50	9,717
9.75	1,271	19.75	3,603	29.75	6,515	39.75	9,803

**OFOX 34750****Gage Table Information**Reporting Marks: **OFOX 34750**

Trinity File Number: 9156

Capacity: 33,710 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 147

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,974	50.25	13,500	60.25	17,128	70.25	20,749
40.50	10,060	50.50	13,590	60.50	17,219	70.50	20,838
40.75	10,146	50.75	13,679	60.75	17,310	70.75	20,927
41.00	10,232	51.00	13,770	61.00	17,401	71.00	21,017
41.25	10,319	51.25	13,860	61.25	17,492	71.25	21,106
41.50	10,405	51.50	13,950	61.50	17,584	71.50	21,195
41.75	10,492	51.75	14,040	61.75	17,675	71.75	21,284
42.00	10,579	52.00	14,130	62.00	17,766	72.00	21,373
42.25	10,665	52.25	14,221	62.25	17,857	72.25	21,462
42.50	10,752	52.50	14,311	62.50	17,947	72.50	21,551
42.75	10,840	52.75	14,401	62.75	18,038	72.75	21,639
43.00	10,927	53.00	14,492	63.00	18,129	73.00	21,728
43.25	11,014	53.25	14,582	63.25	18,220	73.25	21,817
43.50	11,102	53.50	14,673	63.50	18,311	73.50	21,905
43.75	11,189	53.75	14,764	63.75	18,402	73.75	21,993
44.00	11,277	54.00	14,854	64.00	18,493	74.00	22,081
44.25	11,365	54.25	14,945	64.25	18,584	74.25	22,170
44.50	11,452	54.50	15,036	64.50	18,674	74.50	22,258
44.75	11,540	54.75	15,126	64.75	18,765	74.75	22,345
45.00	11,629	55.00	15,217	65.00	18,856	75.00	22,433
45.25	11,717	55.25	15,308	65.25	18,946	75.25	22,521
45.50	11,805	55.50	15,399	65.50	19,037	75.50	22,608
45.75	11,893	55.75	15,490	65.75	19,128	75.75	22,696
46.00	11,982	56.00	15,581	66.00	19,218	76.00	22,783
46.25	12,071	56.25	15,672	66.25	19,309	76.25	22,871
46.50	12,159	56.50	15,763	66.50	19,399	76.50	22,958
46.75	12,248	56.75	15,854	66.75	19,489	76.75	23,045
47.00	12,337	57.00	15,944	67.00	19,580	77.00	23,131
47.25	12,426	57.25	16,035	67.25	19,670	77.25	23,218
47.50	12,515	57.50	16,127	67.50	19,760	77.50	23,305
47.75	12,604	57.75	16,218	67.75	19,850	77.75	23,391
48.00	12,693	58.00	16,309	68.00	19,940	78.00	23,478
48.25	12,783	58.25	16,400	68.25	20,031	78.25	23,564
48.50	12,872	58.50	16,491	68.50	20,121	78.50	23,650
48.75	12,961	58.75	16,582	68.75	20,210	78.75	23,736
49.00	13,051	59.00	16,673	69.00	20,300	79.00	23,822
49.25	13,141	59.25	16,764	69.25	20,390	79.25	23,907
49.50	13,230	59.50	16,855	69.50	20,480	79.50	23,993
49.75	13,320	59.75	16,946	69.75	20,570	79.75	24,078
50.00	13,410	60.00	17,037	70.00	20,659	80.00	24,163

**OFOX 34750****Gage Table Information**Reporting Marks: **OFOX 34750**

Trinity File Number: 9156

Capacity: 33,710 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 147

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,249	90.25	27,505	100.25	30,371	110.25	32,628
80.50	24,333	90.50	27,583	100.50	30,436	110.50	32,674
80.75	24,418	90.75	27,659	100.75	30,500	110.75	32,719
81.00	24,503	91.00	27,736	101.00	30,564	111.00	32,763
81.25	24,587	91.25	27,812	101.25	30,628	111.25	32,807
81.50	24,672	91.50	27,889	101.50	30,692	111.50	32,850
81.75	24,756	91.75	27,964	101.75	30,755	111.75	32,893
82.00	24,840	92.00	28,040	102.00	30,818	112.00	32,934
82.25	24,924	92.25	28,115	102.25	30,880	112.25	32,975
82.50	25,007	92.50	28,190	102.50	30,942	112.50	33,016
82.75	25,091	92.75	28,265	102.75	31,003	112.75	33,055
83.00	25,174	93.00	28,340	103.00	31,064	113.00	33,094
83.25	25,257	93.25	28,414	103.25	31,125	113.25	33,132
83.50	25,340	93.50	28,488	103.50	31,185	113.50	33,169
83.75	25,423	93.75	28,562	103.75	31,245	113.75	33,206
84.00	25,506	94.00	28,635	104.00	31,304	114.00	33,241
84.25	25,588	94.25	28,708	104.25	31,363	114.25	33,276
84.50	25,670	94.50	28,781	104.50	31,422	114.50	33,310
84.75	25,752	94.75	28,854	104.75	31,479	114.75	33,342
85.00	25,834	95.00	28,926	105.00	31,537	115.00	33,374
85.25	25,916	95.25	28,998	105.25	31,594	115.25	33,405
85.50	25,997	95.50	29,070	105.50	31,651	115.50	33,435
85.75	26,079	95.75	29,141	105.75	31,707	115.75	33,464
86.00	26,160	96.00	29,212	106.00	31,763	116.00	33,492
86.25	26,241	96.25	29,283	106.25	31,818	116.25	33,519
86.50	26,321	96.50	29,353	106.50	31,872	116.50	33,544
86.75	26,402	96.75	29,424	106.75	31,927	116.75	33,568
87.00	26,482	97.00	29,493	107.00	31,980	117.00	33,591
87.25	26,562	97.25	29,563	107.25	32,033	117.25	33,613
87.50	26,642	97.50	29,632	107.50	32,086	117.50	33,633
87.75	26,721	97.75	29,701	107.75	32,138	117.75	33,651
88.00	26,801	98.00	29,770	108.00	32,190	118.00	33,668
88.25	26,880	98.25	29,838	108.25	32,241	118.25	33,683
88.50	26,959	98.50	29,906	108.50	32,291	118.50	33,695
88.75	27,038	98.75	29,973	108.75	32,341	118.75	33,705
89.00	27,116	99.00	30,040	109.00	32,390	119.00	33,710
89.25	27,195	99.25	30,107	109.25	32,439		
89.50	27,273	99.50	30,173	109.50	32,487		
89.75	27,351	99.75	30,240	109.75	32,535		
90.00	27,428	100.00	30,305	110.00	32,582		

