

**OFOX 34755****Gage Table Information**Reporting Marks: **OFOX 34755**

Trinity File Number: 9156

Capacity: 33,682 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 152

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,367	20.25	3,734	30.25	6,666
0.50	14	10.50	1,417	20.50	3,801	30.50	6,745
0.75	27	10.75	1,468	20.75	3,869	30.75	6,824
1.00	42	11.00	1,519	21.00	3,937	31.00	6,903
1.25	58	11.25	1,570	21.25	4,005	31.25	6,982
1.50	77	11.50	1,622	21.50	4,074	31.50	7,062
1.75	97	11.75	1,675	21.75	4,143	31.75	7,142
2.00	118	12.00	1,728	22.00	4,213	32.00	7,222
2.25	141	12.25	1,782	22.25	4,282	32.25	7,302
2.50	165	12.50	1,836	22.50	4,353	32.50	7,382
2.75	191	12.75	1,890	22.75	4,423	32.75	7,463
3.00	218	13.00	1,946	23.00	4,494	33.00	7,544
3.25	245	13.25	2,001	23.25	4,565	33.25	7,625
3.50	274	13.50	2,057	23.50	4,636	33.50	7,706
3.75	304	13.75	2,114	23.75	4,708	33.75	7,787
4.00	335	14.00	2,171	24.00	4,780	34.00	7,869
4.25	367	14.25	2,228	24.25	4,852	34.25	7,951
4.50	400	14.50	2,286	24.50	4,924	34.50	8,033
4.75	434	14.75	2,345	24.75	4,997	34.75	8,115
5.00	468	15.00	2,404	25.00	5,070	35.00	8,197
5.25	504	15.25	2,463	25.25	5,144	35.25	8,280
5.50	540	15.50	2,523	25.50	5,217	35.50	8,363
5.75	577	15.75	2,583	25.75	5,291	35.75	8,446
6.00	615	16.00	2,643	26.00	5,365	36.00	8,529
6.25	654	16.25	2,704	26.25	5,440	36.25	8,612
6.50	693	16.50	2,766	26.50	5,515	36.50	8,695
6.75	734	16.75	2,827	26.75	5,590	36.75	8,779
7.00	775	17.00	2,890	27.00	5,665	37.00	8,863
7.25	816	17.25	2,952	27.25	5,741	37.25	8,946
7.50	859	17.50	3,015	27.50	5,816	37.50	9,031
7.75	902	17.75	3,079	27.75	5,892	37.75	9,115
8.00	945	18.00	3,143	28.00	5,969	38.00	9,199
8.25	990	18.25	3,207	28.25	6,045	38.25	9,284
8.50	1,035	18.50	3,271	28.50	6,122	38.50	9,368
8.75	1,081	18.75	3,336	28.75	6,199	38.75	9,453
9.00	1,127	19.00	3,402	29.00	6,276	39.00	9,538
9.25	1,174	19.25	3,467	29.25	6,354	39.25	9,624
9.50	1,221	19.50	3,533	29.50	6,432	39.50	9,709
9.75	1,269	19.75	3,600	29.75	6,510	39.75	9,794

**OFOX 34755****Gage Table Information**Reporting Marks: **OFOX 34755**

Trinity File Number: 9156

Capacity: 33,682 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 152

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,966	50.25	13,488	60.25	17,114	70.25	20,731
40.50	10,051	50.50	13,578	60.50	17,205	70.50	20,821
40.75	10,137	50.75	13,668	60.75	17,296	70.75	20,910
41.00	10,224	51.00	13,758	61.00	17,387	71.00	20,999
41.25	10,310	51.25	13,848	61.25	17,478	71.25	21,088
41.50	10,396	51.50	13,938	61.50	17,569	71.50	21,177
41.75	10,483	51.75	14,028	61.75	17,660	71.75	21,266
42.00	10,570	52.00	14,118	62.00	17,751	72.00	21,355
42.25	10,656	52.25	14,209	62.25	17,842	72.25	21,444
42.50	10,743	52.50	14,299	62.50	17,932	72.50	21,533
42.75	10,830	52.75	14,389	62.75	18,023	72.75	21,621
43.00	10,917	53.00	14,480	63.00	18,114	73.00	21,710
43.25	11,005	53.25	14,570	63.25	18,205	73.25	21,798
43.50	11,092	53.50	14,661	63.50	18,296	73.50	21,887
43.75	11,180	53.75	14,751	63.75	18,387	73.75	21,975
44.00	11,267	54.00	14,842	64.00	18,477	74.00	22,063
44.25	11,355	54.25	14,932	64.25	18,568	74.25	22,151
44.50	11,443	54.50	15,023	64.50	18,659	74.50	22,239
44.75	11,531	54.75	15,114	64.75	18,749	74.75	22,327
45.00	11,619	55.00	15,204	65.00	18,840	75.00	22,415
45.25	11,707	55.25	15,295	65.25	18,931	75.25	22,502
45.50	11,795	55.50	15,386	65.50	19,021	75.50	22,590
45.75	11,883	55.75	15,477	65.75	19,112	75.75	22,677
46.00	11,972	56.00	15,568	66.00	19,202	76.00	22,764
46.25	12,060	56.25	15,658	66.25	19,292	76.25	22,851
46.50	12,149	56.50	15,749	66.50	19,383	76.50	22,938
46.75	12,238	56.75	15,840	66.75	19,473	76.75	23,025
47.00	12,326	57.00	15,931	67.00	19,563	77.00	23,112
47.25	12,415	57.25	16,022	67.25	19,654	77.25	23,199
47.50	12,504	57.50	16,113	67.50	19,744	77.50	23,285
47.75	12,593	57.75	16,204	67.75	19,834	77.75	23,372
48.00	12,683	58.00	16,295	68.00	19,924	78.00	23,458
48.25	12,772	58.25	16,386	68.25	20,014	78.25	23,544
48.50	12,861	58.50	16,477	68.50	20,104	78.50	23,630
48.75	12,950	58.75	16,568	68.75	20,194	78.75	23,716
49.00	13,040	59.00	16,659	69.00	20,283	79.00	23,802
49.25	13,129	59.25	16,750	69.25	20,373	79.25	23,887
49.50	13,219	59.50	16,841	69.50	20,463	79.50	23,973
49.75	13,309	59.75	16,932	69.75	20,552	79.75	24,058
50.00	13,398	60.00	17,023	70.00	20,642	80.00	24,143

**OFOX 34755****Gage Table Information**Reporting Marks: **OFOX 34755**

Trinity File Number: 9156

Capacity: 33,682 Gallons

Tare Weight: 100,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 152

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,228	90.25	27,483	100.25	30,345	110.25	32,601
80.50	24,313	90.50	27,560	100.50	30,410	110.50	32,647
80.75	24,398	90.75	27,636	100.75	30,475	110.75	32,692
81.00	24,482	91.00	27,713	101.00	30,539	111.00	32,736
81.25	24,567	91.25	27,789	101.25	30,603	111.25	32,780
81.50	24,651	91.50	27,865	101.50	30,666	111.50	32,823
81.75	24,735	91.75	27,941	101.75	30,729	111.75	32,865
82.00	24,819	92.00	28,017	102.00	30,792	112.00	32,907
82.25	24,903	92.25	28,092	102.25	30,854	112.25	32,948
82.50	24,986	92.50	28,167	102.50	30,916	112.50	32,988
82.75	25,070	92.75	28,242	102.75	30,977	112.75	33,028
83.00	25,153	93.00	28,316	103.00	31,038	113.00	33,067
83.25	25,236	93.25	28,390	103.25	31,099	113.25	33,105
83.50	25,319	93.50	28,464	103.50	31,159	113.50	33,142
83.75	25,402	93.75	28,538	103.75	31,219	113.75	33,178
84.00	25,484	94.00	28,611	104.00	31,278	114.00	33,214
84.25	25,567	94.25	28,685	104.25	31,337	114.25	33,248
84.50	25,649	94.50	28,757	104.50	31,395	114.50	33,282
84.75	25,731	94.75	28,830	104.75	31,453	114.75	33,315
85.00	25,813	95.00	28,902	105.00	31,511	115.00	33,347
85.25	25,894	95.25	28,974	105.25	31,568	115.25	33,378
85.50	25,976	95.50	29,046	105.50	31,624	115.50	33,407
85.75	26,057	95.75	29,117	105.75	31,681	115.75	33,436
86.00	26,138	96.00	29,188	106.00	31,736	116.00	33,464
86.25	26,219	96.25	29,259	106.25	31,791	116.25	33,491
86.50	26,299	96.50	29,329	106.50	31,846	116.50	33,516
86.75	26,380	96.75	29,399	106.75	31,900	116.75	33,541
87.00	26,460	97.00	29,469	107.00	31,954	117.00	33,563
87.25	26,540	97.25	29,538	107.25	32,007	117.25	33,585
87.50	26,620	97.50	29,608	107.50	32,059	117.50	33,605
87.75	26,699	97.75	29,676	107.75	32,111	117.75	33,623
88.00	26,779	98.00	29,745	108.00	32,163	118.00	33,640
88.25	26,858	98.25	29,813	108.25	32,214	118.25	33,655
88.50	26,937	98.50	29,881	108.50	32,264	118.50	33,667
88.75	27,015	98.75	29,948	108.75	32,314	118.75	33,677
89.00	27,094	99.00	30,015	109.00	32,363	119.00	33,682
89.25	27,172	99.25	30,082	109.25	32,412		
89.50	27,250	99.50	30,148	109.50	32,460		
89.75	27,328	99.75	30,214	109.75	32,508		
90.00	27,405	100.00	30,280	110.00	32,555		

