

**OFOX 34756****Gage Table Information**Reporting Marks: **OFOX 34756**

Trinity File Number: 9156

Capacity: 33,713 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 153

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,737	30.25	6,673
0.50	15	10.50	1,419	20.50	3,805	30.50	6,751
0.75	27	10.75	1,469	20.75	3,872	30.75	6,830
1.00	42	11.00	1,520	21.00	3,941	31.00	6,910
1.25	58	11.25	1,572	21.25	4,009	31.25	6,989
1.50	77	11.50	1,624	21.50	4,078	31.50	7,069
1.75	97	11.75	1,677	21.75	4,147	31.75	7,148
2.00	118	12.00	1,730	22.00	4,217	32.00	7,229
2.25	141	12.25	1,783	22.25	4,287	32.25	7,309
2.50	166	12.50	1,838	22.50	4,357	32.50	7,389
2.75	191	12.75	1,892	22.75	4,427	32.75	7,470
3.00	218	13.00	1,947	23.00	4,498	33.00	7,551
3.25	246	13.25	2,003	23.25	4,569	33.25	7,632
3.50	275	13.50	2,059	23.50	4,640	33.50	7,713
3.75	304	13.75	2,116	23.75	4,712	33.75	7,795
4.00	335	14.00	2,173	24.00	4,784	34.00	7,876
4.25	367	14.25	2,230	24.25	4,856	34.25	7,958
4.50	400	14.50	2,288	24.50	4,929	34.50	8,040
4.75	434	14.75	2,347	24.75	5,002	34.75	8,123
5.00	469	15.00	2,406	25.00	5,075	35.00	8,205
5.25	504	15.25	2,465	25.25	5,148	35.25	8,288
5.50	541	15.50	2,525	25.50	5,222	35.50	8,370
5.75	578	15.75	2,585	25.75	5,296	35.75	8,453
6.00	616	16.00	2,646	26.00	5,371	36.00	8,537
6.25	655	16.25	2,707	26.25	5,445	36.25	8,620
6.50	694	16.50	2,768	26.50	5,520	36.50	8,703
6.75	734	16.75	2,830	26.75	5,595	36.75	8,787
7.00	775	17.00	2,892	27.00	5,670	37.00	8,871
7.25	817	17.25	2,955	27.25	5,746	37.25	8,955
7.50	860	17.50	3,018	27.50	5,822	37.50	9,039
7.75	903	17.75	3,082	27.75	5,898	37.75	9,123
8.00	946	18.00	3,146	28.00	5,974	38.00	9,208
8.25	991	18.25	3,210	28.25	6,051	38.25	9,292
8.50	1,036	18.50	3,274	28.50	6,128	38.50	9,377
8.75	1,082	18.75	3,339	28.75	6,205	38.75	9,462
9.00	1,128	19.00	3,405	29.00	6,282	39.00	9,547
9.25	1,175	19.25	3,471	29.25	6,360	39.25	9,632
9.50	1,223	19.50	3,537	29.50	6,438	39.50	9,718
9.75	1,271	19.75	3,603	29.75	6,516	39.75	9,803

**OFOX 34756****Gage Table Information**Reporting Marks: **OFOX 34756**

Trinity File Number: 9156

Capacity: 33,713 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 153

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,975	50.25	13,501	60.25	17,130	70.25	20,750
40.50	10,061	50.50	13,591	60.50	17,221	70.50	20,840
40.75	10,147	50.75	13,681	60.75	17,312	70.75	20,929
41.00	10,233	51.00	13,771	61.00	17,403	71.00	21,019
41.25	10,320	51.25	13,861	61.25	17,494	71.25	21,108
41.50	10,406	51.50	13,951	61.50	17,585	71.50	21,197
41.75	10,493	51.75	14,041	61.75	17,676	71.75	21,286
42.00	10,579	52.00	14,131	62.00	17,767	72.00	21,375
42.25	10,666	52.25	14,222	62.25	17,858	72.25	21,464
42.50	10,753	52.50	14,312	62.50	17,949	72.50	21,553
42.75	10,840	52.75	14,403	62.75	18,040	72.75	21,641
43.00	10,928	53.00	14,493	63.00	18,131	73.00	21,730
43.25	11,015	53.25	14,584	63.25	18,222	73.25	21,818
43.50	11,102	53.50	14,674	63.50	18,313	73.50	21,907
43.75	11,190	53.75	14,765	63.75	18,403	73.75	21,995
44.00	11,278	54.00	14,855	64.00	18,494	74.00	22,083
44.25	11,365	54.25	14,946	64.25	18,585	74.25	22,171
44.50	11,453	54.50	15,037	64.50	18,676	74.50	22,259
44.75	11,541	54.75	15,128	64.75	18,767	74.75	22,347
45.00	11,629	55.00	15,218	65.00	18,857	75.00	22,435
45.25	11,718	55.25	15,309	65.25	18,948	75.25	22,523
45.50	11,806	55.50	15,400	65.50	19,039	75.50	22,610
45.75	11,894	55.75	15,491	65.75	19,129	75.75	22,698
46.00	11,983	56.00	15,582	66.00	19,220	76.00	22,785
46.25	12,072	56.25	15,673	66.25	19,310	76.25	22,872
46.50	12,160	56.50	15,764	66.50	19,401	76.50	22,960
46.75	12,249	56.75	15,855	66.75	19,491	76.75	23,047
47.00	12,338	57.00	15,946	67.00	19,581	77.00	23,133
47.25	12,427	57.25	16,037	67.25	19,672	77.25	23,220
47.50	12,516	57.50	16,128	67.50	19,762	77.50	23,307
47.75	12,605	57.75	16,219	67.75	19,852	77.75	23,393
48.00	12,694	58.00	16,310	68.00	19,942	78.00	23,480
48.25	12,784	58.25	16,401	68.25	20,032	78.25	23,566
48.50	12,873	58.50	16,492	68.50	20,122	78.50	23,652
48.75	12,962	58.75	16,583	68.75	20,212	78.75	23,738
49.00	13,052	59.00	16,674	69.00	20,302	79.00	23,824
49.25	13,142	59.25	16,765	69.25	20,392	79.25	23,909
49.50	13,231	59.50	16,856	69.50	20,482	79.50	23,995
49.75	13,321	59.75	16,947	69.75	20,571	79.75	24,080
50.00	13,411	60.00	17,039	70.00	20,661	80.00	24,166

**OFOX 34756****Gage Table Information**Reporting Marks: **OFOX 34756**

Trinity File Number: 9156

Capacity: 33,713 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 153

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,251	90.25	27,508	100.25	30,373	110.25	32,631
80.50	24,336	90.50	27,585	100.50	30,438	110.50	32,677
80.75	24,420	90.75	27,662	100.75	30,503	110.75	32,722
81.00	24,505	91.00	27,738	101.00	30,567	111.00	32,766
81.25	24,589	91.25	27,815	101.25	30,631	111.25	32,810
81.50	24,674	91.50	27,891	101.50	30,695	111.50	32,853
81.75	24,758	91.75	27,967	101.75	30,758	111.75	32,896
82.00	24,842	92.00	28,042	102.00	30,820	112.00	32,937
82.25	24,926	92.25	28,118	102.25	30,883	112.25	32,978
82.50	25,009	92.50	28,193	102.50	30,944	112.50	33,019
82.75	25,093	92.75	28,268	102.75	31,006	112.75	33,058
83.00	25,176	93.00	28,342	103.00	31,067	113.00	33,097
83.25	25,259	93.25	28,417	103.25	31,128	113.25	33,135
83.50	25,342	93.50	28,491	103.50	31,188	113.50	33,172
83.75	25,425	93.75	28,564	103.75	31,248	113.75	33,209
84.00	25,508	94.00	28,638	104.00	31,307	114.00	33,244
84.25	25,590	94.25	28,711	104.25	31,366	114.25	33,279
84.50	25,672	94.50	28,784	104.50	31,424	114.50	33,313
84.75	25,754	94.75	28,856	104.75	31,482	114.75	33,345
85.00	25,836	95.00	28,929	105.00	31,540	115.00	33,377
85.25	25,918	95.25	29,001	105.25	31,597	115.25	33,408
85.50	26,000	95.50	29,072	105.50	31,654	115.50	33,438
85.75	26,081	95.75	29,144	105.75	31,710	115.75	33,467
86.00	26,162	96.00	29,215	106.00	31,765	116.00	33,495
86.25	26,243	96.25	29,286	106.25	31,820	116.25	33,522
86.50	26,323	96.50	29,356	106.50	31,875	116.50	33,547
86.75	26,404	96.75	29,426	106.75	31,929	116.75	33,571
87.00	26,484	97.00	29,496	107.00	31,983	117.00	33,594
87.25	26,564	97.25	29,566	107.25	32,036	117.25	33,616
87.50	26,644	97.50	29,635	107.50	32,089	117.50	33,636
87.75	26,724	97.75	29,704	107.75	32,141	117.75	33,654
88.00	26,803	98.00	29,772	108.00	32,192	118.00	33,671
88.25	26,882	98.25	29,840	108.25	32,244	118.25	33,686
88.50	26,961	98.50	29,908	108.50	32,294	118.50	33,698
88.75	27,040	98.75	29,976	108.75	32,344	118.75	33,708
89.00	27,119	99.00	30,043	109.00	32,393	119.00	33,713
89.25	27,197	99.25	30,110	109.25	32,442		
89.50	27,275	99.50	30,176	109.50	32,490		
89.75	27,353	99.75	30,242	109.75	32,538		
90.00	27,430	100.00	30,308	110.00	32,585		

