

**OFOX 34760****Gage Table Information**Reporting Marks: **OFOX 34760**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 157

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,673
0.50	15	10.50	1,419	20.50	3,805	30.50	6,752
0.75	27	10.75	1,470	20.75	3,873	30.75	6,831
1.00	42	11.00	1,521	21.00	3,941	31.00	6,910
1.25	59	11.25	1,572	21.25	4,010	31.25	6,989
1.50	77	11.50	1,624	21.50	4,078	31.50	7,069
1.75	97	11.75	1,677	21.75	4,148	31.75	7,149
2.00	119	12.00	1,730	22.00	4,217	32.00	7,229
2.25	142	12.25	1,784	22.25	4,287	32.25	7,309
2.50	166	12.50	1,838	22.50	4,357	32.50	7,390
2.75	192	12.75	1,893	22.75	4,428	32.75	7,471
3.00	218	13.00	1,948	23.00	4,498	33.00	7,551
3.25	246	13.25	2,004	23.25	4,570	33.25	7,632
3.50	275	13.50	2,060	23.50	4,641	33.50	7,714
3.75	305	13.75	2,116	23.75	4,713	33.75	7,795
4.00	336	14.00	2,173	24.00	4,785	34.00	7,877
4.25	368	14.25	2,231	24.25	4,857	34.25	7,959
4.50	401	14.50	2,289	24.50	4,929	34.50	8,041
4.75	434	14.75	2,347	24.75	5,002	34.75	8,123
5.00	469	15.00	2,406	25.00	5,076	35.00	8,206
5.25	505	15.25	2,466	25.25	5,149	35.25	8,288
5.50	541	15.50	2,525	25.50	5,223	35.50	8,371
5.75	578	15.75	2,586	25.75	5,297	35.75	8,454
6.00	616	16.00	2,646	26.00	5,371	36.00	8,537
6.25	655	16.25	2,707	26.25	5,446	36.25	8,620
6.50	694	16.50	2,769	26.50	5,520	36.50	8,704
6.75	735	16.75	2,831	26.75	5,595	36.75	8,788
7.00	776	17.00	2,893	27.00	5,671	37.00	8,871
7.25	817	17.25	2,956	27.25	5,746	37.25	8,955
7.50	860	17.50	3,019	27.50	5,822	37.50	9,040
7.75	903	17.75	3,082	27.75	5,898	37.75	9,124
8.00	947	18.00	3,146	28.00	5,975	38.00	9,208
8.25	991	18.25	3,210	28.25	6,051	38.25	9,293
8.50	1,036	18.50	3,275	28.50	6,128	38.50	9,378
8.75	1,082	18.75	3,340	28.75	6,205	38.75	9,463
9.00	1,128	19.00	3,405	29.00	6,283	39.00	9,548
9.25	1,175	19.25	3,471	29.25	6,360	39.25	9,633
9.50	1,223	19.50	3,537	29.50	6,438	39.50	9,718
9.75	1,271	19.75	3,604	29.75	6,516	39.75	9,804

**OFOX 34760****Gage Table Information**Reporting Marks: **OFOX 34760**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 157

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,975	50.25	13,501	60.25	17,130	70.25	20,751
40.50	10,061	50.50	13,591	60.50	17,221	70.50	20,841
40.75	10,147	50.75	13,681	60.75	17,312	70.75	20,930
41.00	10,234	51.00	13,771	61.00	17,404	71.00	21,019
41.25	10,320	51.25	13,861	61.25	17,495	71.25	21,108
41.50	10,407	51.50	13,952	61.50	17,586	71.50	21,198
41.75	10,493	51.75	14,042	61.75	17,677	71.75	21,287
42.00	10,580	52.00	14,132	62.00	17,768	72.00	21,376
42.25	10,667	52.25	14,222	62.25	17,859	72.25	21,465
42.50	10,754	52.50	14,313	62.50	17,950	72.50	21,553
42.75	10,841	52.75	14,403	62.75	18,041	72.75	21,642
43.00	10,928	53.00	14,494	63.00	18,132	73.00	21,731
43.25	11,015	53.25	14,584	63.25	18,222	73.25	21,819
43.50	11,103	53.50	14,675	63.50	18,313	73.50	21,908
43.75	11,191	53.75	14,765	63.75	18,404	73.75	21,996
44.00	11,278	54.00	14,856	64.00	18,495	74.00	22,084
44.25	11,366	54.25	14,947	64.25	18,586	74.25	22,172
44.50	11,454	54.50	15,038	64.50	18,677	74.50	22,260
44.75	11,542	54.75	15,128	64.75	18,767	74.75	22,348
45.00	11,630	55.00	15,219	65.00	18,858	75.00	22,436
45.25	11,718	55.25	15,310	65.25	18,949	75.25	22,524
45.50	11,807	55.50	15,401	65.50	19,039	75.50	22,611
45.75	11,895	55.75	15,492	65.75	19,130	75.75	22,699
46.00	11,984	56.00	15,583	66.00	19,220	76.00	22,786
46.25	12,072	56.25	15,674	66.25	19,311	76.25	22,873
46.50	12,161	56.50	15,764	66.50	19,401	76.50	22,960
46.75	12,250	56.75	15,855	66.75	19,492	76.75	23,047
47.00	12,338	57.00	15,946	67.00	19,582	77.00	23,134
47.25	12,427	57.25	16,037	67.25	19,672	77.25	23,221
47.50	12,517	57.50	16,128	67.50	19,763	77.50	23,308
47.75	12,606	57.75	16,220	67.75	19,853	77.75	23,394
48.00	12,695	58.00	16,311	68.00	19,943	78.00	23,480
48.25	12,784	58.25	16,402	68.25	20,033	78.25	23,567
48.50	12,874	58.50	16,493	68.50	20,123	78.50	23,653
48.75	12,963	58.75	16,584	68.75	20,213	78.75	23,739
49.00	13,053	59.00	16,675	69.00	20,303	79.00	23,825
49.25	13,142	59.25	16,766	69.25	20,393	79.25	23,910
49.50	13,232	59.50	16,857	69.50	20,482	79.50	23,996
49.75	13,322	59.75	16,948	69.75	20,572	79.75	24,081
50.00	13,411	60.00	17,039	70.00	20,662	80.00	24,166

**OFOX 34760****Gage Table Information**Reporting Marks: **OFOX 34760**

Trinity File Number: 9156

Capacity: 33,714 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 157

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,251	90.25	27,509	100.25	30,374	110.25	32,632
80.50	24,336	90.50	27,586	100.50	30,439	110.50	32,678
80.75	24,421	90.75	27,663	100.75	30,504	110.75	32,723
81.00	24,506	91.00	27,739	101.00	30,568	111.00	32,767
81.25	24,590	91.25	27,816	101.25	30,632	111.25	32,811
81.50	24,675	91.50	27,892	101.50	30,695	111.50	32,854
81.75	24,759	91.75	27,968	101.75	30,759	111.75	32,897
82.00	24,843	92.00	28,043	102.00	30,821	112.00	32,938
82.25	24,927	92.25	28,119	102.25	30,884	112.25	32,979
82.50	25,010	92.50	28,194	102.50	30,945	112.50	33,020
82.75	25,094	92.75	28,269	102.75	31,007	112.75	33,059
83.00	25,177	93.00	28,343	103.00	31,068	113.00	33,098
83.25	25,260	93.25	28,417	103.25	31,129	113.25	33,136
83.50	25,343	93.50	28,491	103.50	31,189	113.50	33,173
83.75	25,426	93.75	28,565	103.75	31,249	113.75	33,210
84.00	25,509	94.00	28,639	104.00	31,308	114.00	33,245
84.25	25,591	94.25	28,712	104.25	31,367	114.25	33,280
84.50	25,673	94.50	28,785	104.50	31,425	114.50	33,314
84.75	25,755	94.75	28,857	104.75	31,483	114.75	33,346
85.00	25,837	95.00	28,930	105.00	31,541	115.00	33,378
85.25	25,919	95.25	29,002	105.25	31,598	115.25	33,409
85.50	26,000	95.50	29,073	105.50	31,654	115.50	33,439
85.75	26,082	95.75	29,145	105.75	31,711	115.75	33,468
86.00	26,163	96.00	29,216	106.00	31,766	116.00	33,496
86.25	26,244	96.25	29,287	106.25	31,821	116.25	33,523
86.50	26,324	96.50	29,357	106.50	31,876	116.50	33,548
86.75	26,405	96.75	29,427	106.75	31,930	116.75	33,572
87.00	26,485	97.00	29,497	107.00	31,984	117.00	33,595
87.25	26,565	97.25	29,566	107.25	32,037	117.25	33,617
87.50	26,645	97.50	29,636	107.50	32,090	117.50	33,637
87.75	26,725	97.75	29,705	107.75	32,142	117.75	33,655
88.00	26,804	98.00	29,773	108.00	32,193	118.00	33,672
88.25	26,883	98.25	29,841	108.25	32,244	118.25	33,687
88.50	26,962	98.50	29,909	108.50	32,295	118.50	33,699
88.75	27,041	98.75	29,977	108.75	32,345	118.75	33,709
89.00	27,120	99.00	30,044	109.00	32,394	119.00	33,714
89.25	27,198	99.25	30,111	109.25	32,443		
89.50	27,276	99.50	30,177	109.50	32,491		
89.75	27,354	99.75	30,243	109.75	32,539		
90.00	27,431	100.00	30,309	110.00	32,586		

