

**OFOX 34761****Gage Table Information**Reporting Marks: **OFOX 34761**

Trinity File Number: 9156

Capacity: 33,707 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 158

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,369	20.25	3,737	30.25	6,672
0.50	15	10.50	1,419	20.50	3,804	30.50	6,751
0.75	27	10.75	1,469	20.75	3,872	30.75	6,830
1.00	42	11.00	1,521	21.00	3,940	31.00	6,909
1.25	59	11.25	1,572	21.25	4,009	31.25	6,988
1.50	77	11.50	1,624	21.50	4,078	31.50	7,068
1.75	97	11.75	1,677	21.75	4,147	31.75	7,148
2.00	119	12.00	1,730	22.00	4,216	32.00	7,228
2.25	142	12.25	1,784	22.25	4,286	32.25	7,308
2.50	166	12.50	1,838	22.50	4,356	32.50	7,388
2.75	192	12.75	1,892	22.75	4,427	32.75	7,469
3.00	218	13.00	1,948	23.00	4,498	33.00	7,550
3.25	246	13.25	2,003	23.25	4,569	33.25	7,631
3.50	275	13.50	2,059	23.50	4,640	33.50	7,712
3.75	305	13.75	2,116	23.75	4,712	33.75	7,794
4.00	336	14.00	2,173	24.00	4,784	34.00	7,875
4.25	368	14.25	2,231	24.25	4,856	34.25	7,957
4.50	401	14.50	2,289	24.50	4,929	34.50	8,039
4.75	434	14.75	2,347	24.75	5,001	34.75	8,122
5.00	469	15.00	2,406	25.00	5,075	35.00	8,204
5.25	505	15.25	2,465	25.25	5,148	35.25	8,287
5.50	541	15.50	2,525	25.50	5,222	35.50	8,369
5.75	578	15.75	2,585	25.75	5,296	35.75	8,452
6.00	616	16.00	2,646	26.00	5,370	36.00	8,535
6.25	655	16.25	2,707	26.25	5,445	36.25	8,619
6.50	694	16.50	2,768	26.50	5,519	36.50	8,702
6.75	735	16.75	2,830	26.75	5,594	36.75	8,786
7.00	776	17.00	2,892	27.00	5,670	37.00	8,870
7.25	817	17.25	2,955	27.25	5,745	37.25	8,954
7.50	860	17.50	3,018	27.50	5,821	37.50	9,038
7.75	903	17.75	3,082	27.75	5,897	37.75	9,122
8.00	947	18.00	3,145	28.00	5,974	38.00	9,207
8.25	991	18.25	3,210	28.25	6,050	38.25	9,291
8.50	1,036	18.50	3,274	28.50	6,127	38.50	9,376
8.75	1,082	18.75	3,339	28.75	6,204	38.75	9,461
9.00	1,128	19.00	3,405	29.00	6,282	39.00	9,546
9.25	1,175	19.25	3,470	29.25	6,359	39.25	9,631
9.50	1,223	19.50	3,536	29.50	6,437	39.50	9,716
9.75	1,271	19.75	3,603	29.75	6,515	39.75	9,802

**OFOX 34761****Gage Table Information**Reporting Marks: **OFOX 34761**

Trinity File Number: 9156

Capacity: 33,707 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 158

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,973	50.25	13,499	60.25	17,127	70.25	20,747
40.50	10,059	50.50	13,588	60.50	17,218	70.50	20,836
40.75	10,145	50.75	13,678	60.75	17,309	70.75	20,926
41.00	10,232	51.00	13,768	61.00	17,400	71.00	21,015
41.25	10,318	51.25	13,859	61.25	17,491	71.25	21,104
41.50	10,404	51.50	13,949	61.50	17,582	71.50	21,193
41.75	10,491	51.75	14,039	61.75	17,673	71.75	21,282
42.00	10,578	52.00	14,129	62.00	17,764	72.00	21,371
42.25	10,665	52.25	14,220	62.25	17,855	72.25	21,460
42.50	10,752	52.50	14,310	62.50	17,946	72.50	21,549
42.75	10,839	52.75	14,400	62.75	18,037	72.75	21,638
43.00	10,926	53.00	14,491	63.00	18,128	73.00	21,726
43.25	11,013	53.25	14,581	63.25	18,219	73.25	21,815
43.50	11,101	53.50	14,672	63.50	18,310	73.50	21,903
43.75	11,188	53.75	14,762	63.75	18,400	73.75	21,991
44.00	11,276	54.00	14,853	64.00	18,491	74.00	22,080
44.25	11,364	54.25	14,944	64.25	18,582	74.25	22,168
44.50	11,452	54.50	15,035	64.50	18,673	74.50	22,256
44.75	11,540	54.75	15,125	64.75	18,764	74.75	22,344
45.00	11,628	55.00	15,216	65.00	18,854	75.00	22,431
45.25	11,716	55.25	15,307	65.25	18,945	75.25	22,519
45.50	11,804	55.50	15,398	65.50	19,035	75.50	22,607
45.75	11,893	55.75	15,489	65.75	19,126	75.75	22,694
46.00	11,981	56.00	15,579	66.00	19,216	76.00	22,781
46.25	12,070	56.25	15,670	66.25	19,307	76.25	22,869
46.50	12,158	56.50	15,761	66.50	19,397	76.50	22,956
46.75	12,247	56.75	15,852	66.75	19,488	76.75	23,043
47.00	12,336	57.00	15,943	67.00	19,578	77.00	23,129
47.25	12,425	57.25	16,034	67.25	19,668	77.25	23,216
47.50	12,514	57.50	16,125	67.50	19,759	77.50	23,303
47.75	12,603	57.75	16,216	67.75	19,849	77.75	23,389
48.00	12,692	58.00	16,307	68.00	19,939	78.00	23,476
48.25	12,782	58.25	16,398	68.25	20,029	78.25	23,562
48.50	12,871	58.50	16,489	68.50	20,119	78.50	23,648
48.75	12,960	58.75	16,580	68.75	20,209	78.75	23,734
49.00	13,050	59.00	16,672	69.00	20,299	79.00	23,820
49.25	13,140	59.25	16,763	69.25	20,388	79.25	23,905
49.50	13,229	59.50	16,854	69.50	20,478	79.50	23,991
49.75	13,319	59.75	16,945	69.75	20,568	79.75	24,076
50.00	13,409	60.00	17,036	70.00	20,657	80.00	24,161

**OFOX 34761****Gage Table Information**Reporting Marks: **OFOX 34761**

Trinity File Number: 9156

Capacity: 33,707 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 158

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,246	90.25	27,503	100.25	30,368	110.25	32,625
80.50	24,331	90.50	27,580	100.50	30,433	110.50	32,671
80.75	24,416	90.75	27,657	100.75	30,498	110.75	32,716
81.00	24,501	91.00	27,734	101.00	30,562	111.00	32,761
81.25	24,585	91.25	27,810	101.25	30,626	111.25	32,804
81.50	24,670	91.50	27,886	101.50	30,689	111.50	32,847
81.75	24,754	91.75	27,962	101.75	30,752	111.75	32,890
82.00	24,838	92.00	28,038	102.00	30,815	112.00	32,932
82.25	24,921	92.25	28,113	102.25	30,877	112.25	32,973
82.50	25,005	92.50	28,188	102.50	30,939	112.50	33,013
82.75	25,089	92.75	28,263	102.75	31,000	112.75	33,052
83.00	25,172	93.00	28,337	103.00	31,061	113.00	33,091
83.25	25,255	93.25	28,412	103.25	31,122	113.25	33,129
83.50	25,338	93.50	28,486	103.50	31,182	113.50	33,166
83.75	25,421	93.75	28,559	103.75	31,242	113.75	33,203
84.00	25,503	94.00	28,633	104.00	31,301	114.00	33,238
84.25	25,586	94.25	28,706	104.25	31,360	114.25	33,273
84.50	25,668	94.50	28,779	104.50	31,419	114.50	33,307
84.75	25,750	94.75	28,851	104.75	31,477	114.75	33,339
85.00	25,832	95.00	28,924	105.00	31,534	115.00	33,371
85.25	25,914	95.25	28,996	105.25	31,591	115.25	33,402
85.50	25,995	95.50	29,067	105.50	31,648	115.50	33,432
85.75	26,076	95.75	29,139	105.75	31,704	115.75	33,461
86.00	26,157	96.00	29,210	106.00	31,760	116.00	33,489
86.25	26,238	96.25	29,280	106.25	31,815	116.25	33,516
86.50	26,319	96.50	29,351	106.50	31,870	116.50	33,541
86.75	26,399	96.75	29,421	106.75	31,924	116.75	33,565
87.00	26,480	97.00	29,491	107.00	31,977	117.00	33,588
87.25	26,560	97.25	29,560	107.25	32,031	117.25	33,610
87.50	26,640	97.50	29,630	107.50	32,083	117.50	33,630
87.75	26,719	97.75	29,698	107.75	32,135	117.75	33,648
88.00	26,799	98.00	29,767	108.00	32,187	118.00	33,665
88.25	26,878	98.25	29,835	108.25	32,238	118.25	33,680
88.50	26,957	98.50	29,903	108.50	32,288	118.50	33,692
88.75	27,035	98.75	29,970	108.75	32,338	118.75	33,702
89.00	27,114	99.00	30,038	109.00	32,388	119.00	33,707
89.25	27,192	99.25	30,104	109.25	32,436		
89.50	27,270	99.50	30,171	109.50	32,484		
89.75	27,348	99.75	30,237	109.75	32,532		
90.00	27,426	100.00	30,303	110.00	32,579		

