

**OFOX 34768****Gage Table Information**Reporting Marks: **OFOX 34768**

Trinity File Number: 9156

Capacity: 33,693 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 165

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,735	30.25	6,669
0.50	15	10.50	1,418	20.50	3,803	30.50	6,748
0.75	27	10.75	1,469	20.75	3,870	30.75	6,827
1.00	42	11.00	1,520	21.00	3,939	31.00	6,906
1.25	59	11.25	1,571	21.25	4,007	31.25	6,985
1.50	77	11.50	1,623	21.50	4,076	31.50	7,065
1.75	97	11.75	1,676	21.75	4,145	31.75	7,145
2.00	119	12.00	1,729	22.00	4,215	32.00	7,225
2.25	142	12.25	1,783	22.25	4,284	32.25	7,305
2.50	166	12.50	1,837	22.50	4,354	32.50	7,385
2.75	191	12.75	1,892	22.75	4,425	32.75	7,466
3.00	218	13.00	1,947	23.00	4,496	33.00	7,547
3.25	246	13.25	2,002	23.25	4,567	33.25	7,628
3.50	275	13.50	2,058	23.50	4,638	33.50	7,709
3.75	305	13.75	2,115	23.75	4,710	33.75	7,790
4.00	336	14.00	2,172	24.00	4,782	34.00	7,872
4.25	368	14.25	2,230	24.25	4,854	34.25	7,954
4.50	400	14.50	2,287	24.50	4,926	34.50	8,036
4.75	434	14.75	2,346	24.75	4,999	34.75	8,118
5.00	469	15.00	2,405	25.00	5,072	35.00	8,200
5.25	504	15.25	2,464	25.25	5,146	35.25	8,283
5.50	541	15.50	2,524	25.50	5,219	35.50	8,366
5.75	578	15.75	2,584	25.75	5,293	35.75	8,449
6.00	616	16.00	2,645	26.00	5,368	36.00	8,532
6.25	655	16.25	2,706	26.25	5,442	36.25	8,615
6.50	694	16.50	2,767	26.50	5,517	36.50	8,698
6.75	734	16.75	2,829	26.75	5,592	36.75	8,782
7.00	775	17.00	2,891	27.00	5,667	37.00	8,866
7.25	817	17.25	2,954	27.25	5,743	37.25	8,950
7.50	859	17.50	3,017	27.50	5,819	37.50	9,034
7.75	902	17.75	3,080	27.75	5,895	37.75	9,118
8.00	946	18.00	3,144	28.00	5,971	38.00	9,203
8.25	991	18.25	3,208	28.25	6,048	38.25	9,287
8.50	1,036	18.50	3,273	28.50	6,124	38.50	9,372
8.75	1,081	18.75	3,338	28.75	6,202	38.75	9,457
9.00	1,128	19.00	3,403	29.00	6,279	39.00	9,542
9.25	1,175	19.25	3,469	29.25	6,356	39.25	9,627
9.50	1,222	19.50	3,535	29.50	6,434	39.50	9,712
9.75	1,270	19.75	3,601	29.75	6,512	39.75	9,798

**OFOX 34768****Gage Table Information**Reporting Marks: **OFOX 34768**

Trinity File Number: 9156

Capacity: 33,693 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 165

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,969	50.25	13,493	60.25	17,120	70.25	20,738
40.50	10,055	50.50	13,583	60.50	17,211	70.50	20,828
40.75	10,141	50.75	13,673	60.75	17,302	70.75	20,917
41.00	10,227	51.00	13,763	61.00	17,393	71.00	21,006
41.25	10,314	51.25	13,853	61.25	17,484	71.25	21,095
41.50	10,400	51.50	13,943	61.50	17,575	71.50	21,184
41.75	10,487	51.75	14,033	61.75	17,666	71.75	21,273
42.00	10,573	52.00	14,123	62.00	17,757	72.00	21,362
42.25	10,660	52.25	14,214	62.25	17,848	72.25	21,451
42.50	10,747	52.50	14,304	62.50	17,939	72.50	21,540
42.75	10,834	52.75	14,394	62.75	18,029	72.75	21,629
43.00	10,921	53.00	14,485	63.00	18,120	73.00	21,717
43.25	11,009	53.25	14,575	63.25	18,211	73.25	21,806
43.50	11,096	53.50	14,666	63.50	18,302	73.50	21,894
43.75	11,184	53.75	14,756	63.75	18,393	73.75	21,982
44.00	11,271	54.00	14,847	64.00	18,484	74.00	22,070
44.25	11,359	54.25	14,938	64.25	18,574	74.25	22,158
44.50	11,447	54.50	15,028	64.50	18,665	74.50	22,246
44.75	11,535	54.75	15,119	64.75	18,756	74.75	22,334
45.00	11,623	55.00	15,210	65.00	18,846	75.00	22,422
45.25	11,711	55.25	15,300	65.25	18,937	75.25	22,510
45.50	11,799	55.50	15,391	65.50	19,027	75.50	22,597
45.75	11,888	55.75	15,482	65.75	19,118	75.75	22,685
46.00	11,976	56.00	15,573	66.00	19,208	76.00	22,772
46.25	12,065	56.25	15,664	66.25	19,299	76.25	22,859
46.50	12,153	56.50	15,755	66.50	19,389	76.50	22,946
46.75	12,242	56.75	15,846	66.75	19,480	76.75	23,033
47.00	12,331	57.00	15,937	67.00	19,570	77.00	23,120
47.25	12,420	57.25	16,027	67.25	19,660	77.25	23,207
47.50	12,509	57.50	16,118	67.50	19,750	77.50	23,293
47.75	12,598	57.75	16,209	67.75	19,840	77.75	23,380
48.00	12,687	58.00	16,300	68.00	19,930	78.00	23,466
48.25	12,776	58.25	16,391	68.25	20,021	78.25	23,552
48.50	12,866	58.50	16,482	68.50	20,110	78.50	23,638
48.75	12,955	58.75	16,573	68.75	20,200	78.75	23,724
49.00	13,044	59.00	16,665	69.00	20,290	79.00	23,810
49.25	13,134	59.25	16,756	69.25	20,380	79.25	23,895
49.50	13,224	59.50	16,847	69.50	20,470	79.50	23,981
49.75	13,313	59.75	16,938	69.75	20,559	79.75	24,066
50.00	13,403	60.00	17,029	70.00	20,649	80.00	24,151

**OFOX 34768****Gage Table Information**Reporting Marks: **OFOX 34768**

Trinity File Number: 9156

Capacity: 33,693 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 165

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,236	90.25	27,492	100.25	30,355	110.25	32,612
80.50	24,321	90.50	27,569	100.50	30,420	110.50	32,657
80.75	24,406	90.75	27,646	100.75	30,485	110.75	32,703
81.00	24,491	91.00	27,722	101.00	30,549	111.00	32,747
81.25	24,575	91.25	27,798	101.25	30,613	111.25	32,791
81.50	24,659	91.50	27,875	101.50	30,676	111.50	32,834
81.75	24,743	91.75	27,950	101.75	30,739	111.75	32,876
82.00	24,827	92.00	28,026	102.00	30,802	112.00	32,918
82.25	24,911	92.25	28,101	102.25	30,864	112.25	32,959
82.50	24,995	92.50	28,176	102.50	30,926	112.50	32,999
82.75	25,078	92.75	28,251	102.75	30,988	112.75	33,039
83.00	25,161	93.00	28,326	103.00	31,049	113.00	33,077
83.25	25,245	93.25	28,400	103.25	31,109	113.25	33,115
83.50	25,327	93.50	28,474	103.50	31,169	113.50	33,153
83.75	25,410	93.75	28,547	103.75	31,229	113.75	33,189
84.00	25,493	94.00	28,621	104.00	31,288	114.00	33,224
84.25	25,575	94.25	28,694	104.25	31,347	114.25	33,259
84.50	25,657	94.50	28,767	104.50	31,406	114.50	33,293
84.75	25,739	94.75	28,839	104.75	31,464	114.75	33,326
85.00	25,821	95.00	28,912	105.00	31,521	115.00	33,358
85.25	25,903	95.25	28,984	105.25	31,578	115.25	33,388
85.50	25,984	95.50	29,055	105.50	31,635	115.50	33,418
85.75	26,065	95.75	29,127	105.75	31,691	115.75	33,447
86.00	26,147	96.00	29,198	106.00	31,747	116.00	33,475
86.25	26,227	96.25	29,268	106.25	31,802	116.25	33,502
86.50	26,308	96.50	29,339	106.50	31,856	116.50	33,527
86.75	26,388	96.75	29,409	106.75	31,910	116.75	33,551
87.00	26,469	97.00	29,479	107.00	31,964	117.00	33,574
87.25	26,549	97.25	29,548	107.25	32,017	117.25	33,596
87.50	26,628	97.50	29,617	107.50	32,070	117.50	33,616
87.75	26,708	97.75	29,686	107.75	32,122	117.75	33,634
88.00	26,787	98.00	29,755	108.00	32,173	118.00	33,651
88.25	26,867	98.25	29,823	108.25	32,224	118.25	33,666
88.50	26,946	98.50	29,891	108.50	32,275	118.50	33,678
88.75	27,024	98.75	29,958	108.75	32,325	118.75	33,688
89.00	27,103	99.00	30,025	109.00	32,374	119.00	33,693
89.25	27,181	99.25	30,092	109.25	32,423		
89.50	27,259	99.50	30,158	109.50	32,471		
89.75	27,337	99.75	30,224	109.75	32,519		
90.00	27,414	100.00	30,290	110.00	32,565		

