

**OFOX 34769****Gage Table Information**Reporting Marks: **OFOX 34769**

Trinity File Number: 9156

Capacity: 33,731 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 166

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,370	20.25	3,740	30.25	6,677
0.50	15	10.50	1,420	20.50	3,807	30.50	6,756
0.75	28	10.75	1,471	20.75	3,875	30.75	6,835
1.00	42	11.00	1,522	21.00	3,943	31.00	6,914
1.25	59	11.25	1,573	21.25	4,012	31.25	6,993
1.50	77	11.50	1,625	21.50	4,081	31.50	7,073
1.75	98	11.75	1,678	21.75	4,150	31.75	7,153
2.00	119	12.00	1,731	22.00	4,220	32.00	7,233
2.25	142	12.25	1,785	22.25	4,289	32.25	7,313
2.50	166	12.50	1,839	22.50	4,360	32.50	7,394
2.75	192	12.75	1,894	22.75	4,430	32.75	7,475
3.00	219	13.00	1,949	23.00	4,501	33.00	7,555
3.25	246	13.25	2,005	23.25	4,572	33.25	7,637
3.50	275	13.50	2,061	23.50	4,644	33.50	7,718
3.75	305	13.75	2,118	23.75	4,715	33.75	7,799
4.00	336	14.00	2,175	24.00	4,787	34.00	7,881
4.25	368	14.25	2,232	24.25	4,860	34.25	7,963
4.50	401	14.50	2,290	24.50	4,932	34.50	8,045
4.75	435	14.75	2,349	24.75	5,005	34.75	8,127
5.00	470	15.00	2,408	25.00	5,078	35.00	8,210
5.25	505	15.25	2,467	25.25	5,152	35.25	8,293
5.50	542	15.50	2,527	25.50	5,226	35.50	8,375
5.75	579	15.75	2,587	25.75	5,300	35.75	8,458
6.00	617	16.00	2,648	26.00	5,374	36.00	8,542
6.25	656	16.25	2,709	26.25	5,449	36.25	8,625
6.50	695	16.50	2,770	26.50	5,523	36.50	8,709
6.75	735	16.75	2,832	26.75	5,599	36.75	8,792
7.00	776	17.00	2,895	27.00	5,674	37.00	8,876
7.25	818	17.25	2,957	27.25	5,750	37.25	8,960
7.50	861	17.50	3,020	27.50	5,825	37.50	9,044
7.75	904	17.75	3,084	27.75	5,902	37.75	9,129
8.00	948	18.00	3,148	28.00	5,978	38.00	9,213
8.25	992	18.25	3,212	28.25	6,055	38.25	9,298
8.50	1,037	18.50	3,277	28.50	6,132	38.50	9,383
8.75	1,083	18.75	3,342	28.75	6,209	38.75	9,468
9.00	1,129	19.00	3,407	29.00	6,286	39.00	9,553
9.25	1,176	19.25	3,473	29.25	6,364	39.25	9,638
9.50	1,224	19.50	3,539	29.50	6,442	39.50	9,724
9.75	1,272	19.75	3,606	29.75	6,520	39.75	9,809

**OFOX 34769****Gage Table Information**Reporting Marks: **OFOX 34769**

Trinity File Number: 9156

Capacity: 33,731 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 166

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,981	50.25	13,508	60.25	17,139	70.25	20,762
40.50	10,067	50.50	13,598	60.50	17,230	70.50	20,851
40.75	10,153	50.75	13,688	60.75	17,321	70.75	20,941
41.00	10,239	51.00	13,778	61.00	17,412	71.00	21,030
41.25	10,325	51.25	13,869	61.25	17,504	71.25	21,119
41.50	10,412	51.50	13,959	61.50	17,595	71.50	21,208
41.75	10,499	51.75	14,049	61.75	17,686	71.75	21,298
42.00	10,585	52.00	14,139	62.00	17,777	72.00	21,387
42.25	10,672	52.25	14,230	62.25	17,868	72.25	21,475
42.50	10,759	52.50	14,320	62.50	17,959	72.50	21,564
42.75	10,847	52.75	14,411	62.75	18,050	72.75	21,653
43.00	10,934	53.00	14,501	63.00	18,141	73.00	21,742
43.25	11,021	53.25	14,592	63.25	18,232	73.25	21,830
43.50	11,109	53.50	14,682	63.50	18,323	73.50	21,919
43.75	11,196	53.75	14,773	63.75	18,414	73.75	22,007
44.00	11,284	54.00	14,864	64.00	18,504	74.00	22,095
44.25	11,372	54.25	14,955	64.25	18,595	74.25	22,183
44.50	11,460	54.50	15,045	64.50	18,686	74.50	22,272
44.75	11,548	54.75	15,136	64.75	18,777	74.75	22,359
45.00	11,636	55.00	15,227	65.00	18,868	75.00	22,447
45.25	11,724	55.25	15,318	65.25	18,958	75.25	22,535
45.50	11,813	55.50	15,409	65.50	19,049	75.50	22,623
45.75	11,901	55.75	15,500	65.75	19,140	75.75	22,710
46.00	11,990	56.00	15,591	66.00	19,230	76.00	22,798
46.25	12,078	56.25	15,682	66.25	19,321	76.25	22,885
46.50	12,167	56.50	15,773	66.50	19,411	76.50	22,972
46.75	12,256	56.75	15,864	66.75	19,502	76.75	23,059
47.00	12,345	57.00	15,955	67.00	19,592	77.00	23,146
47.25	12,434	57.25	16,046	67.25	19,682	77.25	23,233
47.50	12,523	57.50	16,137	67.50	19,773	77.50	23,319
47.75	12,612	57.75	16,228	67.75	19,863	77.75	23,406
48.00	12,701	58.00	16,319	68.00	19,953	78.00	23,492
48.25	12,791	58.25	16,410	68.25	20,043	78.25	23,579
48.50	12,880	58.50	16,501	68.50	20,133	78.50	23,665
48.75	12,970	58.75	16,592	68.75	20,223	78.75	23,751
49.00	13,059	59.00	16,683	69.00	20,313	79.00	23,837
49.25	13,149	59.25	16,775	69.25	20,403	79.25	23,922
49.50	13,239	59.50	16,866	69.50	20,493	79.50	24,008
49.75	13,328	59.75	16,957	69.75	20,582	79.75	24,093
50.00	13,418	60.00	17,048	70.00	20,672	80.00	24,179

**OFOX 34769****Gage Table Information**Reporting Marks: **OFOX 34769**

Trinity File Number: 9156

Capacity: 33,731 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 166

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,264	90.25	27,523	100.25	30,390	110.25	32,649
80.50	24,349	90.50	27,600	100.50	30,455	110.50	32,694
80.75	24,434	90.75	27,677	100.75	30,519	110.75	32,739
81.00	24,518	91.00	27,753	101.00	30,584	111.00	32,784
81.25	24,603	91.25	27,830	101.25	30,647	111.25	32,828
81.50	24,687	91.50	27,906	101.50	30,711	111.50	32,871
81.75	24,771	91.75	27,982	101.75	30,774	111.75	32,913
82.00	24,855	92.00	28,058	102.00	30,837	112.00	32,955
82.25	24,939	92.25	28,133	102.25	30,899	112.25	32,996
82.50	25,023	92.50	28,208	102.50	30,961	112.50	33,036
82.75	25,106	92.75	28,283	102.75	31,022	112.75	33,076
83.00	25,190	93.00	28,357	103.00	31,084	113.00	33,115
83.25	25,273	93.25	28,432	103.25	31,144	113.25	33,153
83.50	25,356	93.50	28,506	103.50	31,204	113.50	33,190
83.75	25,439	93.75	28,580	103.75	31,264	113.75	33,226
84.00	25,521	94.00	28,653	104.00	31,324	114.00	33,262
84.25	25,604	94.25	28,726	104.25	31,383	114.25	33,297
84.50	25,686	94.50	28,799	104.50	31,441	114.50	33,330
84.75	25,768	94.75	28,872	104.75	31,499	114.75	33,363
85.00	25,850	95.00	28,944	105.00	31,557	115.00	33,395
85.25	25,932	95.25	29,016	105.25	31,614	115.25	33,426
85.50	26,014	95.50	29,088	105.50	31,670	115.50	33,456
85.75	26,095	95.75	29,159	105.75	31,727	115.75	33,485
86.00	26,176	96.00	29,230	106.00	31,782	116.00	33,513
86.25	26,257	96.25	29,301	106.25	31,837	116.25	33,540
86.50	26,338	96.50	29,372	106.50	31,892	116.50	33,565
86.75	26,418	96.75	29,442	106.75	31,946	116.75	33,589
87.00	26,498	97.00	29,512	107.00	32,000	117.00	33,612
87.25	26,579	97.25	29,581	107.25	32,053	117.25	33,634
87.50	26,658	97.50	29,651	107.50	32,106	117.50	33,654
87.75	26,738	97.75	29,720	107.75	32,158	117.75	33,672
88.00	26,818	98.00	29,788	108.00	32,210	118.00	33,689
88.25	26,897	98.25	29,856	108.25	32,261	118.25	33,704
88.50	26,976	98.50	29,924	108.50	32,311	118.50	33,716
88.75	27,055	98.75	29,992	108.75	32,361	118.75	33,726
89.00	27,133	99.00	30,059	109.00	32,411	119.00	33,731
89.25	27,212	99.25	30,126	109.25	32,459		
89.50	27,290	99.50	30,192	109.50	32,508		
89.75	27,368	99.75	30,258	109.75	32,555		
90.00	27,445	100.00	30,324	110.00	32,602		

