

**OFOX 34771****Gage Table Information**Reporting Marks: **OFOX 34771**

Trinity File Number: 9156

Capacity: 33,724 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 168

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,675
0.50	15	10.50	1,419	20.50	3,806	30.50	6,754
0.75	27	10.75	1,470	20.75	3,874	30.75	6,833
1.00	42	11.00	1,521	21.00	3,942	31.00	6,912
1.25	58	11.25	1,572	21.25	4,011	31.25	6,991
1.50	77	11.50	1,625	21.50	4,079	31.50	7,071
1.75	97	11.75	1,677	21.75	4,149	31.75	7,151
2.00	119	12.00	1,730	22.00	4,218	32.00	7,231
2.25	141	12.25	1,784	22.25	4,288	32.25	7,311
2.50	166	12.50	1,838	22.50	4,358	32.50	7,392
2.75	191	12.75	1,893	22.75	4,429	32.75	7,473
3.00	218	13.00	1,948	23.00	4,500	33.00	7,553
3.25	246	13.25	2,004	23.25	4,571	33.25	7,635
3.50	275	13.50	2,060	23.50	4,642	33.50	7,716
3.75	305	13.75	2,117	23.75	4,714	33.75	7,797
4.00	336	14.00	2,174	24.00	4,786	34.00	7,879
4.25	368	14.25	2,231	24.25	4,858	34.25	7,961
4.50	400	14.50	2,289	24.50	4,931	34.50	8,043
4.75	434	14.75	2,348	24.75	5,004	34.75	8,125
5.00	469	15.00	2,407	25.00	5,077	35.00	8,208
5.25	504	15.25	2,466	25.25	5,150	35.25	8,290
5.50	541	15.50	2,526	25.50	5,224	35.50	8,373
5.75	578	15.75	2,586	25.75	5,298	35.75	8,456
6.00	616	16.00	2,647	26.00	5,372	36.00	8,539
6.25	655	16.25	2,708	26.25	5,447	36.25	8,623
6.50	694	16.50	2,769	26.50	5,522	36.50	8,706
6.75	735	16.75	2,831	26.75	5,597	36.75	8,790
7.00	776	17.00	2,894	27.00	5,672	37.00	8,874
7.25	817	17.25	2,956	27.25	5,748	37.25	8,958
7.50	860	17.50	3,019	27.50	5,824	37.50	9,042
7.75	903	17.75	3,083	27.75	5,900	37.75	9,126
8.00	947	18.00	3,147	28.00	5,976	38.00	9,211
8.25	991	18.25	3,211	28.25	6,053	38.25	9,296
8.50	1,036	18.50	3,276	28.50	6,130	38.50	9,380
8.75	1,082	18.75	3,341	28.75	6,207	38.75	9,465
9.00	1,128	19.00	3,406	29.00	6,284	39.00	9,550
9.25	1,175	19.25	3,472	29.25	6,362	39.25	9,636
9.50	1,223	19.50	3,538	29.50	6,440	39.50	9,721
9.75	1,271	19.75	3,604	29.75	6,518	39.75	9,807

**OFOX 34771****Gage Table Information**Reporting Marks: **OFOX 34771**

Trinity File Number: 9156

Capacity: 33,724 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 168

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,978	50.25	13,505	60.25	17,135	70.25	20,757
40.50	10,064	50.50	13,595	60.50	17,226	70.50	20,847
40.75	10,150	50.75	13,685	60.75	17,317	70.75	20,936
41.00	10,237	51.00	13,775	61.00	17,409	71.00	21,025
41.25	10,323	51.25	13,865	61.25	17,500	71.25	21,115
41.50	10,409	51.50	13,956	61.50	17,591	71.50	21,204
41.75	10,496	51.75	14,046	61.75	17,682	71.75	21,293
42.00	10,583	52.00	14,136	62.00	17,773	72.00	21,382
42.25	10,670	52.25	14,226	62.25	17,864	72.25	21,471
42.50	10,757	52.50	14,317	62.50	17,955	72.50	21,560
42.75	10,844	52.75	14,407	62.75	18,046	72.75	21,648
43.00	10,931	53.00	14,498	63.00	18,137	73.00	21,737
43.25	11,019	53.25	14,588	63.25	18,228	73.25	21,826
43.50	11,106	53.50	14,679	63.50	18,319	73.50	21,914
43.75	11,194	53.75	14,770	63.75	18,410	73.75	22,002
44.00	11,281	54.00	14,860	64.00	18,500	74.00	22,091
44.25	11,369	54.25	14,951	64.25	18,591	74.25	22,179
44.50	11,457	54.50	15,042	64.50	18,682	74.50	22,267
44.75	11,545	54.75	15,133	64.75	18,773	74.75	22,355
45.00	11,633	55.00	15,223	65.00	18,863	75.00	22,442
45.25	11,722	55.25	15,314	65.25	18,954	75.25	22,530
45.50	11,810	55.50	15,405	65.50	19,045	75.50	22,618
45.75	11,898	55.75	15,496	65.75	19,135	75.75	22,705
46.00	11,987	56.00	15,587	66.00	19,226	76.00	22,793
46.25	12,076	56.25	15,678	66.25	19,316	76.25	22,880
46.50	12,164	56.50	15,769	66.50	19,407	76.50	22,967
46.75	12,253	56.75	15,860	66.75	19,497	76.75	23,054
47.00	12,342	57.00	15,951	67.00	19,588	77.00	23,141
47.25	12,431	57.25	16,042	67.25	19,678	77.25	23,228
47.50	12,520	57.50	16,133	67.50	19,768	77.50	23,314
47.75	12,609	57.75	16,224	67.75	19,859	77.75	23,401
48.00	12,698	58.00	16,315	68.00	19,949	78.00	23,487
48.25	12,788	58.25	16,406	68.25	20,039	78.25	23,574
48.50	12,877	58.50	16,497	68.50	20,129	78.50	23,660
48.75	12,967	58.75	16,589	68.75	20,219	78.75	23,746
49.00	13,056	59.00	16,680	69.00	20,309	79.00	23,831
49.25	13,146	59.25	16,771	69.25	20,399	79.25	23,917
49.50	13,236	59.50	16,862	69.50	20,488	79.50	24,003
49.75	13,325	59.75	16,953	69.75	20,578	79.75	24,088
50.00	13,415	60.00	17,044	70.00	20,668	80.00	24,173

**OFOX 34771****Gage Table Information**Reporting Marks: **OFOX 34771**

Trinity File Number: 9156

Capacity: 33,724 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 168

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,259	90.25	27,517	100.25	30,383	110.25	32,642
80.50	24,344	90.50	27,594	100.50	30,448	110.50	32,687
80.75	24,428	90.75	27,671	100.75	30,513	110.75	32,733
81.00	24,513	91.00	27,748	101.00	30,577	111.00	32,777
81.25	24,597	91.25	27,824	101.25	30,641	111.25	32,821
81.50	24,682	91.50	27,900	101.50	30,705	111.50	32,864
81.75	24,766	91.75	27,976	101.75	30,768	111.75	32,906
82.00	24,850	92.00	28,052	102.00	30,830	112.00	32,948
82.25	24,934	92.25	28,127	102.25	30,893	112.25	32,989
82.50	25,018	92.50	28,202	102.50	30,955	112.50	33,029
82.75	25,101	92.75	28,277	102.75	31,016	112.75	33,069
83.00	25,184	93.00	28,352	103.00	31,077	113.00	33,108
83.25	25,268	93.25	28,426	103.25	31,138	113.25	33,146
83.50	25,351	93.50	28,500	103.50	31,198	113.50	33,183
83.75	25,433	93.75	28,574	103.75	31,258	113.75	33,219
84.00	25,516	94.00	28,647	104.00	31,317	114.00	33,255
84.25	25,599	94.25	28,720	104.25	31,376	114.25	33,290
84.50	25,681	94.50	28,793	104.50	31,435	114.50	33,323
84.75	25,763	94.75	28,866	104.75	31,493	114.75	33,356
85.00	25,845	95.00	28,938	105.00	31,550	115.00	33,388
85.25	25,926	95.25	29,010	105.25	31,607	115.25	33,419
85.50	26,008	95.50	29,082	105.50	31,664	115.50	33,449
85.75	26,089	95.75	29,153	105.75	31,720	115.75	33,478
86.00	26,170	96.00	29,224	106.00	31,776	116.00	33,506
86.25	26,251	96.25	29,295	106.25	31,831	116.25	33,533
86.50	26,332	96.50	29,366	106.50	31,886	116.50	33,558
86.75	26,413	96.75	29,436	106.75	31,940	116.75	33,582
87.00	26,493	97.00	29,506	107.00	31,993	117.00	33,605
87.25	26,573	97.25	29,575	107.25	32,047	117.25	33,627
87.50	26,653	97.50	29,644	107.50	32,099	117.50	33,647
87.75	26,733	97.75	29,713	107.75	32,151	117.75	33,665
88.00	26,812	98.00	29,782	108.00	32,203	118.00	33,682
88.25	26,891	98.25	29,850	108.25	32,254	118.25	33,697
88.50	26,970	98.50	29,918	108.50	32,305	118.50	33,709
88.75	27,049	98.75	29,985	108.75	32,354	118.75	33,719
89.00	27,128	99.00	30,053	109.00	32,404	119.00	33,724
89.25	27,206	99.25	30,119	109.25	32,453		
89.50	27,284	99.50	30,186	109.50	32,501		
89.75	27,362	99.75	30,252	109.75	32,548		
90.00	27,439	100.00	30,318	110.00	32,595		

