

**OFOX 34773****Gage Table Information**Reporting Marks: **OFOX 34773**

Trinity File Number: 9156

Capacity: 33,747 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 170

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,741	30.25	6,679
0.50	15	10.50	1,420	20.50	3,808	30.50	6,758
0.75	27	10.75	1,471	20.75	3,876	30.75	6,837
1.00	42	11.00	1,522	21.00	3,945	31.00	6,917
1.25	58	11.25	1,573	21.25	4,013	31.25	6,996
1.50	77	11.50	1,626	21.50	4,082	31.50	7,076
1.75	97	11.75	1,678	21.75	4,151	31.75	7,156
2.00	119	12.00	1,732	22.00	4,221	32.00	7,236
2.25	142	12.25	1,785	22.25	4,291	32.25	7,316
2.50	166	12.50	1,840	22.50	4,361	32.50	7,397
2.75	191	12.75	1,894	22.75	4,432	32.75	7,478
3.00	218	13.00	1,949	23.00	4,503	33.00	7,559
3.25	246	13.25	2,005	23.25	4,574	33.25	7,640
3.50	275	13.50	2,061	23.50	4,645	33.50	7,721
3.75	305	13.75	2,118	23.75	4,717	33.75	7,803
4.00	336	14.00	2,175	24.00	4,789	34.00	7,884
4.25	368	14.25	2,233	24.25	4,861	34.25	7,966
4.50	401	14.50	2,291	24.50	4,934	34.50	8,049
4.75	435	14.75	2,349	24.75	5,007	34.75	8,131
5.00	469	15.00	2,408	25.00	5,080	35.00	8,213
5.25	505	15.25	2,468	25.25	5,154	35.25	8,296
5.50	541	15.50	2,528	25.50	5,228	35.50	8,379
5.75	578	15.75	2,588	25.75	5,302	35.75	8,462
6.00	616	16.00	2,649	26.00	5,376	36.00	8,545
6.25	655	16.25	2,710	26.25	5,451	36.25	8,629
6.50	695	16.50	2,771	26.50	5,526	36.50	8,712
6.75	735	16.75	2,833	26.75	5,601	36.75	8,796
7.00	776	17.00	2,895	27.00	5,676	37.00	8,880
7.25	818	17.25	2,958	27.25	5,752	37.25	8,964
7.50	860	17.50	3,021	27.50	5,828	37.50	9,048
7.75	904	17.75	3,085	27.75	5,904	37.75	9,133
8.00	947	18.00	3,149	28.00	5,980	38.00	9,217
8.25	992	18.25	3,213	28.25	6,057	38.25	9,302
8.50	1,037	18.50	3,278	28.50	6,134	38.50	9,387
8.75	1,083	18.75	3,343	28.75	6,211	38.75	9,472
9.00	1,129	19.00	3,408	29.00	6,289	39.00	9,557
9.25	1,176	19.25	3,474	29.25	6,366	39.25	9,642
9.50	1,224	19.50	3,540	29.50	6,444	39.50	9,728
9.75	1,272	19.75	3,607	29.75	6,522	39.75	9,813

**OFOX 34773****Gage Table Information**Reporting Marks: **OFOX 34773**

Trinity File Number: 9156

Capacity: 33,747 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 170

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,985	50.25	13,514	60.25	17,147	70.25	20,771
40.50	10,071	50.50	13,604	60.50	17,238	70.50	20,861
40.75	10,157	50.75	13,694	60.75	17,329	70.75	20,950
41.00	10,244	51.00	13,785	61.00	17,420	71.00	21,040
41.25	10,330	51.25	13,875	61.25	17,512	71.25	21,129
41.50	10,417	51.50	13,965	61.50	17,603	71.50	21,218
41.75	10,503	51.75	14,055	61.75	17,694	71.75	21,307
42.00	10,590	52.00	14,146	62.00	17,785	72.00	21,396
42.25	10,677	52.25	14,236	62.25	17,876	72.25	21,485
42.50	10,764	52.50	14,327	62.50	17,967	72.50	21,574
42.75	10,851	52.75	14,417	62.75	18,058	72.75	21,663
43.00	10,939	53.00	14,508	63.00	18,149	73.00	21,752
43.25	11,026	53.25	14,598	63.25	18,240	73.25	21,840
43.50	11,114	53.50	14,689	63.50	18,331	73.50	21,929
43.75	11,201	53.75	14,780	63.75	18,422	73.75	22,017
44.00	11,289	54.00	14,870	64.00	18,513	74.00	22,106
44.25	11,377	54.25	14,961	64.25	18,604	74.25	22,194
44.50	11,465	54.50	15,052	64.50	18,695	74.50	22,282
44.75	11,553	54.75	15,143	64.75	18,786	74.75	22,370
45.00	11,641	55.00	15,234	65.00	18,876	75.00	22,458
45.25	11,730	55.25	15,325	65.25	18,967	75.25	22,546
45.50	11,818	55.50	15,416	65.50	19,058	75.50	22,633
45.75	11,906	55.75	15,507	65.75	19,148	75.75	22,721
46.00	11,995	56.00	15,598	66.00	19,239	76.00	22,808
46.25	12,084	56.25	15,689	66.25	19,330	76.25	22,895
46.50	12,173	56.50	15,780	66.50	19,420	76.50	22,983
46.75	12,261	56.75	15,871	66.75	19,511	76.75	23,070
47.00	12,350	57.00	15,962	67.00	19,601	77.00	23,157
47.25	12,439	57.25	16,053	67.25	19,691	77.25	23,244
47.50	12,529	57.50	16,144	67.50	19,782	77.50	23,330
47.75	12,618	57.75	16,235	67.75	19,872	77.75	23,417
48.00	12,707	58.00	16,326	68.00	19,962	78.00	23,503
48.25	12,797	58.25	16,418	68.25	20,052	78.25	23,590
48.50	12,886	58.50	16,509	68.50	20,142	78.50	23,676
48.75	12,976	58.75	16,600	68.75	20,233	78.75	23,762
49.00	13,065	59.00	16,691	69.00	20,322	79.00	23,848
49.25	13,155	59.25	16,782	69.25	20,412	79.25	23,933
49.50	13,245	59.50	16,873	69.50	20,502	79.50	24,019
49.75	13,334	59.75	16,965	69.75	20,592	79.75	24,105
50.00	13,424	60.00	17,056	70.00	20,682	80.00	24,190

**OFOX 34773****Gage Table Information**Reporting Marks: **OFOX 34773**

Trinity File Number: 9156

Capacity: 33,747 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 170

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,275	90.25	27,536	100.25	30,404	110.25	32,664
80.50	24,360	90.50	27,613	100.50	30,469	110.50	32,710
80.75	24,445	90.75	27,690	100.75	30,534	110.75	32,755
81.00	24,530	91.00	27,766	101.00	30,598	111.00	32,799
81.25	24,614	91.25	27,843	101.25	30,662	111.25	32,843
81.50	24,699	91.50	27,919	101.50	30,725	111.50	32,886
81.75	24,783	91.75	27,995	101.75	30,789	111.75	32,929
82.00	24,867	92.00	28,071	102.00	30,851	112.00	32,971
82.25	24,951	92.25	28,146	102.25	30,914	112.25	33,012
82.50	25,035	92.50	28,221	102.50	30,976	112.50	33,052
82.75	25,118	92.75	28,296	102.75	31,037	112.75	33,092
83.00	25,202	93.00	28,371	103.00	31,098	113.00	33,130
83.25	25,285	93.25	28,445	103.25	31,159	113.25	33,168
83.50	25,368	93.50	28,519	103.50	31,219	113.50	33,206
83.75	25,451	93.75	28,593	103.75	31,279	113.75	33,242
84.00	25,533	94.00	28,667	104.00	31,338	114.00	33,278
84.25	25,616	94.25	28,740	104.25	31,397	114.25	33,312
84.50	25,698	94.50	28,813	104.50	31,456	114.50	33,346
84.75	25,780	94.75	28,885	104.75	31,514	114.75	33,379
85.00	25,862	95.00	28,958	105.00	31,572	115.00	33,411
85.25	25,944	95.25	29,030	105.25	31,629	115.25	33,442
85.50	26,026	95.50	29,102	105.50	31,685	115.50	33,472
85.75	26,107	95.75	29,173	105.75	31,742	115.75	33,501
86.00	26,188	96.00	29,244	106.00	31,797	116.00	33,529
86.25	26,269	96.25	29,315	106.25	31,853	116.25	33,555
86.50	26,350	96.50	29,386	106.50	31,907	116.50	33,581
86.75	26,431	96.75	29,456	106.75	31,962	116.75	33,605
87.00	26,511	97.00	29,526	107.00	32,015	117.00	33,628
87.25	26,591	97.25	29,595	107.25	32,068	117.25	33,650
87.50	26,671	97.50	29,665	107.50	32,121	117.50	33,670
87.75	26,751	97.75	29,734	107.75	32,173	117.75	33,688
88.00	26,830	98.00	29,802	108.00	32,225	118.00	33,705
88.25	26,909	98.25	29,870	108.25	32,276	118.25	33,720
88.50	26,989	98.50	29,938	108.50	32,327	118.50	33,732
88.75	27,067	98.75	30,006	108.75	32,376	118.75	33,742
89.00	27,146	99.00	30,073	109.00	32,426	119.00	33,747
89.25	27,224	99.25	30,140	109.25	32,475		
89.50	27,302	99.50	30,206	109.50	32,523		
89.75	27,380	99.75	30,273	109.75	32,571		
90.00	27,458	100.00	30,338	110.00	32,618		

