

**OFOX 34778****Gage Table Information**Reporting Marks: **OFOX 34778**

Trinity File Number: 9156

Capacity: 33,719 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 175

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,674
0.50	15	10.50	1,419	20.50	3,805	30.50	6,753
0.75	27	10.75	1,470	20.75	3,873	30.75	6,832
1.00	42	11.00	1,521	21.00	3,941	31.00	6,911
1.25	58	11.25	1,572	21.25	4,010	31.25	6,990
1.50	77	11.50	1,624	21.50	4,079	31.50	7,070
1.75	97	11.75	1,677	21.75	4,148	31.75	7,150
2.00	118	12.00	1,730	22.00	4,218	32.00	7,230
2.25	141	12.25	1,784	22.25	4,287	32.25	7,310
2.50	166	12.50	1,838	22.50	4,358	32.50	7,391
2.75	191	12.75	1,893	22.75	4,428	32.75	7,471
3.00	218	13.00	1,948	23.00	4,499	33.00	7,552
3.25	246	13.25	2,004	23.25	4,570	33.25	7,633
3.50	275	13.50	2,060	23.50	4,641	33.50	7,715
3.75	305	13.75	2,116	23.75	4,713	33.75	7,796
4.00	336	14.00	2,173	24.00	4,785	34.00	7,878
4.25	367	14.25	2,231	24.25	4,857	34.25	7,960
4.50	400	14.50	2,289	24.50	4,930	34.50	8,042
4.75	434	14.75	2,347	24.75	5,003	34.75	8,124
5.00	469	15.00	2,406	25.00	5,076	35.00	8,207
5.25	504	15.25	2,466	25.25	5,149	35.25	8,289
5.50	541	15.50	2,525	25.50	5,223	35.50	8,372
5.75	578	15.75	2,586	25.75	5,297	35.75	8,455
6.00	616	16.00	2,646	26.00	5,372	36.00	8,538
6.25	655	16.25	2,707	26.25	5,446	36.25	8,621
6.50	694	16.50	2,769	26.50	5,521	36.50	8,705
6.75	735	16.75	2,831	26.75	5,596	36.75	8,789
7.00	776	17.00	2,893	27.00	5,671	37.00	8,872
7.25	817	17.25	2,956	27.25	5,747	37.25	8,956
7.50	860	17.50	3,019	27.50	5,823	37.50	9,041
7.75	903	17.75	3,082	27.75	5,899	37.75	9,125
8.00	947	18.00	3,146	28.00	5,975	38.00	9,209
8.25	991	18.25	3,210	28.25	6,052	38.25	9,294
8.50	1,036	18.50	3,275	28.50	6,129	38.50	9,379
8.75	1,082	18.75	3,340	28.75	6,206	38.75	9,464
9.00	1,128	19.00	3,405	29.00	6,283	39.00	9,549
9.25	1,175	19.25	3,471	29.25	6,361	39.25	9,634
9.50	1,223	19.50	3,537	29.50	6,439	39.50	9,720
9.75	1,271	19.75	3,604	29.75	6,517	39.75	9,805

**OFOX 34778****Gage Table Information**Reporting Marks: **OFOX 34778**

Trinity File Number: 9156

Capacity: 33,719 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 175

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,977	50.25	13,503	60.25	17,133	70.25	20,754
40.50	10,063	50.50	13,593	60.50	17,224	70.50	20,844
40.75	10,149	50.75	13,683	60.75	17,315	70.75	20,933
41.00	10,235	51.00	13,773	61.00	17,406	71.00	21,022
41.25	10,321	51.25	13,863	61.25	17,497	71.25	21,111
41.50	10,408	51.50	13,953	61.50	17,588	71.50	21,201
41.75	10,495	51.75	14,044	61.75	17,679	71.75	21,290
42.00	10,581	52.00	14,134	62.00	17,770	72.00	21,379
42.25	10,668	52.25	14,224	62.25	17,861	72.25	21,468
42.50	10,755	52.50	14,315	62.50	17,952	72.50	21,556
42.75	10,842	52.75	14,405	62.75	18,043	72.75	21,645
43.00	10,930	53.00	14,496	63.00	18,134	73.00	21,734
43.25	11,017	53.25	14,586	63.25	18,225	73.25	21,822
43.50	11,104	53.50	14,677	63.50	18,316	73.50	21,911
43.75	11,192	53.75	14,767	63.75	18,407	73.75	21,999
44.00	11,280	54.00	14,858	64.00	18,498	74.00	22,087
44.25	11,367	54.25	14,949	64.25	18,588	74.25	22,175
44.50	11,455	54.50	15,040	64.50	18,679	74.50	22,263
44.75	11,543	54.75	15,130	64.75	18,770	74.75	22,351
45.00	11,632	55.00	15,221	65.00	18,861	75.00	22,439
45.25	11,720	55.25	15,312	65.25	18,951	75.25	22,527
45.50	11,808	55.50	15,403	65.50	19,042	75.50	22,614
45.75	11,897	55.75	15,494	65.75	19,133	75.75	22,702
46.00	11,985	56.00	15,585	66.00	19,223	76.00	22,789
46.25	12,074	56.25	15,676	66.25	19,314	76.25	22,877
46.50	12,162	56.50	15,767	66.50	19,404	76.50	22,964
46.75	12,251	56.75	15,858	66.75	19,494	76.75	23,051
47.00	12,340	57.00	15,949	67.00	19,585	77.00	23,138
47.25	12,429	57.25	16,040	67.25	19,675	77.25	23,224
47.50	12,518	57.50	16,131	67.50	19,765	77.50	23,311
47.75	12,607	57.75	16,222	67.75	19,856	77.75	23,397
48.00	12,697	58.00	16,313	68.00	19,946	78.00	23,484
48.25	12,786	58.25	16,404	68.25	20,036	78.25	23,570
48.50	12,875	58.50	16,495	68.50	20,126	78.50	23,656
48.75	12,965	58.75	16,586	68.75	20,216	78.75	23,742
49.00	13,054	59.00	16,677	69.00	20,306	79.00	23,828
49.25	13,144	59.25	16,768	69.25	20,395	79.25	23,914
49.50	13,234	59.50	16,859	69.50	20,485	79.50	23,999
49.75	13,323	59.75	16,951	69.75	20,575	79.75	24,085
50.00	13,413	60.00	17,042	70.00	20,665	80.00	24,170

**OFOX 34778****Gage Table Information**Reporting Marks: **OFOX 34778**

Trinity File Number: 9156

Capacity: 33,719 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 175

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,255	90.25	27,513	100.25	30,379	110.25	32,637
80.50	24,340	90.50	27,590	100.50	30,444	110.50	32,683
80.75	24,425	90.75	27,667	100.75	30,508	110.75	32,728
81.00	24,509	91.00	27,743	101.00	30,573	111.00	32,772
81.25	24,594	91.25	27,820	101.25	30,636	111.25	32,816
81.50	24,678	91.50	27,896	101.50	30,700	111.50	32,859
81.75	24,762	91.75	27,972	101.75	30,763	111.75	32,902
82.00	24,846	92.00	28,047	102.00	30,826	112.00	32,943
82.25	24,930	92.25	28,123	102.25	30,888	112.25	32,984
82.50	25,014	92.50	28,198	102.50	30,950	112.50	33,025
82.75	25,097	92.75	28,273	102.75	31,011	112.75	33,064
83.00	25,181	93.00	28,347	103.00	31,072	113.00	33,103
83.25	25,264	93.25	28,422	103.25	31,133	113.25	33,141
83.50	25,347	93.50	28,496	103.50	31,193	113.50	33,178
83.75	25,430	93.75	28,569	103.75	31,253	113.75	33,214
84.00	25,512	94.00	28,643	104.00	31,312	114.00	33,250
84.25	25,595	94.25	28,716	104.25	31,371	114.25	33,285
84.50	25,677	94.50	28,789	104.50	31,430	114.50	33,318
84.75	25,759	94.75	28,861	104.75	31,488	114.75	33,351
85.00	25,841	95.00	28,934	105.00	31,545	115.00	33,383
85.25	25,923	95.25	29,006	105.25	31,603	115.25	33,414
85.50	26,004	95.50	29,078	105.50	31,659	115.50	33,444
85.75	26,085	95.75	29,149	105.75	31,715	115.75	33,473
86.00	26,167	96.00	29,220	106.00	31,771	116.00	33,501
86.25	26,247	96.25	29,291	106.25	31,826	116.25	33,528
86.50	26,328	96.50	29,361	106.50	31,881	116.50	33,553
86.75	26,409	96.75	29,431	106.75	31,935	116.75	33,577
87.00	26,489	97.00	29,501	107.00	31,989	117.00	33,600
87.25	26,569	97.25	29,571	107.25	32,042	117.25	33,622
87.50	26,649	97.50	29,640	107.50	32,095	117.50	33,642
87.75	26,729	97.75	29,709	107.75	32,147	117.75	33,660
88.00	26,808	98.00	29,777	108.00	32,198	118.00	33,677
88.25	26,887	98.25	29,846	108.25	32,249	118.25	33,692
88.50	26,966	98.50	29,914	108.50	32,300	118.50	33,704
88.75	27,045	98.75	29,981	108.75	32,350	118.75	33,714
89.00	27,124	99.00	30,048	109.00	32,399	119.00	33,719
89.25	27,202	99.25	30,115	109.25	32,448		
89.50	27,280	99.50	30,181	109.50	32,496		
89.75	27,358	99.75	30,248	109.75	32,544		
90.00	27,435	100.00	30,313	110.00	32,591		

