

**OFOX 34780****Gage Table Information**Reporting Marks: **OFOX 34780**

Trinity File Number: 9156

Capacity: 33,726 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 177

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,739	30.25	6,676
0.50	15	10.50	1,420	20.50	3,806	30.50	6,754
0.75	27	10.75	1,470	20.75	3,874	30.75	6,833
1.00	42	11.00	1,521	21.00	3,943	31.00	6,913
1.25	59	11.25	1,573	21.25	4,011	31.25	6,992
1.50	77	11.50	1,625	21.50	4,080	31.50	7,072
1.75	97	11.75	1,678	21.75	4,149	31.75	7,152
2.00	119	12.00	1,731	22.00	4,219	32.00	7,232
2.25	142	12.25	1,785	22.25	4,289	32.25	7,312
2.50	166	12.50	1,839	22.50	4,359	32.50	7,393
2.75	192	12.75	1,893	22.75	4,429	32.75	7,473
3.00	218	13.00	1,949	23.00	4,500	33.00	7,554
3.25	246	13.25	2,004	23.25	4,571	33.25	7,635
3.50	275	13.50	2,060	23.50	4,643	33.50	7,717
3.75	305	13.75	2,117	23.75	4,714	33.75	7,798
4.00	336	14.00	2,174	24.00	4,786	34.00	7,880
4.25	368	14.25	2,232	24.25	4,859	34.25	7,962
4.50	401	14.50	2,290	24.50	4,931	34.50	8,044
4.75	435	14.75	2,348	24.75	5,004	34.75	8,126
5.00	469	15.00	2,407	25.00	5,077	35.00	8,209
5.25	505	15.25	2,467	25.25	5,151	35.25	8,291
5.50	541	15.50	2,526	25.50	5,225	35.50	8,374
5.75	578	15.75	2,587	25.75	5,299	35.75	8,457
6.00	616	16.00	2,647	26.00	5,373	36.00	8,540
6.25	655	16.25	2,708	26.25	5,448	36.25	8,624
6.50	695	16.50	2,770	26.50	5,522	36.50	8,707
6.75	735	16.75	2,832	26.75	5,598	36.75	8,791
7.00	776	17.00	2,894	27.00	5,673	37.00	8,875
7.25	818	17.25	2,957	27.25	5,749	37.25	8,959
7.50	860	17.50	3,020	27.50	5,824	37.50	9,043
7.75	903	17.75	3,083	27.75	5,901	37.75	9,127
8.00	947	18.00	3,147	28.00	5,977	38.00	9,212
8.25	992	18.25	3,212	28.25	6,054	38.25	9,296
8.50	1,037	18.50	3,276	28.50	6,131	38.50	9,381
8.75	1,083	18.75	3,341	28.75	6,208	38.75	9,466
9.00	1,129	19.00	3,407	29.00	6,285	39.00	9,551
9.25	1,176	19.25	3,472	29.25	6,363	39.25	9,637
9.50	1,224	19.50	3,538	29.50	6,441	39.50	9,722
9.75	1,272	19.75	3,605	29.75	6,519	39.75	9,808

**OFOX 34780****Gage Table Information**Reporting Marks: **OFOX 34780**

Trinity File Number: 9156

Capacity: 33,726 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 177

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,979	50.25	13,506	60.25	17,136	70.25	20,759
40.50	10,065	50.50	13,596	60.50	17,228	70.50	20,848
40.75	10,151	50.75	13,686	60.75	17,319	70.75	20,937
41.00	10,237	51.00	13,776	61.00	17,410	71.00	21,027
41.25	10,324	51.25	13,866	61.25	17,501	71.25	21,116
41.50	10,410	51.50	13,957	61.50	17,592	71.50	21,205
41.75	10,497	51.75	14,047	61.75	17,683	71.75	21,294
42.00	10,584	52.00	14,137	62.00	17,774	72.00	21,383
42.25	10,671	52.25	14,228	62.25	17,865	72.25	21,472
42.50	10,758	52.50	14,318	62.50	17,956	72.50	21,561
42.75	10,845	52.75	14,408	62.75	18,047	72.75	21,650
43.00	10,932	53.00	14,499	63.00	18,138	73.00	21,738
43.25	11,019	53.25	14,590	63.25	18,229	73.25	21,827
43.50	11,107	53.50	14,680	63.50	18,320	73.50	21,915
43.75	11,195	53.75	14,771	63.75	18,411	73.75	22,004
44.00	11,282	54.00	14,861	64.00	18,502	74.00	22,092
44.25	11,370	54.25	14,952	64.25	18,592	74.25	22,180
44.50	11,458	54.50	15,043	64.50	18,683	74.50	22,268
44.75	11,546	54.75	15,134	64.75	18,774	74.75	22,356
45.00	11,634	55.00	15,225	65.00	18,865	75.00	22,444
45.25	11,723	55.25	15,315	65.25	18,955	75.25	22,532
45.50	11,811	55.50	15,406	65.50	19,046	75.50	22,619
45.75	11,899	55.75	15,497	65.75	19,137	75.75	22,707
46.00	11,988	56.00	15,588	66.00	19,227	76.00	22,794
46.25	12,076	56.25	15,679	66.25	19,318	76.25	22,881
46.50	12,165	56.50	15,770	66.50	19,408	76.50	22,969
46.75	12,254	56.75	15,861	66.75	19,499	76.75	23,056
47.00	12,343	57.00	15,952	67.00	19,589	77.00	23,142
47.25	12,432	57.25	16,043	67.25	19,679	77.25	23,229
47.50	12,521	57.50	16,134	67.50	19,770	77.50	23,316
47.75	12,610	57.75	16,225	67.75	19,860	77.75	23,402
48.00	12,699	58.00	16,316	68.00	19,950	78.00	23,489
48.25	12,789	58.25	16,408	68.25	20,040	78.25	23,575
48.50	12,878	58.50	16,499	68.50	20,130	78.50	23,661
48.75	12,968	58.75	16,590	68.75	20,220	78.75	23,747
49.00	13,057	59.00	16,681	69.00	20,310	79.00	23,833
49.25	13,147	59.25	16,772	69.25	20,400	79.25	23,919
49.50	13,237	59.50	16,863	69.50	20,490	79.50	24,004
49.75	13,326	59.75	16,954	69.75	20,579	79.75	24,090
50.00	13,416	60.00	17,045	70.00	20,669	80.00	24,175

**OFOX 34780****Gage Table Information**Reporting Marks: **OFOX 34780**

Trinity File Number: 9156

Capacity: 33,726 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 177

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,260	90.25	27,519	100.25	30,385	110.25	32,644
80.50	24,345	90.50	27,596	100.50	30,450	110.50	32,689
80.75	24,430	90.75	27,673	100.75	30,515	110.75	32,735
81.00	24,515	91.00	27,749	101.00	30,579	111.00	32,779
81.25	24,599	91.25	27,826	101.25	30,643	111.25	32,823
81.50	24,683	91.50	27,902	101.50	30,706	111.50	32,866
81.75	24,768	91.75	27,978	101.75	30,769	111.75	32,908
82.00	24,852	92.00	28,053	102.00	30,832	112.00	32,950
82.25	24,935	92.25	28,129	102.25	30,894	112.25	32,991
82.50	25,019	92.50	28,204	102.50	30,956	112.50	33,031
82.75	25,103	92.75	28,279	102.75	31,018	112.75	33,071
83.00	25,186	93.00	28,353	103.00	31,079	113.00	33,110
83.25	25,269	93.25	28,428	103.25	31,140	113.25	33,148
83.50	25,352	93.50	28,502	103.50	31,200	113.50	33,185
83.75	25,435	93.75	28,575	103.75	31,260	113.75	33,221
84.00	25,518	94.00	28,649	104.00	31,319	114.00	33,257
84.25	25,600	94.25	28,722	104.25	31,378	114.25	33,292
84.50	25,682	94.50	28,795	104.50	31,436	114.50	33,325
84.75	25,764	94.75	28,868	104.75	31,494	114.75	33,358
85.00	25,846	95.00	28,940	105.00	31,552	115.00	33,390
85.25	25,928	95.25	29,012	105.25	31,609	115.25	33,421
85.50	26,010	95.50	29,084	105.50	31,666	115.50	33,451
85.75	26,091	95.75	29,155	105.75	31,722	115.75	33,480
86.00	26,172	96.00	29,226	106.00	31,778	116.00	33,508
86.25	26,253	96.25	29,297	106.25	31,833	116.25	33,535
86.50	26,334	96.50	29,367	106.50	31,887	116.50	33,560
86.75	26,414	96.75	29,438	106.75	31,942	116.75	33,584
87.00	26,495	97.00	29,507	107.00	31,995	117.00	33,607
87.25	26,575	97.25	29,577	107.25	32,049	117.25	33,629
87.50	26,654	97.50	29,646	107.50	32,101	117.50	33,649
87.75	26,734	97.75	29,715	107.75	32,153	117.75	33,667
88.00	26,814	98.00	29,784	108.00	32,205	118.00	33,684
88.25	26,893	98.25	29,852	108.25	32,256	118.25	33,699
88.50	26,972	98.50	29,920	108.50	32,306	118.50	33,711
88.75	27,051	98.75	29,987	108.75	32,356	118.75	33,721
89.00	27,129	99.00	30,054	109.00	32,406	119.00	33,726
89.25	27,208	99.25	30,121	109.25	32,455		
89.50	27,286	99.50	30,188	109.50	32,503		
89.75	27,364	99.75	30,254	109.75	32,550		
90.00	27,441	100.00	30,320	110.00	32,597		

