

**OFOX 34782****Gage Table Information**Reporting Marks: **OFOX 34782**

Trinity File Number: 9156

Capacity: 33,729 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 179

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,739	30.25	6,676
0.50	15	10.50	1,419	20.50	3,806	30.50	6,755
0.75	27	10.75	1,470	20.75	3,874	30.75	6,834
1.00	42	11.00	1,521	21.00	3,943	31.00	6,913
1.25	58	11.25	1,573	21.25	4,011	31.25	6,992
1.50	77	11.50	1,625	21.50	4,080	31.50	7,072
1.75	97	11.75	1,677	21.75	4,149	31.75	7,152
2.00	118	12.00	1,731	22.00	4,219	32.00	7,232
2.25	141	12.25	1,784	22.25	4,289	32.25	7,312
2.50	166	12.50	1,839	22.50	4,359	32.50	7,393
2.75	191	12.75	1,893	22.75	4,429	32.75	7,474
3.00	218	13.00	1,948	23.00	4,500	33.00	7,555
3.25	246	13.25	2,004	23.25	4,571	33.25	7,636
3.50	275	13.50	2,060	23.50	4,643	33.50	7,717
3.75	305	13.75	2,117	23.75	4,714	33.75	7,798
4.00	336	14.00	2,174	24.00	4,786	34.00	7,880
4.25	368	14.25	2,232	24.25	4,859	34.25	7,962
4.50	400	14.50	2,290	24.50	4,931	34.50	8,044
4.75	434	14.75	2,348	24.75	5,004	34.75	8,126
5.00	469	15.00	2,407	25.00	5,078	35.00	8,209
5.25	505	15.25	2,466	25.25	5,151	35.25	8,292
5.50	541	15.50	2,526	25.50	5,225	35.50	8,374
5.75	578	15.75	2,586	25.75	5,299	35.75	8,457
6.00	616	16.00	2,647	26.00	5,373	36.00	8,541
6.25	655	16.25	2,708	26.25	5,448	36.25	8,624
6.50	694	16.50	2,770	26.50	5,523	36.50	8,708
6.75	735	16.75	2,832	26.75	5,598	36.75	8,791
7.00	776	17.00	2,894	27.00	5,673	37.00	8,875
7.25	818	17.25	2,957	27.25	5,749	37.25	8,959
7.50	860	17.50	3,020	27.50	5,825	37.50	9,043
7.75	903	17.75	3,083	27.75	5,901	37.75	9,128
8.00	947	18.00	3,147	28.00	5,977	38.00	9,212
8.25	991	18.25	3,211	28.25	6,054	38.25	9,297
8.50	1,036	18.50	3,276	28.50	6,131	38.50	9,382
8.75	1,082	18.75	3,341	28.75	6,208	38.75	9,467
9.00	1,129	19.00	3,406	29.00	6,285	39.00	9,552
9.25	1,176	19.25	3,472	29.25	6,363	39.25	9,637
9.50	1,223	19.50	3,538	29.50	6,441	39.50	9,723
9.75	1,271	19.75	3,605	29.75	6,519	39.75	9,808

**OFOX 34782****Gage Table Information**Reporting Marks: **OFOX 34782**

Trinity File Number: 9156

Capacity: 33,729 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 179

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,980	50.25	13,507	60.25	17,138	70.25	20,760
40.50	10,066	50.50	13,597	60.50	17,229	70.50	20,850
40.75	10,152	50.75	13,687	60.75	17,320	70.75	20,939
41.00	10,238	51.00	13,777	61.00	17,411	71.00	21,028
41.25	10,324	51.25	13,867	61.25	17,502	71.25	21,118
41.50	10,411	51.50	13,958	61.50	17,593	71.50	21,207
41.75	10,498	51.75	14,048	61.75	17,684	71.75	21,296
42.00	10,584	52.00	14,138	62.00	17,775	72.00	21,385
42.25	10,671	52.25	14,229	62.25	17,866	72.25	21,474
42.50	10,758	52.50	14,319	62.50	17,957	72.50	21,563
42.75	10,845	52.75	14,409	62.75	18,048	72.75	21,652
43.00	10,933	53.00	14,500	63.00	18,139	73.00	21,740
43.25	11,020	53.25	14,591	63.25	18,230	73.25	21,829
43.50	11,108	53.50	14,681	63.50	18,321	73.50	21,917
43.75	11,195	53.75	14,772	63.75	18,412	73.75	22,006
44.00	11,283	54.00	14,863	64.00	18,503	74.00	22,094
44.25	11,371	54.25	14,953	64.25	18,594	74.25	22,182
44.50	11,459	54.50	15,044	64.50	18,685	74.50	22,270
44.75	11,547	54.75	15,135	64.75	18,776	74.75	22,358
45.00	11,635	55.00	15,226	65.00	18,866	75.00	22,446
45.25	11,723	55.25	15,317	65.25	18,957	75.25	22,534
45.50	11,812	55.50	15,407	65.50	19,048	75.50	22,621
45.75	11,900	55.75	15,498	65.75	19,138	75.75	22,709
46.00	11,989	56.00	15,589	66.00	19,229	76.00	22,796
46.25	12,077	56.25	15,680	66.25	19,319	76.25	22,883
46.50	12,166	56.50	15,771	66.50	19,410	76.50	22,970
46.75	12,255	56.75	15,862	66.75	19,500	76.75	23,057
47.00	12,344	57.00	15,953	67.00	19,591	77.00	23,144
47.25	12,433	57.25	16,044	67.25	19,681	77.25	23,231
47.50	12,522	57.50	16,135	67.50	19,771	77.50	23,318
47.75	12,611	57.75	16,227	67.75	19,861	77.75	23,404
48.00	12,700	58.00	16,318	68.00	19,952	78.00	23,491
48.25	12,790	58.25	16,409	68.25	20,042	78.25	23,577
48.50	12,879	58.50	16,500	68.50	20,132	78.50	23,663
48.75	12,969	58.75	16,591	68.75	20,222	78.75	23,749
49.00	13,058	59.00	16,682	69.00	20,312	79.00	23,835
49.25	13,148	59.25	16,773	69.25	20,402	79.25	23,921
49.50	13,238	59.50	16,864	69.50	20,491	79.50	24,006
49.75	13,327	59.75	16,956	69.75	20,581	79.75	24,092
50.00	13,417	60.00	17,047	70.00	20,671	80.00	24,177

**OFOX 34782****Gage Table Information**Reporting Marks: **OFOX 34782**

Trinity File Number: 9156

Capacity: 33,729 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 179

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,262	90.25	27,521	100.25	30,388	110.25	32,647
80.50	24,347	90.50	27,598	100.50	30,453	110.50	32,692
80.75	24,432	90.75	27,675	100.75	30,517	110.75	32,737
81.00	24,517	91.00	27,752	101.00	30,582	111.00	32,782
81.25	24,601	91.25	27,828	101.25	30,646	111.25	32,826
81.50	24,685	91.50	27,904	101.50	30,709	111.50	32,869
81.75	24,770	91.75	27,980	101.75	30,772	111.75	32,911
82.00	24,854	92.00	28,056	102.00	30,835	112.00	32,953
82.25	24,938	92.25	28,131	102.25	30,897	112.25	32,994
82.50	25,021	92.50	28,206	102.50	30,959	112.50	33,034
82.75	25,105	92.75	28,281	102.75	31,021	112.75	33,074
83.00	25,188	93.00	28,356	103.00	31,082	113.00	33,113
83.25	25,271	93.25	28,430	103.25	31,142	113.25	33,151
83.50	25,354	93.50	28,504	103.50	31,203	113.50	33,188
83.75	25,437	93.75	28,578	103.75	31,262	113.75	33,224
84.00	25,520	94.00	28,651	104.00	31,322	114.00	33,260
84.25	25,602	94.25	28,724	104.25	31,381	114.25	33,295
84.50	25,685	94.50	28,797	104.50	31,439	114.50	33,328
84.75	25,767	94.75	28,870	104.75	31,497	114.75	33,361
85.00	25,849	95.00	28,942	105.00	31,555	115.00	33,393
85.25	25,930	95.25	29,014	105.25	31,612	115.25	33,424
85.50	26,012	95.50	29,086	105.50	31,669	115.50	33,454
85.75	26,093	95.75	29,158	105.75	31,725	115.75	33,483
86.00	26,174	96.00	29,229	106.00	31,780	116.00	33,511
86.25	26,255	96.25	29,299	106.25	31,836	116.25	33,538
86.50	26,336	96.50	29,370	106.50	31,890	116.50	33,563
86.75	26,416	96.75	29,440	106.75	31,944	116.75	33,587
87.00	26,497	97.00	29,510	107.00	31,998	117.00	33,610
87.25	26,577	97.25	29,580	107.25	32,051	117.25	33,632
87.50	26,657	97.50	29,649	107.50	32,104	117.50	33,652
87.75	26,736	97.75	29,718	107.75	32,156	117.75	33,670
88.00	26,816	98.00	29,786	108.00	32,208	118.00	33,687
88.25	26,895	98.25	29,854	108.25	32,259	118.25	33,702
88.50	26,974	98.50	29,922	108.50	32,309	118.50	33,714
88.75	27,053	98.75	29,990	108.75	32,359	118.75	33,724
89.00	27,132	99.00	30,057	109.00	32,409	119.00	33,729
89.25	27,210	99.25	30,124	109.25	32,457		
89.50	27,288	99.50	30,190	109.50	32,506		
89.75	27,366	99.75	30,257	109.75	32,553		
90.00	27,443	100.00	30,322	110.00	32,600		

